

EXHIBIT 1

Gregory Bales

Reliance List
in Addition to Materials Referenced in Report

MDL Wave 3

Gregory Bales Reliance List

Medical Literature

Description
Abbott S. Evaluation and management of complications from synthetic mesh after pelvic reconstructive surgery: a multicenter study. Am J Obstet Gynecol 2014; 210(2): 163.e1-163.e8.
Abdel-fattah M, Barrington JW, Arunkalaivanan AS. Pelvicol pubovaginal sling versus tension-free vaginal tape for treatment of urodynamic stress incontinence: a prospective randomized three-year follow-up study. Eur Urol 2004;46:629-35.
Abdel-fattah M, et al. (NHS Scotland) Primary and repeat surgical treatment for female pelvic organ prolapse and incontinence in parous women in the UK: a register linkage study. BMJ (2011)
Abdel-Fattah M, et al. How common are tape erosions? A comparison of two versions of the transobturator tension-free vaginal tape procedure. BJU International (2006) 98, 594-598
Abdel-Fattah M, et al. Lower urinary tract injuries after transobturator tape insertion by different routes: a large retrospective study. BJOG 2006;113:1377-1381.
Abdel-Fattah M, et al. Prospective Randomised Controlled Trial of Transobturator Tapes in management of Urodynamic Stress Incontinence in Women: 3-Year Outcomes from the Evaluation of Transobturator Tapes Study. European Urology 62 (2012) 843-851
Abdel-Fattah M. Evaluation of transobturator tapes (E-TOT) study: randomised prospective single-blinded study comparing inside-out vs. outside-in transobturator tapes in management of urodynamic stress incontinence: Short term outcomes. European Journal of Obstetrics & Gynecology and Reproductive Biology 149 (2010) 106-111
Abdel-Fattah, Familusi, Ramsay, N'Dow. A Randomised prospective single-blinded study comparing 'inside-out' versus 'outside-in' transobturator tapes in the management of urodynamic stress incontinence: 1-year outcomes from the E-TOT study. BJOG 2010;117:870-878.
Abdel-Fattah, M, et al. Retrospective multicentre study of the new minimally invasive mesh repair devices for pelvic organ prolapse. BJOG 115: 22-30. Urogynecol J (2008) 22: 789-798.
Abdel-Fattah, M. A Randomized Perspective single-blinded study comparing "inside-out" vs. "outside-in" transobturator tapes in the management of female stress urinary incontinence (E-TOT study); 3 year follow-up. (2011)
Abdelmonem AM. Vaginal length and incidence of dyspareunia after total abdominal versus vaginal hysterectomy. European Journal of Obstetrics & Gynecology and Reproductive Biology 151 (2010) 190-192
Abdelwahab O, et al. Tension-free vaginal tape versus secure tension-free vaginal tape in treatment of female stress urinary incontinence. Curr Urol 2010; 4:93-98.
Abduljabbar H, et al. Comparison of the classic TVT and TVT Secur. Prime Research on Education ISSN: 2251-1253. Vol. 2(9), pp. 344-347, October 31st, 2012
Abduljabbar, H. Comparison of the classic TVT and TVT Secur. Prime Journals 2012; 2(9): 344-347
Abed H. Incidence and management of graft erosion, wound granulation, and dyspareunia following vaginal prolapse repair with graft materials: a systematic review. Int Urogynecol J; 2011;11:1384-95.
Adhoue, F., et al. (French, Eng abs) Use of transvaginal polypropylene mesh (Gynemesh) for the treatment of pelvic floor disorders in women. Prospective study in 52 patients. Prog Urol 2004;14(2):196-196.
Adile B, et al. [Pop 67, 3 yr fu] A Prospective Randomized study comparing Laparoscopic Burch vs. TVT-Short and Long term follow-up. ICS Abs. 550 (2003)
Afonso, J. Mechanical properties of polypropylene mesh used in pelvic floor repair. Int Urogynecol J 2008; 19: 375-380
Agarwala N. A randomized comparison of two synthetic mid-urethral tension-free slings. UroToday International Journal, Vol 1, Iss 4, October 2008

Gregory Bales Reliance List

Medical Literature

Agarwala N. Laparoscopic sacral colpopexy with Gynemesh as graft material - Experience and results, J Minim Invasive Gynecol. 2007 Sep-Oct;14(5):577-83
Agarwala. An update on existing guidelines and position statements for the credentialing of pelvic surgeons performing complex urogynecological procedures.
Agostini A, et al. [Pop 12,280, 6 yr fu] Immediate Complications of Tension-Free Vaginal Tape (TVT): Results of a French Survey. European Journal of Obstetrics & Gynecology and Reproductive Biology 124 (2006) 237-239
AigmueLLer T, et al. [10 yr fu] Ten-year follow-up after the tension-free vaginal tape procedure. Am J Obstet Gynecol. 2011; 205:496.e1-5.
AigmueLLer. Reasons for dissatisfaction ten years after TVT Procedure. Int Urogynecol J (2014) 25:213-217.
Albo M, Richter, Zimmern, Moalli, Sirs. - NEJM - SISTER study - Burch Colposuspension versus Fascial Sling to Reduce Urinary Stress Incontinence. N Engl J Med 2007;356:2143-55.
Albo, Richter, Zimmern, Moalli, Sirs. (TOMUS 2 yr obj cure) Treatment Success of Retropubic and Transobturator Mid Urethral Slings at 24 Months. The Journal of Urology, Vol. 188, 2281-2287, December 2012.
Alcalay M, et al. Burch colposuspension: a 10-20 year follow up. British Journal of Obstetrics and Gynaecology, September 1995, Vol. 102, pp. 740-745
Alewijnse, D., et al - Effectiveness of pelvic floor muscle exercise therapy supplemented with a health ed. program to promote long-term adherence Among Women with Urinary Incontinence. Neurourology and Urodynamics, 22:284-295 (2003)
Ali S et al. [Abs 292] A prospective randomized trial using Gynemesh PS for the repair of anterior vaginal wall prolapse. Int Urogynecol J (2006) 17 (Suppl. 2):S171-S359.
Al-Nazer MA, et al. [Abs 084] Comparative study between anterior colporrhaphy versus vaginal wall repair with mesh for management of anterior vaginal wall prolapse. Int Urogynecol J (2007) 18 (Suppl 1):S25-S105.
Altman D, et al. Anterior Colporrhaphy versus Transvaginal Mesh for Pelvic-Organ Prolapse. N Engl J Med 2011;364:1826-36
Altman D. Surgery for cystocele II: replies. Int Urogynecol J (2012) 23:663-664.
Altman, D. et al. Sexual Dysfunction after Trocar-Guided Transvaginal Mesh Repair of Pelvic Organ Prolapse. Obstet Gynecol (2009) 113: 127-33
Altman, D. Perioperative morbidity using transvaginal mesh in pelvic organ prolapse repair. Obstet Gynecol 2007;109:303-8.
Altman, D. Short-term outcome after transvaginal mesh repair of pelvic organ prolapse. Int Urogynecol J:2008 DOI 10.1007/S00192-007-0526-2.
Amaro JL, et al. Clinical and quality-of-life outcomes after autologous fascial sling and tension-free vaginal tape: a prospective randomized trial. Int Braz J Urol 2009;35:60-66; discussion 66-67.
Amaro. [AUA Abs 1460] A prospective randomized trial of autologous fascial sling (AFS) versus tension-free vaginal tape (TVT) for treatment of stress urinary incontinence. The Journal of Urology Vol. 177, No. 4, Suppl. Tuesday, May 22, 2007.
Amat I Tardiu L, Martinez Franco E, Lailla Vicens JM. Contasure-Needleless® compared with transobturator-TVT for the treatment of stress urinary incontinence. Int Urogynecol J 2011 Jul;22(7):827-833.
American Urogynecologic Society's Guidelines Development Committee - Guidelines for Providing Privileges and Credentials to Physicians for Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse. Female Pelvic Med Reconstr Surg 2012; 18(4): 194-197
Amias A. Sexual Life after Gynaecological Operations- II British Medical Journal 1975; 2: 680-681.

Gregory Bales Reliance List

Medical Literature

Amid PK. Biomaterials for abdominal wall hernia surgery and principles of their applications. <i>Langenbecks Arch Chir</i> (1994) 379:168-171
Amid PK. Classification of biomaterials and their related complications in abdominal wall hernia surgery. <i>Hernia</i> :1997;1:15-21.
Anderson KF. Surgical management of ICS, IUGA class 1-4 transvaginal mesh (TVM) prolapse kit complications: 8-year review of 82 patients from a single center. (2015)
Andonian S, Chen T, St-Denis B, Coreas J. Randomized clinical trial comparing suprapubic arch sling (SPARC) and tension-free vaginal tape (TVT): one-year results. <i>Eur Urol</i> 2005;47:537-541.
Andonian S, St-Denis B, Lemieux MC, Coreas J. Prospective clinical trial comparing Obtape and DUPS to TVT: One-year safety and efficacy results. <i>European Urology</i> 52 (2007) 245-252.
Andonian, S., et al. Randomized clinical trial comparing suprapubic arch sling (SPARC) and tension-free vaginal tape (TVT): One-year results. <i>European Urology</i> 47 (2005) 537-541
Anger. Trends in the Surgical Management of Stress Urinary Incontinence among Female Medicare Beneficiaries. <i>Urology</i> . 2009 August ; 74(2): 283-287
Angioli R, Plotti F, Muzii L, Montera R, Panici PB, Zullo MA. Tension-free vaginal tape versus transobturator suburethral tape: five-year follow-up results of a prospective, randomised trial. <i>Eur Urol</i> 2010;58:671-677.
Aniuliene R. Tension-free vaginal tape versus tension-free vaginal tape obturator (inside-outside) in the surgical treatment of female stress urinary incontinence. <i>Medicina (Kaunas)</i> . 2009;45(8):639-43.
Araco F, Gravante G, Sorge R, et al. TVT-O vs TVT: a randomized trial in patients with different degrees of urinary stress incontinence. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2008;19:917-926.
Arunkalaivanan, AS, Barrington, JW. Randomized trial of porcine dermal sling Pelvicol implant vs TVT in the surgical treatment of stress incontinence: a questionnaire-based study. <i>Int Urogynecol J</i> (2003) 14:17-23
Athanasios S. Grigoriadis T, Zacharakis D, Skampardonis N, Laurantou D, Antsaklis A. [Pop 124, 7 yr fu] Seven years of objective and sub-jective outcomes of transobturator (TVT-O) vaginal tape: why do tapes fail? <i>Int Urogynecol J</i> (2014) 25:219-225
Aube M, et al. (Prolift, Elevate, Avaulta, et al.) [Pop 225, median 37 mo fu] ICS Abs 456 - Long term efficacy and patient satisfaction of pelvic organ prolapse reduction using trans-vaginal mesh. (2015)
Aube-Peterkin, M. Long-term efficacy and patient satisfaction of pelvic organ prolapse reduction using transvaginal mesh. <i>ABS MP10-16</i> ; 2016
Azar, M. Sexual function in women after surgery for pelvic organ prolapse. <i>Int Urogynecol J</i> 2008; 19: 53-57
Bai SW, Sohn WH, Chung DJ, Park JH, Kim SK. Comparison of the efficacy of Burch colposuspension, pubovaginal sling, and tension-free vaginal tape for stress urinary incontinence. <i>Int J Gynecol Obstet</i> 2005;91:246-251.
Balchandra, P. Perioperative outcomes and prospective patient reported outcome measure for transvaginal mesh surgery. <i>Arch Gynecol Obstet</i> (2015)
Barber M. Apical Prolapse, <i>Int Urogynecol J</i> (2013) 24:1815-1833
Barber M. Comparison of 2 Transvaginal Surgical Approaches and Perioperative Behavioral Therapy for Apical Vaginal Prolapse, The OPTIMAL Randomized Trial, <i>JAMA</i> 2014; 311(10): 1023-1034
Barber M. Comparison of 2 Transvaginal Surgical Approaches and Perioperative Behavioral Therapy for Apical Vaginal Prolapse. The OPTIMAL Randomized Trial. <i>JAMA</i> 2014; 311(10): 1023-1034 Corrected June 25, 2015

Gregory Bales Reliance List

Medical Literature

Barber M. Factorial comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse. JAMA:2014;11:1719.
Barber M. OPTIMAL RCT SSLFvs. USLS Supplementary Online Content. Table 8 Adverse Events JAMA (2014)
Barber M. Sexual Function in women with urinary incontinence and Pelvic Organ Prolapse. Obstet Gynecol 2002;99:281-9
Barber MD, Kleeman S, Karram MM, et al. (TOT) [Pop 168, 24 mo fu] Transobturator tape compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. Obstet Gynecol 2008;111:611-621.
Barber MD, Weidner AC, Sokol AI, et al. Single-incision mini-sling compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. Obstet Gynecol 2012;119:328-337.
Barber, MD. et al. Defining Success After Surgery for Pelvic Organ Prolapse. Obstetrics & Gynecolog (Sept 2009), Vol 114, No. 3, pgs 600-609
Barber. Cleveland Clinic leads multicenter trial of single-incision 'mini-sling' for stress urinary incontinence. The Cleveland Clinic Foundation 2011 Summer 2011
Barry. [Pop 187, 3 mo fu] [TOT] A multi-centre, randomised clinical control trial comparing the retropubic (RP) approach versus the transobturator approach (TO) for tension-free, suburethral sling treatment of urodynamic stress incontinence: the TORP study. Int Urogynecol J (2008) 19:171-178
Bartley, J. Secondary surgery after vaginal prolapse repair with mesh is more common for stress incontinence and voiding dysfunction than for mesh problems or prolapse recurrence. Int Urol Nephrol 2015;DOI 10.1007/s11255-015-0930-3.
Bartuzi A. Transvaginal Prolift® mesh surgery due to advanced pelvic organ prolapse does not impair female sexual function: a prospective study. Eur J Obstet Gynecol Reprod Biol 2012; http://dx.doi.org/10.1016/j.ejogrb.2012.07.011
Basu M, Duckett J. A randomised trial of a retropubic tension-free vaginal tape versus a mini-sling for stress incontinence. BJOG 2010;117:730-735.
Beck. The Fascia Lata Sling Procedure for Treating Recurrent Genuine Stress Incontinence of Urine. Obstet Gynecol 72: 699, 1988)
Bemelmans. Are slings now the gold standard treatment for the management of female urinary stress incontinence and if so which technique? Current Opinion In Urology 2003, 13:301-307
Benbouzid S, et al. Pelvic organ prolapse transvaginal repair by the Prolift system: evaluation of efficacy and complications after a 4.5 years follow up. Int J Urol 2012;19:1010-1016.
Benson, J. Vaginal versus abdominal reconstructive surgery for the treatment of pelvic support defects: A prospective randomized study with long-term outcome evaluation. Am J Obstet Gynecol 1996;175:1418-1422.
Bent, Ostergard. GORE-TEX - Tissue reaction to expanded polytetrafluoroethylene suburethral sling for urinary incontinence: Clinical and histologic study. AM J OBSTET GYNECOL 1993;169:1198-204.
Bergman. [Pop 107 at 1 yr, 93 at 5 yr fu] Three surgical procedures for genuine stress incontinence. Five-year follow-up of a prospective randomized study. (1995)
Bernasconi, F. TVT SECUR™ System: Final Results of a prospective, observational, multicentric study. Int Urogynecol J 2012; 23: 93-98
Berrocal J, et al. (the TVM group) Conceptual advances in the surgical management of genital prolapse. J. Gynecol Obstet Biol Reprod. 2004;33:577-587

Gregory Bales Reliance List

Medical Literature

<p>Berrocal, J. Conceptual advances in the surgical management of genital prolapse. The TVM technique emergence. J Gynecol Obstet Biol Reprod 2004; 33: 577-587</p>
<p>Bezhenar. [Pop 467. 7 yr] 7-Year old Clinical Experience of Treating women's urinary incontinence using suburethral slings, ICS Abs 768. (2013)</p>
<p>Bhatia, Murphy, Lucente. [AUGS Oral Poster 19] A comparison of sexual function outcomes 1 year after undergoing a transvaginal mesh procedure using polypropylene mesh vs. hybrid polypropylene/poliglecaprone mesh. Female Pelvic Med Reconstr Surg 2012;18:S20-S21.</p>
<p>Bhatia, Murphy, Lucente. [IUGA/ICS Abs 34] A comparison of short term sexual function outcomes for patients undergoing the transvaginal mesh procedure using the standard polypropylene mesh vs a hybrid polypropylene/poliglecaprone mesh. [Oral Poster 1] Female Pelvic Medicine & Reconstructive Surgery 2010; 16(2): S15-16</p>
<p>Bianchi-Ferraro, A. Randomized controlled trial comparing TVT-O and TVT-S for the treatment of stress urinary incontinence: 2-year results. Int Urogynecol J 2014; 25: 1343-1348</p>
<p>Bianchi-Ferraro, A. Single-incision sling compared with transobturator sling for treating stress urinary incontinence: a randomized controlled trial. Int Urogynecol J 2012; Epub Ahead of Print</p>
<p>Bjelic-Radisic V. Mesh devices for pelvic organ prolapse. Results of the Austrian Registry. Int Urogynecol J 2013 24 (Suppl 1): S60-61</p>
<p>Black. [review + Hilton editorial] The effectiveness of surgery for stress incontinence in women: a systematic review. British Journal of Urology (1996),78,497-510</p>
<p>Blandon. Complications from vaginally placed mesh in pelvic reconstructive surgery. Int Urogynecol J (2009) 20:523 531</p>
<p>Bo K, Kvarstein B, Nygaard I. Lower urinary tract symptoms and pelvic floor muscle exercise adherence after 15 years. Obstet Gynecol 2005, 105(5 Pt 1):999-1005</p>
<p>Boukerro. Objective analysis of mechanical resistance of tension-free devices. European Journal of Obstetrics & Gynecology and Reproductive Biology 124 (2006) 240-245</p>
<p>Boukerrou M, et al. Study of the biomechanical properties of synthetic mesh implanted in vivo. Eur J Obstet Gynecol Reprod Biol (2007) 134:262-267</p>
<p>Boulanger L, Boukerrou M, Lambaudie E, Defossez A, Cosson M. Tissue integration and tolerance to meshes used in gynecologic surgery: an experimental study, Eur J Obstet Gynecol Reprod Biol 2006; 125(1): 103-8.</p>
<p>Brito. Comparison of the efficacy and safety of surgical procedures utilizing autologous fascial and transobturator slings in patients with stress urinary incontinence. (2013)</p>
<p>Brown. Characterization of the host inflammatory response following implantation of prolapse mesh in rhesus macaque. American Journal of Obstetrics and Gynecology, DOI: 10.1016/j.ajog.2015.08.002</p>
<p>Brown. Pelvic organ prolapse surgery in the United States, 1997. Am J Obstet Gynecol (2002); 186(4): 712-716</p>
<p>Brubaker L, et al. [Pop 597, 24 mo fu] Adverse events over two years after retropubic or transobturator midurethral sling surgery: findings from the Trial of Midurethral Slings (TOMUS) study. Am J Obstet Gynecol 2011; 205:498.e1-6.</p>
<p>Brubaker, L. Surgery for Pelvic Organ Prolapse. Female Pelvic Med Reconstr Surg 2010; 16(1): 9-19</p>
<p>Brubaker, Richter, Zimmern. [Pop 482, 5 yr fu] 5-year Continence Rates, Satisfaction and Adverse Events of Burch Urethropexy and Fascial Sling Surgery for Urinary Incontinence. J Uro (2012) Vol. 187, 1324-1330</p>
<p>Bryans. Marlex gauze hammock sling operation with Cooper's ligament attachment in the management of recurrent urinary stress incontinence. Am. J. Obstet. Gynecol. 133: 292, 1979.</p>
<p>Burgio, Richter. Patient satisfaction with stress incontinence surgery. (2010)</p>

Gregory Bales Reliance List

Medical Literature

But I, Faganelj M. Complications and short-term results of two different transobturator techniques for surgical treatment of women with urinary incontinence: a randomized study. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2008;19:857-861.
But, I. Complications and short-term results of two different Transobturator techniques for surgical treatment of women with urinary incontinence: a randomized study. <i>Int. Urogynecol J</i> (2008) 18:857-861
Calvo. [Pop 92, 1 yr fu] Our experience with mini tapes (TVT-Secur and MiniArc) in the surgery for stress urinary incontinence. <i>Acta Urol Esp.</i> 2008; 32(10): 1013-1018
Cammu H, Van Nylen M, Blockeel C, Kaufman L, Amy JJ. Who will benefit from pelvic floor muscle training for stress urinary incontinence? <i>Am J Obstet Gynecol</i> 2004, 191(4):1152-1157
Cammu. Dramatic increase (1997-2007) in the number of procedures for stress urinary incontinence in Belgium. <i>Int Urogynecol J</i> (2010) 21:1511-1515
Campeau L, Tu LM, Lemieux MC, et al. A multicenter, prospective, randomized clinical trial comparing tension-free vaginal tape surgery and no treatment for the management of stress urinary incontinence in elderly women. <i>Neurourol Urodyn</i> 2007;26:990-994.
Caquant F, et al. Safety of Trans Vaginal Mesh procedure - retrospective study of 684 patients (Gynemesh PS). <i>J Obstet Gynaecol Res</i> 2008; 34:449-456.
Carbone, Kavalier. Pubovaginal sling using cadaveric fascia and bone anchors; Disappointing early results. (2001)
Carey M, et al. Vaginal repair with mesh versus colporrhaphy for prolapse; a randomized controlled trial. <i>BJOG</i> 2009;116:1380-1386.
Carey, M. Vaginal surgery for pelvic organ prolapse using mesh and a vaginal support device. <i>BJOG</i> 2008;115:391-397
Caruso S, Rugolo S, Bandiera S, Mirabella D, Cavallaro A, Cianci A. Clitoral blood flow changes after surgery for stress urinary incontinence: pilot study on TVT Versus TOT procedures. <i>Urology</i> 2007;70:554- 557.
Cassidenti A. The crushing of innovation for treating female pelvic floor disorders: A Story of "Lead or be Led." <i>OBG Management</i> 2016; 28(4): 9-14
Celebi. [Pop 563, 5 yrs fu] Results of the tension-free vaginal tape procedure for treatment of female stress urinary incontinence: a 5-year follow-up study. <i>Arch Gynecol Obstet</i> (2009) 279:463-467
Chai, Richter, Kenton, Zimmern, Zyczynski (UITN) - Complications in Women Undergoing Burch Colposuspension Versus Autologous Rectus Fascial Sling for Stress Urinary Incontinence. (2009)
Chaliha, Stanton. Complications of surgery for genuine stress incontinence. <i>British Journal of Obstetrics and Gynecology</i> , December 1999, Vol 106, pp. 1238-1245
Chen. (Zhong) [Pop 187] Comparison of three kinds of midurethral slings for surgical treatment of female stress urinary incontinence. <i>Urologia</i> 2010; 77 (1): 37-42
Chene. [Pop 94, 5 yr fu] Long-term results of tension-free vaginal tape (TVT) for the treatment of female urinary stress incontinence. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 134 (2007) 87-94
Cheng D, Caigang L. [Pop 103, 5 yr fu] Tension-free vaginal tape-obturator in the treatment of stress urinary incontinence: a prospective study with five-year follow-up. <i>Eur J Obstet Gynecol Reprod Biol</i> (2012) 161:228-231
Cho, M. Anatomic and functional outcomes with the Prolift Procedure in Elderly Women with Advanced Pelvic Organ Prolapse Who Desire Uterine Preservation. <i>Journal of Minimally Invasive Gynecology</i> 2012; 19: 307-312

Gregory Bales Reliance List

Medical Literature

Cholhan H, et al. Dyspareunia association with paraurethral banding in the transobturator sling. Am J Obstet Gynecol 2010;202:481.e1-5.
Christensen. [Pop 169, median 7 yr fu] Long-term results of the Stamey bladder-neck suspension procedure and of the Burch Colposuspension. Scand J Urol Nephrol 31: 349-353, 1997
Chughtai BI, et al. Midurethral Sling Is the Dominant Procedure for Female Stress Urinary Incontinence: Analysis of Case Logs from Certifying American Urologists. Urology (2013)
Chung C. Incidence and risk factors of postoperative urinary tract infection after uterosacral ligament suspension. Int Urogynecol J 2012; 23:947-950.
Chung C. Recognition and management of nerve entrapment pain after uterosacral ligament suspension. Obstet & Gynecol 2012; 120:292-95
Chung. [Pop 91] Comparison of Laparoscopic Burch and Tension-Free Vaginal Tape in Treating Stress Urinary Incontinence in Obese Patients. JSLS (2002)6:17-21
Clark, Edwards. Epidemiologic evaluation of reoperation for surgically treated pelvic organ prolapse and urinary incontinence. Am J Obstet Gynecol 2003;189:1261-7
Clave. Polypropylene as a reinforcement in pelvic surgery is not inert: comparative analysis of 100 explants. Int Urogynecol J (2010) 21:261-270
Clemons JL, et al. Impact of the 2011 FDA Transvaginal Mesh Safety Update on AUGS Members' Use of Synthetic Mesh and Biologic Grafts in Pelvic Reconstructive Surgery. Female Pelvic Med Reconstr Surg 2013; 19: 191-198
Coady D. Chronic sexual pain. A layered guide to evaluation. Contemporary Ob/Gyn, September 2015, pp. 18-28.
Cobb, Kercher, Heniford. The Argument for Lightweight Polypropylene Mesh in Hernia Repair. Surgical Innovation, Vol 12, No 1 (March), 2005: pp 63-69
Collinet P, et al. The safety of the inside-out transobturator approach for transvaginal tape (TVT-O) treatment in stress urinary incontinence: French registry data on 984 women. Int Urogynecol J (2008) 19:711-715
Collinet. Transvaginal mesh technique for pelvic organ prolapse repair: mesh exposure management and risk factors. Int Urogynecol J (2006) 17: 315-320.
Colombo. [Pop 119] AIUG Proceedings (15th), Randomized Study to compare pereyra and TVT procedures for women with stress urinary incontinence and advanced urogenital prolapse. Urogynaecologia International Journal Vol. 19, No. 1 Jan-Apr 2005.
Constantini E, et al. [ICS Abs 3] Prolonged follow-up shows continence deter. after trans-obturator tape: Results from a randomised controlled study. (2013)
Cornu, J. Midterm prospective evaluation of TVT-Secur Reveals High Failure Rate. European Urology 2010; 58: 157-161
CORRECTION: Incorrect Data for Absolute Rates of Adverse Effects for JAMA 2015; 313(12): 1258-1259; JAMA 2015; 313(22): 2287
Cosson M, et al. Mechanical properties of synthetic implants used in the repair of prolapse and urinary incontinence in women: Which is the ideal material? Int Urogynecol J (2003) 14:169-178
Cosson M, et al. Prolift (Mesh (Gynecare) for Pelvic Organ Prolapse Surgical Treatment: Using the TVM Group Technique: A Retrospective Study of 687 Patients. ICS Abstract 121 (2005)
Cosson M, et al. Prolift mesh (Gynecare) for pelvic organ prolapse surgical treatment using the TVM group technique: a retrospective study of 96 women of less than 50 years old. ABS 686 (2005)
Cosson M. Abst. 56 - Trans-vaginal mesh technique for treatment of pelvic organ prolapse: 5 years of prospective follow up. (2010)
Cosson M. Mechanical properties of synthetic implants used in the repair of prolapse and urinary incontinence in women: which is the ideal material? Int Urogynecol J (2003) 14: 169-178

Medical Literature

Cosson, M. Chapter 7: Properties of Synthetic Implants Used in the Repair of Genital Prolapses and Urinary Incontinence in Women in Theobald's New Techniques in Genital Prolapse Surgery ISBN: 978-1-84882-135-4
Cosson, M; Jacquetin, B. Prospective clinical assessment of the total vaginal mesh (TVM) technique for treatment of pelvic organ prolapse - 6 and 12 months results
Cosson, M; Rosenthal, C. Prospective clinical assessment of the total vaginal mesh (TVM) technique for treatment of pelvic organ prolapse - 6 and 12 months results
Costantini. [Pop 87, median 100 mos fu] Long-term efficacy of the trans-obturator and retropubic mid-urethral slings for stress urinary incontinence: update from a randomized clinical trial. World J Urol (2015), DOI 10.1007/s00345-015-1651-z
Cox A, Herschorn S, Lee L. [Nat Rev Urol] Surgical management of female SUI: is there a gold standard? Nat Rev Urol. 2013 Feb;10(2):78-89.
Crane, A. Surgical privileging in Gynecology: A Fellows' Pelvic Research Network Study. Female Pelvic Medicine & Reconstructive Surgery 2014; 20(1): 19-22
Cresswell J, et al. [pop 118, mean 6.6 yrs fu] Long-term evaluation of tension-free vaginal tape (TVT) outcomes for a UK Surgeon: Objective assessment and patient satisfaction questionnaires. British Journal of Medical and Surgical Urology (2008) 1, 58-62.
Cuevas. [Abs 1108] Prolift like (PL) surgery: A management option for severe pelvic organ prolapse (POP) in a public hospital in a developing country. Int Urogynecol J (2011) 22 (Suppl 2):S197-S1768.
Da Silveira, S. Multicenter, randomized trial comparing native vaginal tissue repair and synthetic mesh repair for genital prolapse surgical treatment. Int Urogynecol J 2014.
da Silveira, Simone dos Reis Brandao. Multicenter, randomized trial comparing native vaginal tissue repair and synthetic mesh repair for genital prolapse surgical treatment, Int Urogynecol J. 2014
Daly. Commentary on Jallah, Moalli 2015 Vaginal mesh products, each an entity unto itself. BJOG 2015 DOI: 10.1111/1471-0528.13534.
Damoiseaux A, et al. [IUGA Abs PP 01] Long-term follow-up (7 years) of a randomized controlled trial. Trocar guided mesh compared with conventional vaginal repair in recurrent pelvic organ prolapse. Int Urogynecol J (2015) 26 (Suppl 1): S23-S174
Dandolu V, Pathak P. [IUGA Abs PP 37] Mesh complications in U.S. after transvaginal mesh repair versus abdominal or laparoscopic sacrocolpopexy. Int Urogynecol J (2015) 26 (Suppl 1): S23-S174
Darai, E. Functional Results After the Suburethral Sling Procedure for Urinary Stress Incontinence: A Prospective Randomized Multicentre Study Comparing the Retropubic and Transobturator Routes. EUROPEAN UROLOGY 51 (2007) 795-802
Davila, G.W., et al. Pelvic floor dysfunction management practice patterns: A survey of members of the International Urogynecology Association. Int Urogynecol J (2002) 13:319-325
De Boer T. Predictive factors for overactive bladder symptoms after pelvic organ prolapse surgery. Int Urogynecol J 2010; 21: 1143-1149.
de Landsheere L. Surgical intervention after transvaginal Prolift mesh repair: retrospective single-center study including 524 patients with 3 years' median follow-up. Am J Obstet Gynecol 2012;206:83.e1-7
de Leval J, Thomas A, Waltregny D. The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial. Int Urogynecol J 2011;22:145-156.
De Leval J. (TVT-O _inside-out_ treatise) [Pop 107, 1 mo fu] Novel Surgical Technique for the Treatment of Female Stress Urinary Incontinence: Transobturator Vaginal Tape Inside-Out. Eur Urol. 2003 Dec;44(6):724-30

Medical Literature

De Leval. [Pop 102, 1 yr fu] New Surgical Technique for Treatment of Stress Urinary Incontinence TVT-Obturator. New Developments and Results. SURGICAL TECHNOLOGY INTERNATIONAL XIV (2005), pg. 215-221
de Oliveira L, Girao MJ, Sartori MG, Castro RA, Fonseca E. [Pop 85, med 14 mos fu] Abs 328 - Comparison of retro pubic TVT, pre-pubic TVT and TVT transobturator in surgical treatment of women with stress urinary incontinence. Int Urogynecol J 2007;18 (Suppl I):S180-S181.
De Souza A, Dwyer PL, Rosamilia A, Hiscock R, Lim YN, Murray C, Thomas E, Conway C, Schierlitz L. Sexual function following retropubic TVT and transobturator Monarc sling in women with intrinsic sphincter deficiency: a multicentre prospective study. Int Urogynecol J. 2012 Feb;23(2):153-8.
de Tayrac R. Complications of pelvic organ prolapse surgery and methods of prevention. Int Urogynecol J 2013; 24: 1859-1872.
De Tayrac, R. Comparison between tran-obturator trans-vaginal mesh and traditional anterior colporrhaphy in the treatment of anterior vaginal wall prolapse: results of a French RCT. Int Urogynecol J 2013; 24: 1651-1661
de Tayrac. [Abs. 149] Cystocele repair with a fixation-free prosthetic polypropylene mesh (2001)
Dean. [Review] Laparoscopic colposuspension and tension-free vaginal tape. A systematic review. BJOG 2006;113:1345-1353
Debet, B. Transvaginal repair of genital prolapse by the Prolift technique: outcome one year after surgery.
Debodinance, P. TVT Secur™ Prospective Study and Follow Up to 1 year about 150 patients. Int Urogynecol J 2008; 19(Suppl 1): S11-12
Debodinance. [Pop 256, 3 mo fu] Tension-free vaginal tape (TVT) in the treatment of urinary stress incontinence: 3 years experience involving 256 operations. European Journal of Obstetrics & Gynecology and Reproductive Biology 105 (2002) 49-58
Deffieux X, Daher N, Mansoor A, Debodinance P, Muhlstein J, Fernandez H. Transobturator TVT-O versus retro pubic TVT: results of a multicenter randomized controlled trial at 24 months follow-up. Int Urogynecol J 2010;21:1337-1345.
Deffieux X. Prevention of complications related to the use of prosthetic meshes in prolapse surgery: guidelines for clinical practice. Eur J Obstet Gynecol Reprod Biol 2012 http://dx.doi.org/10.1016/j.ejogrb.2012.09.001
Deffieux. (French, Eng Abs) Vaginal mesh extrusion after transvaginal repair of cystocele using a prosthetic mesh: treatment and functional outcomes. J Gynecol Obstet Biol Reprod 2006; 35: 678-684.
Delorme. (online Dec. 2003) Transobturator tape (Uratape). A new minimally invasive procedure to treat female urinary incontinence. (2004)
Delroy, C. The use of transvaginal synthetic mesh for anterior vaginal wall prolapse repair: a randomized controlled trial. Int Urogynecol J 2013; 24: 1899-1907
Demirci F, et al. Long-term results of Burch colposuspension. Gynecol Obstet Invest 2001; 51:243-247.
Demirci F. Perioperative Complications in Abdominal Sacrocolpopexy, Sacrospinous Ligament Fixation and Prolift Procedures. Balkan Med J 2014;31:158-63
Demirci. Perioperative Complications in Vaginal Mesh Procedures Using Trocar in Pelvic Organ Prolapse Repair. The Journal of Obstetrics and Gynecology of India (September-October 2013) 63(5):328-331
Denis S. [IUGA Abs 620] Pelvic Organ prolapse treatment by the vaginal route using a Vypro composite mesh: preliminary results about 106 cases. (2004)

Medical Literature

Deprest, J. Synthetic and biodegradable prostheses in pelvic floor surgery. International Congress Series 20015; 1279: 387-397
Deprest. The biology behind fascial defects and the use of implants in pelvic organ prolapse repair. Int Urogynecol J (2006) 17; S16-S25.
DeSouza. [case report] Adductor brevis myositis following transobturator tape procedure: a case report and review of the literature. Int Urogynecol J (2007) 18:817-820
deTayrac R. A prospective randomized trial comparing tension-free vaginal tape and transobturator suburethral tape for surgical treatment of stress urinary incontinence. American Journal of Obstetrics and Gynecology (2004) 190, 602e8
Di Piazza. [IUGA Abs. 430] Complications in short suburethral sling positioning. Int Urogynecol J (2009) 20 (Suppl 3):S241-S491.
Dietz H, et al. TVT vs Monarc: a comparative study. Int Urogynecol J (2006) 17: 566-569
Dietz HP, et al. [Pop 68, median 1.6 yrs fu] Does the Tension-Free Vaginal tape stay Where you Put It? Am J Obstet Gynecol 2003; 188:950-3
Dietz HP, et al. Mechanical properties of urogynecologic implant materials. Int Urogynecol J (2003) 14:239-243.
Dietz V and Maher C. Pelvic organ prolapse and sexual function. Int Urogynecol J (2013) 24: 1853-1857
Dietz, H. Mesh contraction: myth or reality? Am J Obstet Gynecol 2011; 204: 173.e1-4
Dietz. Opinion: Mesh in prolapse surgery: an imaging perspective. Ultrasound Obstet Gynecol 2012; 40: 495-503
Diwadkar G. Complication and reoperation rates after apical vaginal prolapse surgical repair. Obstet Gynecol 2009;113:367-73.
Diwadkar G. Complication and Reoperation Rates After Apical Vaginal Prolapse Surgical Repair. Obstet Gynecol 2009;113:367-73
Dmochowski, Blaivas. (AUA Guidelines) Update of AUA Guideline on the Surgical Management of Female Stress Urinary Incontinence. The Journal of Urology Vol. 183, 1906-1914, May 2010
Dmochowski, R. One Year Results from a World-wide Registry of TVT-SECUR™ in Women with Stress Urinary Incontinence. 2009; Paper Submission 09-AB-97051-AUA
Dooley Y, et al. Urinary Incontinence Prevalence: Results from the National Health and Nutrition Examination Survey. (2008)
dos Reis Brandao da Silveira S. [Pop 184, 1 yr fu] Multicenter, randomized trial comparing native vaginal tissue repair and synthetic mesh repair for genital prolapse surgical treatment. Int Urogynecol J. 2014. 26: 335-342.
Drahoradova P, Ma5ata J, Martan A, Svabfk K. ICS Abs. 278 - Comparative development of quality of life between TVT and Burch colposuspension. (2004)
Drutz H. IUGA guidelines for training in female pelvic medicine and reconstructive pelvic surgery (FPM-RPS). Updated Guildelines 2010. Int Urogynecol K=J 2010; 21: 1445-1453.
Duckett J, Baranowski J. [Review] Pain after suburethral sling insertion for urinary stress incontinence. Int Urogynecol J (2013) 24:195-201
Duckett. [Pop 450, 3-50 mo fu] Groin pain after a tension-free vaginal tape or similar suburethral sling: management strategies. 2005 BJU INTERNATIONAL 95. 95-97
Dwyer, P. Transvaginal repair of anterior and posterior compartment prolapse with Atrium polypropylene mesh. BJOG 2004; 111: 831-836
Dwyer. Carcinogenicity of implanted synthetic grafts and devices. (2014)
Dyrkorn OA, Kulseng-Hanssen S, Sandvik L. TVT compared with TVT-O and TOT: Results from the Norwegian National Incontinence Registry; Int Urogynecol J (2010) 21:1321-1326.

Medical Literature

El-Barky E, El-Shazly A, El-Wahab OA, Kehinde EO, Al-Hunayan A, Al-Awadi KA. Tension free vaginal tape versus Burch colposuspension for treatment of female stress urinary incontinence. <i>Int Urol Nephrol</i> 2005;37:277-281.
Elena C, et al. [Pop 90] ISU Abs 5. - Can preoperative overactive bladder (OAB) symptoms influence TVT-O outcome? <i>Neurourology and Urodynamics</i> (2012)
El-Hefnawy AS, Wadie BS, El Mekresh M, Nabeeh A, Bazeed MA. TOT for treatment of stress urinary incontinence: how should we assess its equivalence with TVT? <i>Int Urogynecol J</i> 2010;21:947-953.
Elmer C, et al. Histological inflammatory response to transvaginal polypropylene mesh for pelvic reconstructive surgery, <i>J Urol</i> (2009), 181 (3), 1189-95.
Elmer, C. Risk factors for mesh complications after trocar guided transvaginal mesh kit repair of anterior vaginal wall prolapse. <i>Neurourology and Urodynamics</i> 2012. DOI 10.1002/nau.
Elmer, C., et al. Trocar-Guided Transvaginal Mesh Repair of Pelvic Organ Prolapse. <i>Obstet Gynecol</i> (2009) 113: 117-26.
El-Nazer MA, et al. Anterior colporrhaphy versus repair with Gynemesh PS for anterior vaginal wall prolapse: a comparative clinical study. <i>Arch Gynecol Obstet</i> (2012)286:965-972.
Elzevier H, et al. Female Sexual Function after Surgery for Stress Urinary Incontinence: Transobturator Suburethral Tape vs. Tension-Free Vaginal Tape Obturator. <i>J Sex Med</i> 2008;5:400-406
Elzevier. [Pop 96, 1 yr fu] Sexual function after tension-free vaginal tape (TVT) for stress incontinence: results of a mailed questionnaire. <i>Int Urogynecol J</i> (2004) 15: 313-318
Enhoring. Simultaneous recording of intravesical and intra-urethral pressure: A study on urethral closure in normal and stress incontinent women. (1961)
Eriksen. Long-term effectiveness of the Burch colposuspension in female urinary stress incontinence. <i>Acta Obstet Gynecol Scand</i> 1990; 69: 45-50
Falconer C, et al. Clinical Outcome and Changes in Connective Tissue Metabolism After Intravaginal Slingplasty in Stress Incontinent Women. <i>Int Urogynecol J</i> (1996) 7:133-137
Falconer C, Ulmsten U. Influence of Different Sling Materials on Connective Tissue Metabolism in Stress Urinary Incontinent Women. <i>Int Urogynecol J</i> (2001) (Suppl 2): S19-S23
Fan, Y. Incontinence-specific quality of life measures used in trials of sling procedures for female stress urinary incontinence: a meta-analysis. <i>Int Urol Nephrol</i> 2015; Epub Ahead of Print
Fan. [sheep] Comparison of polypropylene mesh and porcine-derived, cross-linked urinary bladder matrix materials implanted in the rabbit vagina and abdomen. <i>Int Urogynecol J</i> (2014) 25: 683-689.
Farthmann. Lower exposure rates of partially absorbable mesh compared to nonabsorbable mesh for cystocele treatment: 3 year follow-up of a prospective randomized trial. <i>Int Urogynecol J</i> (2013) 24: 749-758.
Fatton, B. Postoperative pain after transvaginal repair of pelvic organ prolapse with or without mesh: a prospective study of 132 patients. <i>ABS 0300 International Journal of Gynecology & Obstetrics</i> 2009; 107S2: S178-179
Fatton, B. Preliminary results of the "Prolift™" technique in the treatment of pelvic organ prolapse by vaginal approach: a multicentric retrospective series of 110 patients. <i>ABS 275 Int Urogynecol J</i> 2006 17(Suppl 2): S212-213
Fatton, B. Transvaginal repair of genital prolapse: preliminary results of a new tension-free vaginal mesh (Prolift™ technique) - case series multicentric study. <i>Int Urogynecol J</i> 2007; 18: 743-752
Feiner B, et al. Efficacy and safety of transvaginal mesh kits in the treatment of prolapse of the vaginal apex: a systematic review. <i>BJOG</i> 2009;116;15-24

Medical Literature

Feiner B. A prospective comparison of two commercial mesh kits in the management of anterior vaginal prolapsed. <i>Int Urogynecol J</i> (2012) 23:279-283
Feola. [monkeys] Deterioration in biomechanical properties of the vagina following implantation of a high-stiffness prolapse mesh. <i>BJOG</i> 2013; 120:224-232.
Feyereisl. [Pop 87, 10 yr fu] Long-term results after Burch colposuspension. <i>AM J OBSTET GYNECOL</i> 1994;171:647-52.
Fialkow, M. Incidence of recurrent pelvic organ prolapse 10 years following primary surgical management: a retrospective cohort study. <i>Int Urogynecol J</i> : 2008:19:1483-1487.
Firoozi, F. Short and intermediate-term complications of the Prolift transvaginal mesh procedure. <i>Int Urogynecol J</i> 2009;3:S283.
Fitzgerald, Brubaker. Failure of allograft suburethral slings. <i>BJU International</i> (1999), 84, 785-788
Flynn, M. Sensory nerve injury after uterosacral ligament suspension. <i>American Journal of Obstetrics and Gynecology</i> 2006; 195: 1869-72
Fong. [Review] Mid-urethral synthetic slings for female stress urinary incontinence. 2010 <i>BJU INTERNATIONAL</i> 106, 596-608
Ford AA, et al. (Cochrane Review[FULL]) Mid-urethral sling operations for stress urinary incontinence in women. <i>The Cochrane Library</i> 2015, Issue 7
Francis WJA, Jeffcoate TNA. Dyspareunia following vaginal operations. <i>J Obstet Gynaecol Br Commonwealth</i> . 1961;LXVIII(1):1-10.
Freeman R, Holmes D, Hillard T, Smith P, James M, Sultan A, Morley R, Yang Q, Abrams P. What patients think: patient-reported outcomes of retropubic versus trans-obturator mid-urethral slings for urodynamic stress incontinence--a multi-centre randomised controlled trial. <i>Int Urogynecol J</i> . 2011 Mar;22(3):279-86.
Fuentes, AE. A prospective randomised controlled trial comparing vaginal prolapse repair with and without tension free vaginal tape transobturator tape (TVT-O) in women with severe genital prolapse and occult stress incontinence: long term follow up. <i>Int Urogynecol J</i> 2011;22(Suppl I):S60-S61.
Fultz N, et al. Burden of Stress Urinary Incontinence for Community-Dwelling Women. (2003)
Gagnon, L. Better Short-term Outcomes with The U-Method compared with the Hammock Technique for the Implantation of TVT-SECUR Under Local Anesthesia. <i>Urology</i> 2010; 75: 1060-1064
Gaines, N. Pelvic Prolapse Repair in the Era of Mesh. <i>Curr Urol Rep</i> 2016; 17: 20
Galloway, Davies, Stephenson. The Complications of Colposuspension. <i>British Journal of Urology</i> (1987), 60, 142-124
Gamble, Goldberg, Sand. [Pop 41] ICS Abs 243 TVT versus bladder neck sling in the treatment of low pressure urethra. (2010)
Gandhi S, et al. TVT versus SPARC: comparison of outcomes for two midurethral tape prodecures. <i>Int Urogynecol J</i> (2006) 17: 125-130
Ganj FA, et al. Complications of transvaginal monofilament polypropylene mesh in pelvic organ prolapse repair. <i>Int Urogynecol J</i> (2009) 20:919-925
Gauruder-Burmester, A. Follow-up after polypropylene mesh repair of anterior and posterior compartments in patients with recurrent prolapse. <i>Int Urogynecol J</i> 2007; 18: 1059-1064
Ghezzi F. [Pop 53, 6 mo fu] Impact of tension-free vaginal tape on sexual function: results of a prospective study. <i>Int Urogynecol J</i> (2005) 17: 54-59
Ghezzi F., et al. Influence of the type of anesthesia and hydrodissection on the complication rate after tension-free vaginal tape procedure. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 118 (2005) 96-100

Medical Literature

Ghezzi. [Pop 35, 36 mo fu] Tension-free vaginal tape for the treatment of urodynamic stress incontinence with intrinsic sphincteric deficiency. (2006)
Ghoniem G, Hammett J. Female pelvic medicine and reconstructive surgery practice patterns: IUGA member survey. Int Urogynecol J (2015)
Gigliobianco, G. Biomaterials for pelvic floor reconstructive surgery: How can We do Better? BioMed Research International 2015; Article ID 968087, 20 pages
Gilpin SA, et al. The pathogenesis of genitourinary prolapse and stress incontinence of urine. A histological and histochemical study. British J Obstetrics and Gynaecology January 1989, Vol. 96, pp. 15-23
Glatt, A. The prevalence of dyspareunia. Obstet & Gynecol; 1990;75:433-436.
Glavind, K and Shim Susy. Incidence and treatment of postoperative voiding dysfunction after the tension-free vaginal tape procedure. Int Urogynecol J. June 2015.
Gomelsky, A. Commentary on “Pain Scores and Exposure Rates after Polypropylene Mesh for Pelvic Organ Prolapse” Southern Medical Journal 2015; 108(12): 722-723
Goode PS, Burgio KL, Locher JL, Roth DL, Umlauf MG, Richter HE, Varner RE, Lloyd LK: Effect of behavioral training with or without pelvic floor electrical stimulation on stress incontinence in women: a randomized controlled trial. JAMA 2003, 90(3):345-352
Gorlero, F. A new technique for surgical treatment of stress urinary incontinence: the TVT-Secur. Minerva Ginecol 2008; 60: 459-68
Greer WJ, et al. Obesity and pelvic floor disorders: a systematic review. Obstet Gynecol. 2008 Aug;112(2 Pt 1):341-9
Groutz A, et al. [Pop 61, 5 yr fu] Long-Term Outcome of Transobturator Tension-Free Vaginal Tape: Efficacy and Risk Factors for Surgical Failure. Journal of Women’s Health, Vol 20, No 10 (2011) 1525-1528
Groutz A, et al. “Inside Out” Transobturator Tension-free Vaginal Tape for Management of Occult Stress Urinary Incontinence in Women Undergoing Pelvic Organ Prolapse Repair. 2010
Groutz A, Rosen G, Cohen A, Gold R, Lessing JB, Gordon D. [Pop 52, 10 yr fu] Ten-year subjective outcome results of the retropubic tension-free vaginal tape for treatment of stress urinary incontinence. J Minim Invasive Gynecol (2011) 18:726-729
Gupta, Sirls, et al. [AUA Abs PD20-08] The impact of comorbid chronic pain syndromes on sexual activity and dyspareunia after pelvic organ prolapse repair. (2015)
Gutman R. Three-Year Outcomes of Vaginal Mesh for Prolapse. Obstet Gynecol 2013; 122: 770-777.
Haddad R. Women’s quality of life and sexual function after transvaginal anterior repair with mesh insertion. Eur J Obstet Gynecol Reprod Biol 2013; 167(1): 110-113.
Halaska M, et al. A multicenter, randomized, prospective, controlled study comparing sacrospinous fixation and transvaginal mesh in the treatment of posthysterectomy vaginal vault prolapse. Am J Obstet Gynecol. 2012 Oct;207(4):301.e1-7
Hamamsy, D. new onset stress urinary incontinence following laparoscopic sacrocolpopexy and its relation to anatomical outcomes. Int Urogynecol J 2015; 26: 1041-1045
Hamer MA, et al. One-year results of a prospective randomized, evaluator-blinded, multicenter study comparing TVT and TVT Secur. Int Urogynecol J (2013) 24:223–229
Hamer MA, Larsson PG, Teleman P, Eten-Bergqvist C, Persson J. Short-term results of a prospective randomized evaluator blinded multicenter study comparing TVT and TVT-Secur. Int Urogynecol J Pelvic Floor Dysfunct 2011;22:781-787.
Hamer, M. One-year results of a prospective randomized, evaluator-blinded, multicenter study comparing TVT and TVT Secur. Int Urogynecol J 2013; 24: 223-229

Medical Literature

Han JY, et al. Effectiveness of retropubic tension-free vaginal tape and transobturator inside-out tape procedures in women with overactive bladder and stress urinary incontinence. <i>Int Neurourol J</i> . 2013 Sep;17(3):145-51
Han JY, et al. Efficacy of TVT-Secur and factors affecting cure of female stress urinary incontinence: 3-year follow-up. <i>Int Urogynecol J</i> (2012) 23:1721–1726
Han J-Y, Park J, Choo M-S. [Pop 88, 12 yr fu] Long-term durability, functional outcomes, and factors associated with surgical failure of tension-free vaginal tape procedure. <i>Int Urol Nephrol</i> (2014) 46:1921-1927
Han, J. Efficacy of TVT-SECUR and factors affecting cure of female stress urinary incontinence: 3-year follow-up. <i>Int Urogynecol J</i> 2012; 23: 1721-1726
Handa VL, Zyczynski HM, Brubaker L, et al. Sexual function before and after sacrocolpopexy for pelvic organ prolapse. <i>Am J Obstet Gynecol</i> 2007;197:629.e1-6.
Handa, Ostergard. Banked Human Fascia Lata for the Suburethral Sling Procedure: A Preliminary Report. (1996)
Hanes. SGS Oral Poster 24 Vaginal Sacral Colpopexy (Gynemesh PS) (2009)
Hannestad. A community-based epidemiological survey of female urinary incontinence: The Norwegian EPINCONT Study. <i>Journal of Clinical Epidemiology</i> 53 (2000) 1150-1157
Hansen, Gradel. [Danish Registry] Reoperation for urinary incontinence-a nationwide cohort study, 1998 thru 2007; <i>Am J Obstet Gynecol</i> 2016;214:263.e1-8
Heinonen P, et al. [Pop 191, mean 10.5 yrs fu] Tension-free vaginal tape procedure without preoperative urodynamic examination: Long-term outcome. <i>Int J Urol</i> 2012; 19:1003-1009
Heinonen P, et al. Long-term outcome after transvaginal mesh repair of pelvic organ prolapse. <i>Int Urogynecol J</i> (2016)
Heinonen, P. [IUGA Abs OP 093] Long-term outcome after transvaginal mesh repair of pelvic organ prolapse. (2015)
Hellberg D, et al. The very obese woman and the very old woman: tensionfree vaginal tape for the treatment of stress urinary incontinence. <i>Int Urogynecol J</i> (2007) 18:423–429
Hendrix, S. Pelvic organ prolapse in the Women's Health Initiative: Gravity and gravidity. <i>Am J Obstet Gynecol</i> , (2002) Volume 186, Number 6
Hinoul P, Vervest HAM, Venema P, Den Boon J, Milani A, Roovers J. [119, 1 yr fu] IUGA Abs 166 - TVT obturator system versus TVT Secur: a randomized controlled trial, short term results. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2009;20:S213.
Hinoul P. Anatomical variability in the trajectory of the inside-out transobturator vaginal tape technique (TVT-O). <i>Int Urogynecol J</i> (2007) 18:1201–1206
Hinoul P. Review of surgical techniques to insert implants in urogynaecology. <i>International Congress Series</i> 1279 (2005) 398-406
Hinoul P. Surgical management of urinary stress incontinence in women: A historical and clinical overview. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 145 (2009) 219-225
Hinoul, P. A Randomized, Controlled Trial Comparing an Innovative Single Incision Sling with an Established Transobturator Sling to Treat Female Stress Urinary Incontinence. <i>The Journal of Urology</i> 2011; 185: 1356-1362
Hinoul, P. TVT Obturator system versus TVT Secur: a randomized controlled trial, short term results. <i>Int Urogynecol J</i> 2009; 20 (Suppl 2): S213
Hinoul, Waltregny, de Leval. [cadaver] (IUJ, not mtg abs) An anatomic comparison of the original versus a modified inside-out transobturator procedure. <i>Int Urogynecol J</i> (2011) 22:997–1004

Medical Literature

Hoenil Jo. Efficacy and outcome of anterior vaginal wall repair using polypropylene mesh (Gynemesh). J. Obstet. Gynaecol. Res. Vol. 33, No. 5: 700-704, October 2007.
Holmgren C, et al. Frequency of de novo urgency in 463 women who had undergone the tension-free vaginal tape (TVT) procedure for genuine stress urinary incontinence - A long-term follow-up. European Journal of Obstetrics & Gynecology and Reproductive Biology 132 (2007) 121-125
Holmgren C, et al. Quality of life after tension-free vaginal tape surgery for female stress incontinence. Scan J of Urol and Nephrol (2006) 40: 131-137
Holmgren S, Nilsson. [Pop 760, 8 yr fu] Long-Term Results with Tension-Free Vaginal Tape on Mixed and Stress Urinary Incontinence. Obstetrics & Gynecology; Vol. 106, No. 1, July 2005
Holmgren, Hellberg. [Pop 463, 5.2 yr fu] Frequency of de novo urgency in 463 women who had undergone the tension-free vaginal tape (TVT) procedure for genuine stress urinary incontinence - A long-term follow-up. (2007)
Horbach, Ostergard, Bent. A Suburethral Sling Procedure with Polytetrafluoroethylene for the treatment of Genuine stress incontinence in patients with low urethral closure pressure. (1988)
Hota LS, Hanaway KJ, Hacker MR, et al. TVT-secur (Hammock) versus TVT-obturator: a randomized trial of suburethral sling operative procedures. Female Pelvic Med Reconstr Surg 2010;16:S87.
Hota, L. TVT-Secur (Hammock) Versus TVT-Obturator: A Randomized Trial of Suburethral Sling Operative Procedures. Female Pelvic Med Reconstr Surg 2012; 18: 41-45; Pages 17-18 of Bruce Rosenzweig's 1.15.16 expert report citing Hota article.
Houwert RM, et al. TVT-O versus Monarc after a 2-4 year follow-up: a prospective comparative study. Int Urogynecol J (2009) 20: 1327-1333
Hu. Costs of urinary incontinence and overactive bladder in the United States: A comparative study. UROLOGY 63: 461-465, 2004
Huang, L. Medium-term comparison of uterus preservation versus hysterectomy in pelvic organ prolapse treatment with Prolift™ Mesh. Int Urogynecol J 2015
Huang. High failure rate using allograft fascia lata in pubovaginal sling surgery for female stress urinary incontinence. UROLOGY 58: 943-946, 2001
Huebner M. The use of graft materials in vaginal pelvic floor surgery. Int J Gynecol & Obstet (2006) 92:279-288
Hwang E, et al. Predictive factors that influence treatment outcomes of innovative single incision sling: comparing TVT-Secur to an established transobturator sling for female stress urinary incontinence. Int Urogynecol J (2012) 23:907-912
Iglesia CB. The Use of Mesh in Gynecologic Surgery. Int Urogynecol J (1997) 8:105-115
Iglesia, C. Vaginal Mesh for Prolapse: A Randomized Controlled Trial. OBSTETRICS & GYNECOLOGY, 116:2:1, August 2010
Ignjatovic, I. Harmful and Helpful Effects of Mesh in the Treatment of Stress Urinary Incontinence and Pelvic Organ Prolapse. UROLOGY 80 (Supplement 3A), September 2012
Illston, J. Pain Scores and Exposure Rates after Polypropylene Mesh for Pelvic Organ Prolapse. Southern Medical Journal 2015; 108(12): 715-721
Imamura. Systematic review and economic modelling of the effectiveness and cost-effectiveness of non-surgical treatments for women with stress urinary incontinence. (2010)
Jacquetin B, et al. Total transvaginal mesh technique for treatment of pelvic organ prolapse: a 3-year prospective follow-up study. Int Urogynecol J (2010) 21: 1455-1462
Jacquetin B. Complications of vaginal mesh: our experience. Int Urogynecol J 2009; 20: 893-896.
Jacquetin B. Prospective clinical assessment of the trans vaginal mesh (TVM) technique for treatment of pelvic organ prolapse - One year results of 175 patients. ICS Abstract 291, 2006.

Medical Literature

Jacquetin, B. Total transvaginal mesh (TVM) technique for treatment of pelvic organ prolapse: 1 5-year prospective follow-up study. <i>Int Urogynecol J</i> 2013. DOI 10.1007/s00192-013-2080-4.
Jacquetin. Transvaginal Mesh: A 5 year prospective follow-up study. <i>Int Urogynecol J</i> (2013)
Jallah. The impact of prolapse mesh on vaginal smooth muscle structure and function. <i>BJOG</i> 2015, DOI: 10.1111/1471-0528.13514.
Jamieson, Steege. The Prevalence of Dysmenorrhea, Dyspareunia, Pelvic Pain, and Irritable Bowel Syndrome in Primary Care Practices. <i>Obstet Gynecol</i> 1996; 87: 55-8.
Jarvis - Ltr. re. Weiss: Erosion of buttress following bladder neck suspension. <i>British Journal of Urology</i> (1992), 70,695-698
Jarvis. Surgery for genuine stress incontinence. <i>British Journal of Obstetrics and Gynaecology</i> , May 1994, Vol 101, pp. 371-374
Jelovsek J, et al. [Pop 72, mean 62 mos fu] Randomized trial of laparoscopic Burch colposuspension versus tension-free vaginal tape: long-term follow up. <i>BJOG</i> 2008; 115: 219-225.
Jelovsek JE, Barber MD, Karram MM, Walters MD, Paraiso MFR. Randomised trial of laparoscopic Burch colposuspension versus tension-free vaginal tape: long-term follow up. <i>BJOG</i> 2008;115:219-225; discussion 225.
Jha S. A systematic review and meta-analysis of the impact of native tissue repair for pelvic organ prolapse on sexual function, <i>Int Urogynecol J</i> . 2014
Jha. [Meta-analysis] Impact of incontinence surgery on sexual function. A systematic review and meta-analysis. <i>J Sex Med</i> 2012;9:34-43
Jha. Surgical Management of Stress Urinary Incontinence: A Questionnaire Based Survey. [IUGA] <i>European Urology</i> 47 (2005) 648-652
Jha. The impact of TVT on sexual function. <i>Int Urogynecol J</i> (2009) 20:165-169
Jones, K. Tensile properties of commonly used prolapse meshes. <i>Int Urogynecol J</i> 2009; 20: 847-853
Jonsson-Funk M, et al. (published) Sling revision/removal for mesh erosion and urinary retention: long-term risk and predictors. <i>Am J Obstet Gynecol</i> . 2013 January; 208(1): 73.e1-73.e7.
Jonsson-Funk M. Trends in the Surgical Management of Stress Urinary Incontinence [United States]. <i>Obstet Gynecol</i> . 2012 April; 119 (4):845-851.
Juang C-M, Yu K-J, Chou P, et al. Efficacy analysis of trans-obturator tension-free vaginal tape (TVT-O) plus modified Ingelman-Sundberg procedure versus TVT-O alone in the treatment of mixed urinary incontinence: a randomized study. <i>Eur Urol</i> 2007;51:1671-1678;
Kaelin-Gambirasio I, et al. Complications associated with transobturator sling procedures: analysis of 233 consecutive cases with a 27 months follow-up. <i>BMC Women's Health</i> 2009, 9:28
Kahn, M. Posterior colporrhaphy: its effects on bowel and sexual function. <i>British Journal of Obstet & Gynaecol</i> ; 1997;104:82-86.
Kaplan. Comparison of fascial and vaginal wall slings in the management of intrinsic sphincter deficiency. (1996)
Karateke A, et al. Comparison of TVT and TVT-O in patients with stress urinary incontinence: short-term cure rates and factors influencing the outcome. A prospective randomised study. <i>Aust N Z J Obstet Gynaecol</i> . 2009 Feb;49(1):99-105.
Karlovsy M. Synthetic Biomaterials for Pelvic Floor Reconstruction. <i>Current Urology Report</i> 2005; 6:376-384
Karram M and Maher C. Surgery for posterior vaginal wall prolapse. <i>Int Urogynecol J</i> (2013) 24: 1835-1841
Karram M, Brown ET. Avoiding and Managing Complications of Synthetic Midurethral Slings. <i>Curr Bladder Dysfunct Rep</i> (2015) 10:64-70.

Medical Literature

Karram M, et al. Complications and Untoward Effects of the Tension-Free Vaginal Tape Procedure. The American College of Obstetricians and Gynecologists (2003) Vol. 101, No. 5, Part 1
Karram M. [OB Mgmt] When and how to place an autologous rectus fascia pubovaginal sling. OBG Management, 24:11, Nov. 2012
Karram M. High uterosacral vaginal vault suspension with fascial reconstruction for vaginal repair of enterocele and vaginal vault prolapse. Am J Obstet Gynecol 2001; 185: 1339-1343.
Karram, M. An Evaluation of the Gynecare TVT Secur* System (Tension-free Support for Incontinence) for the treatment of Stress Urinary Incontinence. Int Urogynecol J 2007; 18(Suppl 1): S3
Karram, M. Powerpoint Early Clinical Experience of Gynecare TVT Secur* System for treatment of Stress Urinary Incontinence.
Kashihara. [Pop 27] Comparison of dynamic MRI vaginal anatomical changes after vaginal mesh surgery and laparoscopic sacropey (Prolift+M, TVT-O). Gynecol Surg (2014) 11:249–256
Kasturi S. High uterosacral ligament vaginal vault suspension: comparison of absorbable vs. permanent suture for apical fixation, Int Urogynecol J (2012) 23: 941-945
Kasturi, S. Pelvic magnetic resonance imaging for assessment of the efficacy of the Prolift system for pelvic organ prolapse. Am J Obstet Gynecol 2010; 203: 504.e1-504.e5
Kavvadias, Klinge. (TVT is gold) Ch 56 Alloplastic Implants for the Treatment of Stress Urinary Incontinence and Pelvic Organ Prolapse. ISBN 978-3-642-04552-3 Springer-Verlag Berlin Heidelberg New York
Keegan. Periurethral injection therapy for urinary incontinence in women (Review) (2007)
Kenton K, Zyczynski H, Sirls LT, Richter HE, et al. (TOMUS published) 5-Year Longitudinal Followup after Retropubic and Transobturator Mid-urethral slings. The Journal of Urology, Vol. 193, 203-210, January 2015.
Kersey J. The gauze hammock sling operation in the treatment of stress incontinence. British Journal of Obstetrics & Gynecology 1983; 90: 945-949.
Khan Z, et al. [Pop 162, 10 yr fu] Long-term follow-up of a multicentre randomised controlled trial comparing tension-free vaginal tape, xenograft and autologous fascial slings for the treatment of stress urinary incontinence in women BJU Int 2015; 115: 968-977
Khan ZA, Thomas L, Emery SJ. Outcomes and complications of trans-vaginal mesh repair using the Prolift kit for pelvic organ prolapse at 4 years median follow-up in a tertiary referral centre. Arch Gynecol Obstet (2014) 290:1154-1157.
Khan, M. Posterior colporrhaphy: its effect on bowel and sexual function. British Journal of Obstetrics and Gynaecology 1997; 104: 82-86
Khandwala S, et al. Experience with TVT-Secur sling for stress urinary incontinence: a 141-case analysis. Int Urogynecol J (2010) 21:767-772
Khandwala, S. TVT-Secur in office sling procedure under local anesthesia: a prospective 2-year analysis. Female Pelvic Med Reconstr Surg 2012; 18: 233-238
Khandwala, S., et al. Transvaginal mesh Surgery for Pelvic Organ Prolapse: One-Year Outcome Analysis. Female Pelvic Medicine & Reconstructive Surgery. March/April 2013; 19(2): 84-89.
Khandwala. [ICS Abstract 571] clinical outcomes of an observational registry utilizing a trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh. (2011)
Khandwala. [Pop 77, mean 14 mo fu] Role of vaginal mesh hysteropexy for the management of advanced uterovaginal prolapse. J Reprod Med 2014;59:371-378.
Khandwala. Transvaginal mesh surgery for pelvic organ prolapse - Prolift+M: a prospective clinical trial. Int Urogynecol J (2011) 22:1405-1411

Medical Literature

Kim. [Pop 115, 12 mo fu] Randomized Comparative Study of the U-and H-type Approaches of the TVT-Secur Procedure for the Treatment of Female Stress Urinary Incontinence: One Year Follow-Up. Korean J Urol 2010;51:250-256
King A. Is there an association between polypropylene midurethral slings and malignancy. Urology 84: 789-792, 2014
Kinn. [Pop 153, 5 yr fu] Burch colposuspension for stress urinary incontinence. 5-year results in 153 women. Scand J Urol Nephrol 29: 449-455, 1995
Kirby A. Midurethral slings: which should I choose and what is the evidence for use? Curr Opin Obstet Gynecol 2015; 27: 359-365
Kjohde P. BURCH - Long-term Efficacy of Burch Colposuspension: A 14-year Follow-up Study. Acta Obstet Gynecol Scand 2005; 84: 767-772.
Kjohde. [Pop 21] Prediction of genital prolapse after Burch colposuspension. Acta Obstet Gynecol Scand 1996; 75: 849-854
Kjohde. [Pop 232, median 6 yr fu] Prognostic factors and long-term results of the Burch colposuspension. Acta Obstet Gynecol Scand 1994; 73: 642-647.
Klein-Patel M, et al. [AUGS Abs 11] Ultra-Lightweight synthetic mesh has similar cellular response but increased tissue ingrowth relative to heavier weight prototype; Female Pelvic Med Reconstr Surg 2011; 17(5) Suppl 2.
Klinge U, et al. Demands and Properties of the Alloplastic Implants for the Treatment of Stress Urinary Incontinence. Expert Rev. Med. Devices 4(3), 349–359 (2007)
Klinge, U. Alloplastic Implants for the Treatment of Stress Urinary Incontinence and Pelvic Organ Prolapse. Hernia Repair Sequelae, Ch. 56, 440-444
Klinge. Do multifilament alloplastic meshes increase the infection rate? Analysis of the Polymeric Surface, the Bacteria Adherence, and the In Vivo Consequences in a Rat Model. J Biomed Mater Res (Appl Biomater) 63: 765-771, 2002
Kobashi K, et al. Erosion of woven Polyester Pubovaginal Sling. J Urology, Vol. 162, 2070–2072, December 1999
Kohli, N. Mesh Erosion after abdominal sacrocolpopexy. Obstet Gynecol 1998; 92: 999-1004
Kolle D, et al. Bleeding Complications With The Tension-Free Vaginal Tape Operation. American Journal of Obstetrics and Gynecology (2005) 193. 2045-9
Komesu YM, et al. Posterior Repair and Sexual Function. AJOG 2007, 101-103.
Kondo A, I so be Y, Kimura K, et al. [Pop 60, 24 mo fu] Efficacy, safety and hospital costs of tension-free vaginal tape and pubovaginal sling in the surgical treatment of stress incontinence. J Obstet Gynaecol Res 2006;32:539-544.
Kondo. [Pop 57, 2 yr fu] A randomised control trial of tension-free vaginal tape in comparison with pubovaginal sling in the treatment of stress incontinence. (2003)
Kozal, S. Morbidity and functional mid-term outcomes using Prolift pelvic floor repair systems. Can Urol Assoc J 2014;8(9-10):e605-9.
Krofta L, et al. TVT and TVT-O for surgical treatment of primary stress urinary incontinence: prospective randomized trial. Int Urogynecol J (2010) 21:141-148
Krofta L, et al. TVT-S for surgical treatment of stress urinary incontinence: prospective trial, 1-year follow-up. Int Urogynecol J (2010) 21:779-785
Kuhn A, et al. Sexual function after suburethral sling removal for dyspareunia. Surg Endosc (2009) 23:765-768
Kulseng-Hanssen S. Follow-up of TVT Operations in 1,113 women with mixed urinary incontinence at 7 and 38 months. Int Urogynecol J (2008) 19:391-396

Medical Literature

Kuuva N, Nilsson. [Pop 1455, 2 mo fu] A nationwide analysis of complications associated with the tension-free vaginal tape (TVT) procedure. <i>Acta Obstet Gynecol Scand</i> 2002; 81: 72-77
Kuuva, Nilsson. [Pop 129, 6 yr fu] Long-term results of the tension-free vaginal tape operation in an unselected group of 129 stress incontinent women. <i>Acta Obstetricia et Gynecologica</i> . 2006; 85: 482-487
Labrie J, et al. Protocol for Physiotherapy Or TVT Randomised Efficacy Trial (PORTRET): a multicentre randomized controlled trial to assess the cost-effectiveness of the tension free vaginal tape versus pelvic floor muscle training in women with symptomatic moderate to severe stress urinary incontinence. <i>BMC Womens Health</i> . 2009;9:24
Labrie J. Surgery versus Physiotherapy for Stress Urinary Incontinence. <i>N Engl J Med</i> (2013) 369:12, 1124-33.
Lamers, BHC, van der Vaart, CH. Medium-term efficacy of pelvic floor muscle training for female urinary incontinence in daily practice. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2007, 18(3):301-307
Lane F. Repair of Posthysterectomy vaginal-vault prolapse. <i>Obstet & Gynecol</i> . 1962;20:72-77.
Lapitan M. (Cochrane Rev) Open retropubic colposuspension for urinary incontinence in women (Review). <i>The Cochrane Collaboration</i> (2012)
Larouche. Outcomes of trocar-guided Gynemesh PS versus single-incision trocarless Polyform transvaginal mesh procedures. <i>Int Urogynecol J</i> , DOI 10.1007/s00192-014-2467-x
Latthe PM, Singh P, Foon R, Tooze-Hobson P. [Meta-analysis] Two routes of transobturator tape procedures in stress urinary incontinence: a meta-analysis with direct and indirect comparison of randomized trials. <i>BJUI</i> (2009) 106 , 68-76
Latthe, P.M., et al. Transobturator and retropubic tape procedures in stress urinary incontinence: a systematic review and meta-analysis of effectiveness and complications. <i>BJOG</i> 2007;114:522-531
Laumann. Sexual Dysfunction in the United States: Prevalence and Predictors. <i>JAMA</i> . 1999;281:537-544
Laurikainen E, et al. [Pop 267, 2 mo fu] Retropubic Compared With Transobturator Tape Placement in Treatment of Urinary Incontinence: a randomized controlled trial. <i>J Obstet Gynecol</i> 2007;109:4-11
Laurikainen E, Takala T, Aukee P, et al. Retropubic TVT compared with transobturator TVT (TVT-O) in treatment of stress urinary incontinence: five-year results of a randomized trial. <i>Neuraural Uradyn</i> 2011;30:803-805.
Laurikainen E, Valpas A, Aukee P, Kivelä A, Rinne K, Takala T, Nilsson CG. [Pop 254, 5 yr fu] Five-year results of a randomized trial comparing retropubic and transobturator midurethral slings for stress incontinence. <i>Eur Urol</i> (2014) 65:1109-1114
Leanza, V. Comparison between three mini-sling surgical procedures and the traditional transobturator vaginal tape technique for female stress urinary incontinence. <i>G Chir</i> 2014; 35(314): 80-84
Lebret. (French, Eng abs at end) [Pop 100, mean 5 yr fu] Long-term results of isolated Burch colposuspension of the bladder neck in the treatment of female urinary stress incontinence. <i>Progres en Urologie</i> (1997), 7, 426-432.
Lee EW, et al. Midurethral Slings for All Stress Incontinence A Urology Perspectiv. <i>Urol Clin N Am</i> 39 (2012) 299-310.
Lee Kyu-Sung, et al. A prospective trial comparing tension-free vaginal tape and transobturator vaginal tape inside-out for the surgical treatment of female stress urinary incontinence: 1-year followup. <i>J Urol</i> 2007;177:214-218.
Lee, H. Tension-free vaginal Tape-SECUR procedure for the treatment of female stress urinary incontinence: 3-year follow-up results. <i>LUTS</i> 2015; 7: 9-16

Medical Literature

Lee, K. A prospective multicenter randomized comparative study between the U- and H- Type Methods of the TVT SECUR procedure for the treatment of Female Stress Urinary Incontinence: 1-Year Follow-up. European Urology 2010; 57: 973-979
Lee, Kyu-Sung, et al. Prospective comparison of the 'inside-out' and 'outside-in' transobturator-tape procedures for the treatment of female stress urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct 2008;19:577-582.
Lee, Zimmern. Long-Term Outcomes of Autologous Pubovaginal Fascia Slings: Is there a difference between primary and secondary slings? (2013)
Lee. Efficacy and Safety of Tension-free placement of Gynemesh PS for the treatment of Anterior Wall Prolapse. INJ 2010; 14:34-42.
Lemack, Nager, Sirls, Zyczynski, (UITN) - Normal Preoperative Urodynamic Testing Does Not Predict Voiding Dysfunction After Burch Colposuspension Versus Pubovaginal Sling. (2008)
Lensen. [Pop 569, 1 yr fu] Comparison of two trocar-guided trans-vaginal mesh systems (Prolift & P+M) for repair of pelvic organ prolapse: a retrospective cohort study. Int Urogynecol J (2013) DOI 10.1007/s00192-013-2098-7
Lenz. [cadaver] Anatomical position of four different transobturator mesh implants for female anterior prolapse repair. Geburtsh Frauenheilk 2013; 73:1035-1041.
Letouzey. AAGL Abs 102 - Long-Term Results after Trans-Vaginal Cystocele Repair Using Polypropylene Mesh. Journal of Minimally Invasive Gynecology 15 (2008) S1-S159.
Li B, Zhu L, Lang JH, Fan R, et al. [Pop 55, 7 yr fu] Long-term outcomes of the tension-free vaginal tape procedure for female stress urinary incontinence: 7-year follow-up in China. J Minim Invasive Gynecol. 2012 Mar-Apr;19(2):201-5.
Liang. (monkeys) Impact of prolapse meshes on the metabolism of vaginal extracellular matrix in rhesus macaque. Am J Obstet Gynecol 2015; 212:174.e1-7.
Liang. Vaginal degeneration following implantation of synthetic mesh with increased stiffness. BJOG 2012; 120: 233-243.
Liapis A, Bakas P, Christopoulos P, Giner M, Creatsas G. Tension-free vaginal tape for elderly women with stress urinary incontinence. Int J Gynaecol Obstet 2006;92:48-51.
Liapis A, Bakas P, Creatsas G. [Pop 115, 4 yr fu] Efficacy of inside-out transobturator vaginal tape (TVTO) at 4 years follow-up. Eur J Obstet Gynecol Reprod Biol (2010) 148:199-201
Liapis A, Bakas P, Creatsas G. [Pop 65, 5 & 7 yr fu] Long-term efficacy of tension-free vaginal tape in the management of stress urinary incontinence in women: efficacy at 5- and 7-year follow-up. Int Urogynecol J Pelvic Floor Dysfunct (2008) 19:1509-1512
Liapis A, Bakas P, Creatsas G. [Pop 71] Burch colposuspension and tension-free vaginal tape in the management of stress urinary incontinence in women. Eur Urol. 2002 Apr;41(4):469-473.
Liapis A, Bakas P, Creatsas G. Monarc vs TVT-O for the treatment of primary stress incontinence: a randomized study. Int Urogynecol J Pelvic Floor Dysfunct 2008;19:185-190.
Liapis A. Tension-Free Vaginal Tape versus Tension-Free Vaginal Tape Obturator in Women with Stress Urinary Incontinence. Gynecol Obstet Invest 2006;62:160-164
Lim. [Pop 664] Do the Advantage slings work as well as the tension-free vaginal tapes? Int Urogynecol J (2010) 21:1157-1162
Lin AT, et al. In vivo tension sustained by fascial sling in pubovaginal sling surgery for female stress urinary incontinence. J Urol. 2005 Mar;173(3):894-7.
Linder BJ, et al. Evaluation of the local carcinogenic potential of mesh used in the treatment of female stress urinary incontinence. Int Urogynecol J (2016)
Linder, B. Assessing the learning curve of robotic sacrocolpopexy. Int Urogynecol J 2016; 27: 239-246

Medical Literature

Liu. A comparative study of laparoscopic sacrocolpopexy and total vaginal mesh procedure using lightweight polypropylene meshes for prolapse repair (P+M). <i>Taiwanese Journal of Obstetrics & Gynecology</i> 53 (2014) 552-558
Liu. IUGA Abs. 331 The Mechanical Properties and Deformation of Three Commonly Used Artificial Meshes. <i>Int Urogynecol J</i> (2009) 20 (Suppl 3):S241-S491.
Lleberia J, et al. Surgical Treatment of Mixed Urinary Incontinence: effect of anterior colpoplasty. <i>Int Urogynecol J</i> (2011) 22:1025-1030
Lo TS, et al. [Pop 70, 3 yr fu] Ultrasound assessment of mid-urethra tape at three-year follow-up after tension-free vaginal tape procedure. <i>UROLOGY</i> 63:671-675, 2004
Long, C. Three-year outcome of transvaginal mesh repair for the treatment of pelvic organ prolapse. <i>Eur J Obstet Gynecol</i> 2012;161:105-108.
Lord HE, Taylor JD, Finn JC, et al. A randomized controlled equivalence trial of short-term complications and efficacy of tension-free vaginal tape and supra pubic urethral support sling for treating stress incontinence. <i>BJU Int</i> 2006;98:367-376.
Lose. [Pop 80, mean 26 mo fu] Voiding difficulties after colposuspension. <i>Obstet Gynecol</i> 69:33, 1987
Lovatsis, D. Vaginal surgical approach to vaginal vault prolapse: considerations of anatomic correction and safety. <i>Curr Opin Obstet Gynecol</i> 2003; 15: 435-437
Lowder JL, Moalli P, Zyczynski H, et al. Body image in women before and after reconstructive surgery for pelvic organ prolapse. <i>Int Urogynecol J</i> (2010) 21: 919-925
Lowman JK, Hale DS, et al. Does the Prolift system cause dyspareunia? <i>AJOG</i> 2008; 199:707.e1-707.e6
Lowman JK, Jones LA, Woodman PJ, Hale DS. Does the Prolift system cause dyspareunia? <i>Am J Obstet Gynecol</i> 2008; 199(6):707-712
Luber. The definition, prevalence, and risk factors for stress urinary incontinence. (2004)
Lucas. (Short version) EAU Guidelines on Surgical Treatment of Urinary Incontinence. <i>European Urology</i> 62 (2012) 1118-1129.
Lucente, Hale. [AUGS, SGS Oral poster 55] A Clinical Assessment of Gynemesh PS for the repair of Pelvic Organ Prolapse. <i>Journal of Pelvic Medicine and Surgery</i> (2004) Vol 10, S35
Lucente, V. Outcome Incidence: A Retrospective Series of Over 1000 Patients Following Transvaginal Mesh Surgery For Pelvic Organ Prolapse. <i>Female Pelvise Medicine and Reconstructive Surgery</i> , 18:8, Supp. 1 Sept/ Oct 2012.
Luck, A. Suture erosion and wound dehiscence with permanent versus absorbable suture in reconstructive posterior vaginal surgery.
Lukacz ES, et al. [Pop 54, 1 yr fu] The effects of the tension-free vaginal tape on proximal urethral position: a prospective, longitudinal evaluation. <i>Int Urogynecol J Pelvic Floor Dysfunct.</i> 2003 Aug;14(3):179-84.
Luo, D. Different sling procedures for stress urinary incontinence: a lesson from 453 patients. <i>Kaohsiung Journal of Medical Sciences</i> 2014; 30: 139-145
Luo, X. Biomechanics and Biocompatibility Test based on Pelvic Floor Repairing in Clinical Application of Synthesis Mesh. <i>ABS 189 Int Urogynecol J</i> 2013 24 (Suppl1): S144-145
Lykke, R. The indication for hysterectomy as a risk factor for subsequent pelvic organ prolapse repair. <i>Int Urogynecol J</i> (2015)
Maaita M. [Pop 57, 36 mo fu] Sexual function after using tension-free vaginal tape for the surgical treatment of genuine stress incontinence. <i>BJU International</i> (2002), 90, 540-543
Magno-Azevedo V. Single Incision Slings: Is There a Role? <i>Curr Bladder Dysfunct Rep</i> (2013) 8:19–24

Medical Literature

Maher C, et al. (full 141pp) Transvaginal mesh or grafts compared with native tissue repair for vaginal prolapse (Review). The Cochrane Collaboration (2016)
Maher C, et al. (Summary) Transvaginal mesh or grafts compared with native tissue repair for vaginal prolapse (Review). The Cochrane Collaboration (2016)
Maher C, et al. Surgical Management of Pelvic Organ Prolapse in Women: A Short Version Cochrane Review. Neurourol Urodyn (2008) 27: 3-12
Maher C, Qatawneh A, Baessler K, Croppe M, Schluter P. [Pop 82] Abs. 25 Laparoscopic colposuspension or tension-free vaginal tape for recurrent stress urinary incontinence and/or intrinsic sphincter deficiency-a randomised controlled trial. Neurourol Urodyn 2004;23:433-434.
Maher C. Anterior vaginal compartment surgery.Int Urogynecol J (2013) 24: 1791-1802
Maher C. Surgical management of pelvic organ prolapse in women. Cochrane Review (2013).
Maher, C et al. Surgical Management of Pelvic Organ Prolapse in Women: A Short Version Cochrane Review. Neurourol Urodyn (2008) 27: 3-12
Maher, C. Surgical management of anterior vaginal wall prolapse: an evidence based literature review. Int Urogynecol J 2006; 17: 195-201
Maher, C. Surgical Management of Pelvic Organ Prolapse in Women: A meta-analysis of randomized controlled trials. ABS 088 Int Urogynecol J 2009; 20 (Suppl 2): S151
Maher, C. Surgical management of pelvic organ prolapse in women: the updated summary version Cochrane review. Int Urogynecol J 2011; 22: 1445-1457
Manodoro. (Sheep) Graft-related complications and biaxial tensiometry following experimental vaginal implantation of flat mesh of variable dimensions. BJOG 2013; 120: 244-250.
Manriquez, V. Inflammatory and remodeling response to surgical repair for pelvic organ prolapse. ABS 198 Int Urogynecol J 2013 24 (Suppl1): S151-152
Margulies, R. Outcomes of transvaginal uterosacral ligament suspension: systematic review and metaanalysis. Am J Obstet Gynecol 2010
Markland AD, et al. Prevalence and trends of urinary incontinence in adults in the United States, 2001 to 2008. (2011)
Martan A. TVT SECUR System - Tension-free Support of the Urethra in Women Suffering from Stress Urinary Incontinence - Technique and Initial Experience. Ces. Gynek. 72, 2007, C. 1 s.42-49
Martin LA, et al. Reoperation After Robotic and Vaginal Mesh Reconstructive Surgery: A Retrospective Cohort Study. Female Pelvic Med Reconstr Surg 2015; 21(6): 315-318
Masata J, Svabik K, Drahoradova P, et al. Randomized prospective trial of a comparison of the efficacy of TVT-O and TVT secur system in the treatment of stress urinary incontinent women - comparison of the long- and short-term results. Neurourol Urodyn 2011;30:805-806.
Masata, J. Randomized trial of a comparison of the efficacy of TVT-O and single-incision tape TVT Secur systems in the treatment of stress urinary incontinence women - 2-year follow-up. Int Urogynecol J 2012; 23: 1403-1412
Maslow, K. Randomized clinical trial comparing TVT Secur system and trans vaginal obturator tape for the surgical management of stress urinary incontinence. Int Urogynecol J 2014; Epub Ahead of print
Mathias, Steege. Chronic Pelvic Pain. Prevalence, Health-Related Quality of Life, and Economic Correlates. Obstet Gynecol 1996;87:321-7
Mattimore, J. AUA Abs FR11-07 - The History of Pelvic Organ Prolapse from antiquity to present day. (2015)
Maurer, M. Prosthetic meshes for repair of hernia and pelvic organ prolapse: comparison of biomechanical properties. Materials 2015; 8: 2794-2808

Medical Literature

Mazza. Mechanical biocompatibility of highly deformable biomedical materials (Prolift+M). journal of the mechanical behavior of biomedical materials 48 (2015) 100 – 124.
McAhran S. Robotic Abdominal Sacrocolpopexy, Chapter 9, 117-129
McDermott C. Sacral Colpopexy Versus Transvaginal Mesh Colpopexy in Obese Patients, J Obstet Gynaecol Can 2013; 35(5): 461-467
McGregor. Evaluation of the carcinogenic Risks to humans associated with surgical implants and other foreign bodies - a report of an IARC Monographs Programme Meeting. European Journal of Cancer 36 (2000) 307-313
McLennan G. Perioperative experience of pelvic organ prolapse repair with the Prolift® and Elevate® vaginal mesh procedures. Int Urogynecol J. 2012
McLennan M, et al. Bladder Perforation During Tension-Free Vaginal Tape Procedures: Abdominal versus Vaginal Approach. Female Pelvic Medicine & Reconstructive Surgery, Volume 18, Number 1, January/February 2012
Memon. [rats] Comparison of graft-reinforced repairs and suture repair using a novel biomechanical test. Int Urogynecol J, DOI: 10.1007/s00192-015-2787-5.
Menefee S. Colporrhaphy Compared With Mesh or Graft-Reinforced Vaginal Paravaginal Repair for Anterior Vaginal Wall Prolapse; A Randomized Controlled Trial. Obstet Gynecol 2011;118:1337-44
Meschia M, et al. [Pop 95, 12 mo fu] Multicenter prospective trial of TVT Secur for the treatment of primary stress urinary incontinence. Urogynaecologia International Journal Vol. 22n.2 - May-Aug. 2008
Meschia M, et al. Tension-free vaginal tape: analysis of risk factors for failures. Int Urogynecol J (2007) 18:419–422
Meschia M, Pifarotti P, Bernasconi F, et al. Tension-free vaginal tape (TVT) and intravaginal slingplasty (IVS) for stress urinary incontinence: a multi center randomized trial. Am J Obstet Gynecol 2006;195:1338-1342.
Meschia M, Pifarotti P, Spennacchio M, Buonaguidi A, Gattei U, Somigliana E. A randomized comparison of tension-free vaginal tape and endopelvic fascia plication in women with genital prolapse and occult stress urinary incontinence. Am J Obstet Gynecol 2004;190:609-6713.
Meschia. [Pop 50, 24-26 mo fu] A randomized comparison of tension-free vaginal tape and endopelvic fascia plication in women with genital prolapse and occult stress urinary incontinence. American Journal of Obstetrics and Gynecology (2004) 190, 609-13
Meyer, Richter, et al. Synthetic Graft Augmentation in Vaginal Prolapse Surgery: Long-term Objective and Subjective Outcomes. Prolift 7 yrs. Journal of Minimally Invasive Gynecology (2016), doi: 10.1016/j.jmig.2016.02.014.
Migliari, R. Tension-free vaginal mesh repair for anterior vaginal wall prolapse. Eur Urol. 2000;38:151-155.
Milani (P+M Study Group) IUGA Abs 676 - A light-weight, partially resorbable mesh for severe pelvic organ prolapse. 1 year anatomical and functional results. Int Urogynecol J (2011) 22 (Suppl 2):S197— S1768
Milani AL, et al. [IUGA, ICS Abs 81] Medium-Term Clinical Outcomes Following Trocar-Guided Mesh Repair of Vaginal Prolapse Using Partially Absorbable Mesh. Int Urogynecol J (2012) 23 (Suppl 2):S128-S129
Milani AL, et al. Trocar-guided total tension-free vaginal mesh repair of post-hysterectomy vaginal vault prolapse. Int Urogynecol J (2009) 20:1203-1211
Milani, Cosson. (AJOG) Trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh. 1 year outcomes (Prolift+M) Am J Obstet Gynecol 2011;204:74.e1-8

Medical Literature

Milani. [P and P+M] Outcomes and predictors of failure of trocar-guided vaginal mesh surgery for pelvic organ prolapse. Am J Obstet Gynecol 2012;206:440.e1-8.
Milani. [pop 127] Abs 023 Two year clinical outcomes of a trocar guided transvaginal mesh repair utilizing a new light weight synthetic mesh Int Urogynecol J (2011) 22 (Suppl 1):S1-S195
Miller D, Lucente V, Babin E, Beach P, Jones P, Robinson D. [AUGS Abs Paper 24] Prospective Clinical Assessment of the Transvaginal Mesh Technique for Treatment of Pelvic Prolapse: 5-Year Results. Female Pelvic Med Reconstr Surg 2011;17: 139-143
Miller, D. Prosepctive clinical assessment of the transvaginal mesh technique for treatment of pelvic organ prolapse – 5 year results. Female Pelvic Med Reconstr Surg 2011;17:139-143.
Miller, D. Informed surgical consent for a mesh/graft-augmented vaginal repair of pelvic organ prolapse. Int Urogynecol J 2012
Miller. [AUGS Abs Paper 24] Prospective clinical assessment of the transvaginal mesh (TVM) technique - 5 year result. Female Pelvic Medicine & Reconstructive Surgery, Vol. 16, No. 5, Suppl. 2, September/October 2010.
Mirosh. [Pop 30, 1 yr fu] ICS Abs 640 TVT vs. Laparoscopic Burch Colposuspension for the Treatment of Stress Urinary Incontinence. (2006)
Mistrangelo E, et al. Rising use of synthetic mesh in transvaginal pelvic reconstructive surgery: A review of the risk of vaginal erosion. Journal of Minimally Invasive Gynecology (2007) 14, 564-569
Miyazaki, F. Raz Four-Corner Suspension for Severe Cystocele: Poor Results. Int Urogynecol J 1994; 5: 94-97
Moalli PA, et al. Tensile Properties of five commonly used mid-urethral slings relative to the TVT. Int Urogynecol J (2008) 19:655-663.
Moalli, Nager. Polypropylene mesh: evidence for lack of carcinogenicity. Int Urogynecol J (2014)
Moen, Matthews. SGS Oral Poster 5 A comparison of midurethral sling versus burch urethropexy for treating urodynamic stress incontinence at the time of abdominal sacrocolpopexy. Journal of Pelvic Medicine & Surgery, Volume 15, Number 2, March/April 2009
Moir J. The Gauze-Hammock Operation. A Modified Aldrige Sling Procedure. The Journal of Obstetrics and Gynaecology of the British Commonwealth Vol. 75, No. 1 January 1968
Molden, S. New Minimally Invasive Slings: TVT Secur. Current Urology Reports 2008; 9: 358-361
Montoya T. Sensory neuropathy following suspension of the vaginal apex to the proximal uterosacral ligaments, Int Urogynecol J (2012) 23:1735-1740
Moore, Miklos. ICS Abs 827 - MiniArc single incision sling: 1 year follow-up on a new minimally invasive treatment for female SUI. (2009)
Moore, Miklos. IUGA Abs 298 - Single incision mini-sling. 1 year follow-up on a new minimally invasive treatment for female SUI. Int Urogynecol J (2009) 20 (Suppl 3): S241-S429
Moore, R. Vaginal Mesh Kits for Pelvic Organ Prolapse, Friend or Foe: A Comprehensive Review. The Scientific World Journal (2009) 9, 163-189.
Morgan. A sling operation, using Marlex polypropylene mesh, for treatment of recurrent SUI. Amer. J. Obstet, Gynec. February 13, 1970.
Morgan. The Marlex sling operation for the treatment of recurrent stress urinary incontinence: A 16-year review. (1985)
Mostafa, A. Single-incision mini-slugs versus standard Midurethral Slings in Surgical Management of Female stress Urinary incontinence: An updated systematic review and meta-analysis of effectiveness and complications. Euopean Urology 2014; 65: 402-427
Mundy. A Trial Comparing the Stamey Bladder Neck Suspension Procedure with Colposuspension for the Treatment of Stress Incontinence. British Journal of Urology (1983). 55, 687-690

Medical Literature

Murphy M, et al. Time to rethink: An Evidence based response from pelvic surgeons to the FDA Safety Communication: "UPDATE on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse". Int Urogynecol J (2011). DOI 10.1007/s00192 001 1581 2
Murphy, M. Early US Experience with Vaginal Extraperitoneal colpopexy using a polypropylene graft (Prolift™) for the treatment of pelvic organ prolapse. ABS 392 Int Urogynecol J 2006; 17 (Suppl 2): S273
Murphy, M., et al. Outcome Incidence: A Retrospective Series of Over 1000 Patients Following Transvaginal Mesh Surgery for Pelvic Organ Prolapse. American Urogynecologic Society. 2012
Muzsnai. Retropubic vaginopexy for correction of urinary stress incontinence. Obstetrics & Gynecology, Vol. 59, No. 1 January 1982.
Nager C. Midurethral Slings: Evidence-based Medicine vs. The Medicolegal System. <i>Accepted Manuscript to appear in: American Journal of Obstetrics and Gynecology; 2016</i> doi: 10.1016/j.ajog.2016.04.018
Nager C. Midurethral Slings: Evidence-Based Medicine vs. The Medicolegal System. American Journal of Obstetrics and Gynecology 2016 DOI: 10.1016/j.ajog.2016.04.018
Nager CW, Kenton KS. A Randomized Trial of Urodynamic Testing before Stress-Incontinence Surgery. N Engl J Med 366; 21, May 2012
Nager CW. AUGS – Final Presidential Blog (2014)
Nager CW. Synthetic full-length midurethral slings remain the standard of care for SUI surgery. OBJ Management, November 2012, Vol. 24, No. 11
Nager, Lemack. Design of the Value of Urodynamic Evaluation (ValUE) Trial: A Non-Inferiority Randomized Trial of Preoperative Urodynamic Investigations. Contemp Clin Trials. 2009 November; 30(6): 531–539
Nager, Sirls, Kenton, Richter (UITN) - (VALUE) A Randomized Trial of Urodynamic Testing before Stress-Incontinence Surgery. N Engl J Med 366; 21, May 2012
Nambiar, A. Single-incision sling operations for urinary incontinence in women (Review). Reprint of 2014 Issue 6; 1-30; Page 20 of Bruce Rosenzweig's 1.15.16 expert report citing Nambiar article.
Narimoto. Abs 456 Safeness of tension free vaginal mesh procedure for treatment of post hysterectomy prolapse in Japan. Int Urogynecol J (2009) 20 (Suppl 3):S241-S491.
Natale F, et al. A prospective, randomized, controlled study comparing Gynemesh, a synthetic mesh, and Pelvicol, a biologic graft, in the surgical treatment of recurrent cystocele. Int Urogynecol J (2009) 20:75-81.
Nerli RB, Kumar AG, Koura A, Prabha V, Alur SB. [Pop 36] (TOT) Transobturator vaginal tape in comparison to tensionfree vaginal tape: A prospective trial with a minimum 12 months follow-up. Indian J Urol 2009;25:321-325.
Neuman M. [Pop 100, 1 yr fu] Perioperative Complication and Early Follow-up with 100 TVT-Secur Procedures. Journal of Minimally Invasive Gynecology (2008) 15,480-484
Neuman M. [Pop 100] TVT-SECUR. 100 teaching operations with a novel anti-incontinence procedure. Pelviperineology 2007; 26:121-123.
Neuman M. [Pop 162, 3 yr fu] Transobturator vs. Single-Incision Suburethral Mini-slings for Treatment of Female Stress Urinary Incontinence: Early Postoperative Pain and 3-Year Follow-up. Journal of Minimally Invasive Gynecology (2011) 18, 769-773
Neuman M. [Pop 620 -8 yr fu TVT, 350-2yr fu TVT-O] IUGA Abs 081 - TVT and TVT-Obturator: Comparison of Two Operative Procedures. Int Urogynecol J (2006) 17 (Supp. 2) S101-152
Neuman M. Post Tension-free Vaginal Tape Voiding Difficulties. Journal of Pelvic Medicine and Surgery, Volume 10, Number 1, January/February 2004

Medical Literature

Neuman, M. Transobturator vs. Single-Incision Suburethral Mini-slings for treatment of female stress urinary incontinence: early postoperative pain and 3-year follow-up. Journal of Minimally Invasive Gynecology 2011; 18: 769-773; Page 16 of Bruce Rosenzweig's 1.15.16 expert report citing Neuman article.
Neuman, M. TVT-SECUR: 100 teaching operations with a novel anti-incontinence procedure. Pelviperineology 2007; 26: 121-123
Neuman. Anterior needle guided mesh in advanced pelvic organ prolapse. Apical fixation on sacrospinous ligaments (Proxima, Prolift+M, TVT-O, Secur, Abbrevio). European Journal of Obstetrics & Gynecology and Reproductive Biology 172 (2014) 120-123
Nguyen J, Burchette. Outcome after Anterior Vaginal Prolapse Repair; A randomized Controlled Trial. Obstet Gynecol 2008;111;891-8
Nguyen J. [Pop 4,142] Perioperative Complications and Reoperations After Incontinence and Prolapse Surgeries Using Prosthetic Implants, Obstet Gynecol. 2012 Mar;119(3):539-46
Nichols DH. The Mersilene Mesh Guaze-Hammock for Severe Urinary Stress Incontinence. J Obstet Gynecol 1973; 41(1): 88-93.
Nicita, G. A new operation for genitourinary prolapse. Journal of Urology.1998;160:741-745.
Nicolau-Toulouse. Does bilateral sacrospinous fixation with synthetic mesh recreate nulliparous pelvic anatomy? An MRI Evaluation. Female Pelvic Med Reconstr Surg 2014; 20: 222-227.
Niemczyk. [Pop 100, 2 mo fu] United States Experience with Tension-Free Vaginal Tape Procedure for Urinary Stress Incontinence: Assessment of Safety and Tolerability. Techniques in Urology Vol. 7, No. 4, pp. 261 - 265
Nieminen K. Outcomes after anterior vaginal wall repair with mesh: a randomized, controlled trial with a 3 year follow-up. Am J Obstet Gynecol 2010;203:235.e1-8.
Nieminen K. Symptom resolution and sexual function after anterior vaginal wall repair with or without polypropylene mesh. Int Urogynecol (2008) 19:1611-1616
Nilsson C. [Pop 80, 7 yr fu] Seven-Year Follow-up of the Tension-Free Vaginal Tape Procedure for Treatment of Urinary Incontinence. Obstet Gynecol (2004) 104, 1259-1262.
Nilsson C. Creating a gold standard surgical procedure: the development and implementation of TVT. Int Urogynecol J 2015; 26(4): 467-469
Nilsson CG, Palva K, Aarnio R, Morcos E, Falconer C. [Pop 58, 17 yrs fu] Seventeen years' follow-up of the tension-free vaginal tape procedure for female stress urinary incontinence. Int Urogynecol J (2013) 24: 1265-1269
Nilsson CG. [Pop 90, median 56 mo fu] Long-term Results of the Tension-free Vaginal Tape (TVT) Procedure for Surgical Treatment of Female Stress Urinary Incontinence. Int Urogynecol J 2001 (Suppl 2): S5-S8
Nilsson CG. Eleven years prospective follow-up of the tension-free vaginal tape procedure for treatment of stress urinary incontinence. Int Urogynecol J (2008) 19: 1043-1047
Nilsson M, et al. (Swedish Registry) [Pop 3334, 12 mo fu] Female urinary incontinence: patient-reported outcomes 1 year after midurethral sling operations. Int Urogynecol J. 2012 Oct;23(10):1353-1359.
Nilsson, C. Creating a gold standard surgical procedure: the development and implementation of TVT. Int Urogynecol J 2015; Epub Ahead of Print; Page 11 of Bruce Rosenzweig's 1.15.16 expert report citing Nilsson article.
North CE, Hilton P, Ali-Ross NS, Smith ARB. A 2-year observational study to determine the efficacy of a novel single incision sling procedure (Minitape™) for female stress urinary incontinence. BJOG 2010; 117: 356-360

Medical Literature

Norton, P. Collagen synthesis in women with Genital Prolapse or Stress Urinary Incontinence. (Abstract only) 1992
Novara G, Galfano A, Boscolo-Berto R, Secco S, Cavalleri S, Ficarra V, Artibani W. [meta-analysis] Complication rates of tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials comparing tension-free midurethral tapes to other surgical procedures and different devices. Eur Urol 53 (2008):288-309
Novara, G. 2010 [meta-analysis] Updated systematic review and meta-analysis of the comparative data on colposuspensions, pubovaginal slings, and midurethral tapes in the surgical treatment of female stress urinary incontinence. Eur Urol. 2010 Aug;58(2):218-38
Novara. [review_meta-analysis] Tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials fo effectiveness. european urology 52 (2007) 663-679
Nygaard I, et al. (Nager, PFDN) Prevalence of Symptomatic Pelvic Floor Disorders in US Women. JAMA 2008; 300(11):1311-1316.
Nygaard I. Abdominal Sacrocolpopexy: A Comprehensive Review. Obstet Gynecol 2004;104:805-23
Nygaard I. Long-term outcomes following abdominal sacrocolpopexy for pelvic organ prolapse. JAMA. 2013; 309(19): 2016-2024
O'Sullivan, O. Sacrocolpopexy: is there a consistent surgical technique? Int Urogynecol J 2015
Ogah J, Cody DJ, Rogerson L. Minimally invasive synthetic suburethral sling operations for stress urinary incontinence in women: a short version Cochrane review. Neurourol Urodyn (2011) 30:284-291
Ogah. Minimally invasive synthetic suburethral sling operations. Cochrane Review [Abstract] Cochrane Database Review; The Cochrane Library 2009, Issue 4
Okuda. Abs 474 Improvement of voiding function by a tension-free vaginal mesh procedure for cystocele and the necessity of a second-stage transobturator vaginal tape procedure. Eur Urol Suppl 2009; 8(4):239.
Oliphant. Trends in Stress Urinary Incontinence Inpatient Procedures in the US, 1979-2004. Am J Obstet Gynecol 2009;200:521.e1-521.e6
Oliveira LM et al. [Pop 85, med 14 mos fu] Abs 328 - Comparison of retro-pubic TVT, pre-pubic TVT and TVT transobturator in surgical treatment of women with stress urinary incontinence. Int Urogynecol J 2006; 17 (Suppl 2): 5171-5359
Oliveira R. [Pop 107, 15 mo fu] Short-term assessment of a tension-free vaginal tape for treating female stress urinary incontinence. BJU International (2008) 104, 225-228
Oliveira R. [Pop 90, 12 mo fu] Exploratory Study Assessing Efficacy and Complications of TVT-O, TVT-Secur, and Mini-Arc: Results at 12-Month Follow-Up. European Urology 3761 (2011)
Olsen, AL. Epidemiology of surgically managed pelvic organ Prolapse and Urinary Incontinence. Obstet Gynecol. 1997 Apr;89(4):501-6.
Olsson I, Abrahamsson AK, Kroon UB. [Pop 147, 11.5 yrs fu] Long-term efficacy of the tension-free vaginal tape procedure for the treatment of urinary incontinence: a retrospective follow-up 11.5 years post-operatively. Int Urogynecol J (2010) 21:679-683
Ong, Thames, et al. [IUGA Abs PP 19] The Myth: In Vivo Degradation of Polypropylene Meshes. Int Urogynecol J (2016) 27 (Suppl 1): S37-S38
Osborn DJ. Obesity and female stress urinary incontinence. Urology. 2013 Oct;82(4):759-63
Otto, Klinge. Elongation of textile pelvic floor implants under load is related to complete loss of effective porosity, thereby favoring incorporation in scar plates. J Biomed Mater Res Part A 2013;00: 000-000

Medical Literature

Ozel. The impact of pelvic organ prolapse on sexual function in women with urinary incontinence. <i>Int Urogynecol J</i> (2005) 17: 14-17
Padilla-Fernández B, et al. Results of the surgical correction of urinary stress incontinence according to the type of transobturator tape utilized. <i>Arch Ital Urol Androl</i> . 2013;85:149-53.
Paily. IUGA Abs 854 Transvaginal repair of vault prolapse with full length polypropylene mesh at low cost. <i>Int Urogynecol J</i> (2011) 22 (Suppl 2):S197-S1768)
Palomba S, Oppedisano R, Torella M, Falbo A, Maiorana A, Materazzo C, Tartaglia E, Tolino A, Mastrantonio P, Alio L, Colacurci N, Zullo F; SIMS Italian Group. [Pop 120, 64 mo fu] A randomized controlled trial comparing three vaginal kits of single-incision mini-slings for stress urinary incontinence: surgical data. <i>Eur J Obstet Gynecol Reprod Biol</i> . 2012 Jul;163(1):108-12.
Palva, Nilsson. [Pop 267, 36 mo fu] A randomized trial comparing tension-free vaginal tape with tension-free vaginal tape-obturator: 36-month results. <i>Int Urogynecol J</i> (2010) 21:1049 1055
Pandit A. Design of surgical meshes - an engineering perspective. <i>Technology and Health Care</i> 2004; 12: 51-65
Pandit, L. Postmenopausal vaginal atrophy and atrophic vaginitis. <i>Amer. Journal of Med. Sciences</i> ; 1997;314:228-231.
Paraiso MF, Walters MD, Karram MM, et al. [Pop 72, 2 yr fu] Laparoscopic Burch colposuspension versus tension-free vaginal tape: a randomized trial. <i>Obstet Gynecol</i> . 2004 Dec;104(6):1249-58. PubMed PMID: 15572485.
Paraiso MFR, et al. Pelvic support defects and visceral and sexual function in women treated with sacrospinous ligament suspension and pelvic reconstruction. <i>Am J Obstet Gynecol</i> 1996;175:1423-31.
Paraiso, M. Laparoscopic and abdominal sacral colpopexies: A comparative cohort study. <i>American Journal of Obstetrics and Gynecology</i> 2005; 192: 1752-8
Pardo, J. Effectiveness of TVT-Secur compared with miniarc for stress urinary incontinence: a randomized controlled trial with min-sling. <i>Int Urogynecol J</i> 2010; 21(Suppl 1): S322-323
Park. Laparoscopic reconstructive surgery is superior to vaginal reconstruction in the pelvic organ prolapse. <i>Int. J. Med. Sci</i> . 2014; 11(11): 1082-1088.
Parnell. Management of recurrent urinary stress incontinence by the Marshall-Marchetti-Krantz vesicourethropexy. <i>The Journal of Urology</i> , Vol. 132, pp 912-914, (1984)
Patel. [Pop 150, median 8 mos] Is Burch or mid-urethral sling better with abdominal sacral colpopexy? <i>Int Urogynecol J</i> (2009) 20:787-790
Pauls, Karram. Practice Patterns of physician members of the [AUGS] regarding female sexual dysfunction: results of a national survey. <i>Int Urogynecol J</i> (2005) 16: 460-467
Perkins CE, et al. The Role of Mid-urethral Slings in 2014: Analysis of the Impact of Litigation on Practice. <i>Curr Bladder Dysfunct Rep</i> (2015) 10:39-45.
Petros P. Creating a gold standard surgical device: scientific discoveries leading to TVT and beyond. <i>Int Urogynecol J</i> (2015), DOI 10.1007/s00192-015-2639-3
Petros. An integral theory of female urinary incontinence: Experimental and clinical considerations. <i>Acta Obstet Gynecol Scand</i> 1990; 69 Suppl 153: 7-31.
Petrou, Blaivas. Suprameatal Transvaginal Urethrolisis. (1999)
Phillips. [case report] Case report of tension-free vaginal tape-associated bowel obstruction and relationship to body habitus. <i>Int Urogynecol J</i> (2009) 20:367-368
Pifarotti. [Pop 18, 1 yr fu] A randomized prospective comparison of TVT and endopelvic fascia plication in the treatment of occult stress urinary incontinence in patients with genital prolapse: preliminary data. <i>Urogynaecologia International Journal</i> Vol. 15, N. 1 Jan-Apr. 2001.

Medical Literature

Pizarro Berdichevsky. IUGA Abs 427 Prolift+M. Higher erosion rate than classic Prolift. Int Urogynecol J (2011) 22 (Suppl 3):S1769-S2008
Polichetti. IUGA Abs. 557 SUS (suburethral support): a new technique for short suburethral sling application. Int Urogynecol J (2009) 20 (Suppl 3): S241-S429
Porena M, Costantini E, Frea B, et al. [Pop 148, mean 31 mo fu] Tension-free vaginal tape versus transobturator tape as surgery for stress urinary incontinence: results of a multicentre randomised trial. Eur Urol 2007;52:1481-1490.
Pradhan A, et al. [meta-analysis] Effectiveness of midurethral slings in recurrent stress urinary incontinence: A systematic review and meta-analysis. Int Urogynecol J (2012) 23:831-841.
Prakash P, et al. A prospective randomised controlled trial comparing chronic groin pain and quality of life in lightweight versus heavyweight polypropylene mesh in laparoscopic inguinal hernia repair. Journal of Minimal Access Surgery, 2016; 12(2):154-161.
Prien-Larsen JC, Hemmingsen L. [Pop 316, 5 yr fu] Long-term outcomes of TVT and IVS operations for treatment of female stress urinary incontinence: monofilament vs. multifilament polypropylene tape. Int Urogynecol J Pelvic Floor Dysfunct (2009) 20:703-709
Pulliam, S. Use of synthetic mesh in pelvic reconstructive surgery: a survey of attitudes and practice patterns of urogynecologists. Int Urogynecol J (2007) 18:1405 1408
Qatawneh A. Transvaginal cystocele repair using tension-free polypropylene mesh at the time of sacrospinous colpopexy for advanced uterovaginal prolapse: a prospective randomised study, Gynecol Surg (2013) 10:79-85
Quemener J, et al. [Pop 250, 20 mo fu] Rate of re-interventions after transvaginal pelvic organ prolapse repair using partially absorbable mesh (Prolift M): 20 months median follow-up outcomes. Eur J Obstet Gynecol Reprod Biol 175 (2014) 194-198. http://dx.doi.org/10.1016/j.ejogrb.2013.12.031
Quemener J, et al. Rate of re-interventions after transvaginal pelvic organ prolapse repair using partially absorbable mesh: 20 months median follow-up outcomes. European Journal of Obstetrics & Gynecology and Reproductive Biology 175 (2014) 194-198
Rechberger T, Rzezniczuk K, Skorupski P, et al. A randomized comparison between monofilament and multifilament tapes for stress incontinence surgery. Int Urogynecol J Pelvic Floor Dysfunct 2003;14:432-436.
Rechberger T. FASCIAL SLINGS - Role of fascial collagen in stress urinary incontinence. Am J Obstet Gynecol (1998) 1511-1514
Rechberger. (Polish_Eng abstract) The tissue reaction to polypropylene mono-et multifilamentous tape used in surgical techniques of stress urinary incontinence treatment. GIN. POL., 2003, 74,9
Rehman. [Cochrane Review] Traditional suburethral sling operations for urinary incontinence in women (Review). 2011 The Cochrane Collaboration
Reich A, Kohorst F, Kreienberg R, Flock F. [7 yr fu] Long-term results of the tension-free vaginal tape procedure in an unselected group: a 7-year follow-up study. Urology (2011) 78:774-777
Reid. Site-specific prolapse surgery. II. Vaginal paravaginal repair augmented with either synthetic mesh or remodelling xenograft. Int Urogynecol J (2011) 22:601-609.
Reisenauer C. Anatomical conditions for pelvic floor reconstruction with polypropylene implant and its application for the treatment of vaginal prolapse. European Journal of Obstetrics & Gynecology and Reproductive Biology 2007; 131: 214-225.
Renganathan. A series of Advantage suburethral slings. 2011 The Cochrane Collaboration Journal of Obstetrics and Gynaecology, August 2011; 31: 521-523
Rezapour M. A 3-month preclinical trial to assess the performance of a new TVT-like mesh (TVT _x) in a sheep model. Int Urogynecol 2007; 18: 183-187

Medical Literature

Rezapour. [Pop 34, 4 yr fu] Tension-Free Vaginal Tape (TVT) in Women with Recurrent Stress Urinary Incontinence - A Long-term Follow up. Int Urogynecol J (2001) (Suppl 2):S9-S11
Rezapour. [Pop 49, mean 4 yr fu] Tension-Free Vaginal Tape (TVT) in Stress Incontinent Sphincter Deficiency (ISD) - A Long-Term Follow-up. Int Urogynecol J (2001) (Suppl 2):S12-S14
Rezapour. [Pop 80, 4 yr fu] Tension-Free Vaginal Tape (TVT) in Women with Mixed Urinary Incontinence - A Long-Term Follow-up. Int Urogynecol J (2001) (Suppl 2):S15-S18
Richter HE, et al. A trial of continence pessary compared with behavioral therapy vs. combined therapy for stress incontinence-a randomized controlled trial. Obstet Gynecol. 2010 March; 115(3): 609-617.
Richter HE, Kenton KS. Retropubic versus transobturator midurethral slings for stress incontinence. N Eng J Med 2010;362:2066-2076.
Richter, Brubaker, Moalli, Boreham (UITN) - Factors associated with incontinence frequency in a surgical cohort of stress incontinent women. (2005)
Richter, Brubaker, Zimmern, Sirls (UITN) SISTER [Pop 482, 7 yr fu] Patient Related Factors Associates with Long-Term Urinary Continence After Burch Colposuspension and Pubovaginal Fascial Sling Surgeries. J Uro, Vol. 188, 485-489, August 2012
Richter, L. Pelvic Organ Prolapse - Vaginal and Laparoscopic Mesh: The Evidence. Obstet Gynecol Clin N Am 2016; 43: 83-92
Rinne, et al. [Pop 265, 12 mo fu] A randomized trial comparing TVT with TVT-O: 12-month results. Int Urogynecol J (2008) 19:1049 1054
Rinne, Nilsson. [Pop 42] Dynamic MRI confirms support of the mid-urethra by TVT and TVT-O surgery for stress incontinence. Nordic Federation of Societies of Obstetrics and Gynecology 90 (2011) 629-635
Riviere, J. Sexual function in women after vaginal surgery with synthetic mesh material. Clin Exp Obstet Gynecol 2014; 41(3): 258-60
Rogers. Sexual function in women with pelvic floor disorders. (2013)
Rogers. What's Best in the Treatment of Stress Urinary Incontinence? (2010) 10.1056/nejme1005367
Rogo-Gupta L, et al. Trends in the Surgical Management of Stress Urinary Incontinence Among Female Medicare Beneficiaries, 2002-2007. Urology (2013)
Rohrnbauer. [rabbit] Combined biaxial and uniaxial mechanical characterization of prosthetic meshes in a rabbit model. Journal of Biomechanics 46 (2013) 1626-1632.
Rosati. A review on the role of laparoscopic sacrocervicopexy. Curr Opin Obstet Gynecol 2014, 26.
Ross, S. Single incision device (TVT Secur) versus retropubic tension-free vaginal tape device (TVT) for the management of stress urinary incontinence in women: a randomized clinical trial. BMC Research Notes 2014; 7: 1-10
Ross, S. The short life cycle of a surgical device - Literature analysis using McKinlay's 7-stage model. Health Policy and Technology 2015; 4: 168-188
Roth CC, et al. Synthetic slings: which material, which approach. Curr Opin Urol 16:234-239 2006
Roy. Assessment of the Psychometric Properties of the Short-Form Prolapse, Urinary Incontinence Sexual Questionnaire (PISQ-12) following surgical placement of Prolift+M: A transvaginal partially absorbable mesh system for the treatment of pelvic organ prolapse. J Sex Med 2012;9:1190-1199
Samour. Minimally Invasive Cystocele Repair Technique Using a Polypropylene Mesh Introduced with the transobturator route. Arch Gynecol Obstet. DOI: 10.1007/s00404-014-3374-6
Sand, P. Prospective randomized trial of polyglactin 910 mesh to prevent recurrence of cystoceles and rectoceles. Am J Obstet Gynecol. 2001;184:1357-1364.

Medical Literature

Sanses TVD. Anatomic outcomes of vaginal mesh procedure (Prolift) compared with uterosacral ligament suspension and abdominal sacrocolpopexy for pelvic organ prolapse: a Fellows' Pelvic Research Network study, Am J Obstet Gynecol. 2009 Nov;201(5):519.e1-8
Sarlos D. Long-term follow-up of laparoscopic sacrocolpopexy, Int Urogynecol J 2014
Sato, K. AUA Abs PD50-03 - Sexual function in female patients who underwent pelvic floor reconstruction with follow-up for a minimum of 5 years. (2015)
Schimpf MO, Rahn DD, Wheeler TL et al. (published) [meta-analysis] Sling surgery for stress urinary incontinence in women: a systematic review and meta-analysis. Am J Obstet Gynecol (2014) 211:71.e1-71.e27
Schimpf, MO, et al. Graft and Mesh Use in Transvaginal Prolapse Repair: a systematic review. Obstet Gynecol 2016; 128:81-91.
Schiotz H. [Pop 33,10 yr fu] Ten-year follow-up after conservative treatment of stress urinary incontinence. Int Urogynecol J (2008) 19:911-915
Schraffordt Koops - Result of the tension-free vaginal tape in patients with concomitant prolapse surgery: a 2-year follow-up study. An analysis from the Netherlands TVT database. Int Urogynecol J (2007) 18:437-442
Schraffordt Koops. [Pop 634, 2 yr fu] Quality of life before and after TVT, a prospective multicenter cohort study, results from the Netherlands TVT database; BJOG 2006; 113:26-29
Schraffordt Koops. The effectiveness of tension-free vaginal tape (TVT) and quality of life measured in women with previous urogynecologic surgery; Analysis from the Netherlands TVT database; Am J Obstet Gynecol (2006) 195, 439-44
Seklehner S, et al. A Meta-analysis of the performance of retropubic midurethral slings vs. transobturator midurethral slings. The Journal of Urology, Vol. 193, 909-915, March 2015.
Seo, J. Comparison between transobturator vaginal tape inside out and single incision sling system in the treatment of female stress urinary incontinence: prospective randomized study. ABS 23; 2011.
Serati M, Bauer R, Cornu JN, Cattoni E, Braga A, Siesto G, Lizée D, Haab F, Torella M, Salvatore S. [Pop 191 5 yr fu] TVT-O for the treatment of pure urodynamic stress incontinence: efficacy, adverse effects, and prognostic factors at 5-year follow-up. Eur Urol (2013) 63:872-878
Serati M, Ghezzi F, Cattoni E, Braga A, Siesto G, Torella M, Cromi A, Vitobello D, Salvatore S. [Pop 58, but 10 yrs fu] Tension-free vaginal tape for the treatment of urodynamic stress incontinence: efficacy and adverse effects at 10-year follow-up. Eur Urol (2012) 61:939-946
Serati. Surgical treatment for female stress urinary incontinence: what is the gold-standard procedure? Int Urogynecol J (2009) 20:619-621
Sergent. Which prostheses to use in mesh sacrocolpopexy. Experimental and clinical study. Gynecologie Obstetrique & Fertilité 2014.
Shah D, et al. (Sovrin) Impact of Vaginal Surgery for Stress Urinary Incontinence of Female Sexual Function; Is the Use of Polypropylene Mesh Detrimental? UROLOGY 65: 270-274, 2005
Shah. Surgical management of lower urinary mesh perforation after mid-urethral polypropylene mesh sling: mesh excision, urinary tract reconstruction and concomitant pubovaginal sling with autologous rectus fascia. (2013)
Shao U, et al. [Pop 24, median 57 mo fu] Tension-free vaginal tape retropubic sling for recurrent stress urinary incontinence after Burch colposuspension failure. International Journal of Urology (2011) 18, 452-457
Sharifiaghadas. [Pop 100, mean 40 mos fu] Tension-free vaginal tape and autologous rectus fascia pubovaginal sling for the treatment of urinary stress incontinence: a medium-term follow-up. Med Princ Pract 2008;17:209-214

Medical Literature

Shepherd, Abramowitch, Moalli. AUGA P22 Ex vivo tensile properties of seven vaginal prolapse meshes (Gynemesh, Prolift, Prolift+M, Prosima). Female Pelvic Medicine & Reconstructive Surgery, Vol. 16, No. 5, Suppl. 2, Sept/Oct. 2010
Shepherd, Moalli, Abramowitch. (P+M) ICS Abs 50 Uniaxial Tensile Properties Prior to and After Resorption of a Partially Delayed Absorbable Mesh for Vaginal Repair. (2010)
Shepherd. Poster 21 (Prolift+M) Uniaxial tensile properties of a partially delayed absorbable vaginal prolapse mesh before and after resorption. Female Pelvic Medicine & Reconstructive Surgery, Vol. 16, No. 5, Suppl. 2, Sept/Oct. 2010
Shin Y. [Pop 46, 2 yr fu] Efficacy and Safety of the TVT-Secur and Impact on Quality of Life in Women with Stress Urinary Incontinence: A 2-Year Follow-up. Korean J Urol 2011;52:335-339
Shippey S. Contemporary Approaches to Cystocele Repair: A Survey of AUGS Members. The Journal of Reproductive Medicine, 53:11 (Nov 2008).
Sho. Retrospective study of tension-free vaginal mesh operation outcomes for prognosis improvement. J. Obstet. Gynaecol. Res. Vol. 40, No. 6: 1759-1763, June 2014.
Sikirica. AUGS Poster 149 Responsiveness and discriminant validity of the PISQ-12 questionnaire in vaginal prolapse repair using a light-weight mesh system. Female Pelvic Medicine & Reconstructive Surgery, Vol. 16, No. 5, Suppl. 2, Sept/Oct. 2010
Sikirica. AUGS Poster 150 Sexual function outcomes at one year post placement of a trans-vaginal light-weight mesh system (Prolift+M). Female Pelvic Medicine & Reconstructive Surgery, Vol. 16, No. 5, Suppl. 2, Sept/Oct. 2010
Silva WA, Pauls RN, Segal JL, et al. Uterosacral ligament vault suspension. Five Year Outcomes. Obstet Gynecol:2006;108:255-263.
Singh R. Native tissue repair versus mesh for trans-vaginal prolapse surgery: 5 year follow-up RCT. (2014)
Sivaslioglu AA. A randomized comparison of polypropylene mesh surgery with site-specific surgery in the treatment of cystocele. Int Urogynecol J (2008) 19:467-471
Skaff. [rabbits] ICS Abs 24 Changing mesh material would change inflammatory response. Differences between Gynemesh and Dynamesh mesh implant in rabbits vaginal wall. (2013)
Sobhgol. Rate and related factors of dyspareunia in reproductive age women: a cross-sectional study. International Journal of Impotence Research (2007) 19, 88-94
Sohbati, S. Comparison between the transobturator tape procedure and anterior colporrhaphy with the Kelly's Plication in the Treatment of Stress Urinary Incontinence: a Randomized Clinical Trial. Nephro Urol 2015; 7(5): 1-6
Sokol A, et al. One-year objective and functional outcomes of a randomized clinical trial of vaginal mesh for prolapse, Am J Obstet Gynecol. 2012 Jan;206(1):86.e1-9
Sola V. [Pop 110, mean 8 mo fu] Third Generation Sub-Mid Urethral Mesh: Experience with 110 TVT-Secur. Arch. Esp. Urol. 2009; 62 (5): 376-388
Sola. Tension Free Monofilament Macropore Polypropylene Mesh (Gynemesh PS) in Female Genital Prolapse Repair. International Braz J Urol, Vol. 32(4):410-415, July - August, 2006.
Song PH, Kim YD, Kim HT, Lim HS, Hyun CH, Seo JH, Yoo ES, Park CH, Jung HC, Gomelsky A. [Pop 306, 7 yr fu] The 7-year outcome of the tension-free vaginal tape procedure for treating female stress urinary incontinence. BJU Int. 2009 Oct;104(8):1113-1117.
Song. [Pop 206, 13 yr fu] AUA Abs. MP33-03 The long-term outcomes from TVT procedure for female SUI; Data from minimal 13 years of follow up; http://www.aua2014.org 2014
Stanford EJ. Traditional native tissue versus mesh-augmented pelvic organ prolapse repairs: providing and accurate interpretation of current literature, Int Urogynecol J (2012) 23:19-28

Medical Literature

Stanford, Paraiso. A Comprehensive Review of Suburethral Sling Procedure Complications. Journal of Minimally Invasive Gynecology (2008) IS, 132- 145 © 2008
Stanton. Stress Incontinence: Why and How Operations Work. Urologic Clinics of North America, Vol. 12, No. 2, May 1985.
Stubbs. SGS Video Presentation 3 Repair of Recurrent Pelvic Organ Prolapse Using Polypropylene Mesh. Journal of Pelvic Medicine & Surgery, Vol. 13, No. 2, March/April 2007.
Subak, L. Cost of Pelvic Organ Prolapse Surgery in the United States. The American College of Obstetricians and Gynecologists, 98:4, Oct 2001.
Summitt Bent Ostergard. Suburethral sling procedure for genuine stress incontinence and low urethral closure pressure. A continued experience. Int Urogynecol J (1992)3:18-21
Sun, Y. The treatment of anterior vaginal wall prolapsed by repair with mesh versus colporrhaphy. Int Urol Nephrol 2016; 48: 155-167
Sung V, et al. Graft Use in Transvaginal Pelvic Organ Prolapse Repair - A Systematic Review. Amer Col Obstet Gynecol (2008) 112(5) 1131-1135.
Suskind AM, et al. Effectiveness of mesh compared with nonmesh sling surgery in Medicare beneficiaries. Obstet Gynecol. 2013 Sep;122(3):546-52.
Svabik K, et al. Comparison of vaginal mesh repair with sacrospinous vaginal colpopexy in the management of vaginal vault prolapse after hysterectomy in patients with levator ani avulsion: a randomized controlled trial. Ultrasound Obstet Gynecol. 2014 Apr;43(4):365-71
Svenningsen R, et al. (Norwegian registry) [Pop 542, median 129 mo fu] Long-term follow-up of the retropubic tension-free vaginal tape procedure. Int Urogynecol J. 2013 Aug;24(8):1271-1278
Svenningsen R. [Pop 810, 10 yr fu] Risk Factors for Long-Term Failure of the Retropubic Tension-Free Vaginal Tape Procedure. Neurourology and Urodynamics (2013) 33:1140-1146
Swift, S. Correlation of symptoms with degree of pelvic organ support in a general population of women: What is pelvic organ prolapse? Am J Obstet Gynecol 2003;189:372-9
Takeyama. IUGA Abs 079 Feasibility of the tension-free vaginal mesh procedure using soft polypropylene mesh (Gynemesh PS) In Japan. Int Urogynecol J (2007) 18 (Suppl 1):S25-S105.
Tamussino K. (Austrian registry) [Pop 2543] Transobturator tapes for stress urinary incontinence: Results of the Austrian registry. Am J Obstet Gynecol 2007;197:634.e1-634.e5.
Tamussino. (Austrian registry) [Pop 2795 - procedure-related cxs.] Tension-Free Vaginal Tape Operation: Results of the Austrian Registry. Obstet Gynecol 2001, 98: 732-736.
Tan PF, Yang LL, Ou RB, Tang P, Yang WJ, Huang JB, Wei W, Wei XH, Wang B, Xie KJ. Effectiveness and complication rates of tension-free vaginal tape, transobturator tape, and tension-free vaginal tape-obturator in the treatment of female stress urinary incontinence in a medium- to long-term follow up. Meta-analysis of randomized controlled trials. Saudi Med J (2014) 35:20-32
Tang X. [Pop 33, 12 mo fu] Short-Term Effect of TVT-Secure Procedure on Quality of Life and Sexual Function in Women with Stress Urinary Incontinence. Journal of Minimally Invasive Gynecology (2013) 20, 455-459
Tang, X. Outcome and sexual function after transobturator tape procedure versus tension-free vaginal tape SECUR: a randomized controlled trial. The Journal of The North American Menopause Society. 2013; 21(6): 1-5
Tartaglia, E. Third-Generation Tension-free Tape for Female Stress Urinary Incontinence. The Journal of Urology 2009; 182: 612-615
Tate A. The use of infection prevention practices in female pelvic medicine and reconstructive surgery. Curr Opin Obstet Gynecol. 2010 Oct;22(5):408-13

Medical Literature

Teo R, Moran P, Mayne C, Tincello D. [Pop 127, 6 mo fu] Randomized trial of tension-free vaginal tape and tension-free vaginal tape-obturator for urodynamic stress incontinence in women. J Urol 2011;185:1350-1355.
Thompson P. Abdominal Sacrocolpopexy Utilizing Gorex in Genital Prolapse. J Pelvic Med Surg 2004;10:311-317
Thubert T. [Pop 98, 1 yr fu] Bladder injury and success rates following retropubic mid-urethral sling: TVT EXACT™ vs. TVT™ European Journal of Obstetrics & Gynecology and Reproductive Biology 2016; 198: 78-83
Thunedborg. [Pop 36, 6-8 yr fu] Stress urinary incontinence and posterior bladder suspension defects. Acta Obstet Gynecol Scand 1990; 69: 55-59
Tincello DG, Kenyon S, Slack M, et al. Colposuspension or TVT with anterior repair for urinary incontinence and prolapse: results of and lessons from a pilot randomised patient-preference study (CARPET 1). BJOG 2009;116:1809-1814.
Tincello, D. The TVT Worldwide Observational Registry for Long-Term Data: Safety and Efficacy of Suburethral Sling Insertion Approaches for Stress Urinary Incontinence in Women. The Journal of Urology 2011; 186: 2310-2315
Toglia M. Suture erosion rates and long-term surgical outcomes in patients undergoing sacrospinous ligament suspension with braided polyester suture. AJOG:2008;49;600.e1-600.e4.
Toglia, DeLancey. Anal incontinence and the obstetrician-gynecologist. Obstet Gynecol 1994;84:731-40
Tommaselli G. (EurJObGynRB) Efficacy of a modified technique for TVT-O positioning: a twelve-month, randomized, single-blind, multicenter, non-inferiority study. Eur J Obstet Gynecol (2012)
Tommaselli G. [Pop 48. 24 mo fu] IUGA,ICS Abs 791- Single incision tension-free vaginal tape (TVT-Secur®) in the treatment of female stress urinary incontinence. (2010)
Tommaselli G. [Pop 68, 2 yr fu] TVT-Secur for the treatment of female stress urinary incontinence: a 24-month follow-up retrospective study. Arch Gynecol Obstet (2012) 286:415-421.
Tommaselli G. [Pop 78, 12 mo fu] IUGA Abs. 0692 - Comparison of TVT-O and TVT-Abbrevio for the surgical management of female stress urinary incontinence: a 12-months preliminary study. International Journal of Gynecology & Obstetrics 119S3 (2012) S261–S530
Tommaselli GA, Di Carlo C, Gargano V, Formisano C, Scala M, Nappi C. [Pop 84, 12 mo fu] Efficacy and safety of TVT-O and TVT-Secur in the treatment of female stress urinary incontinence: 1-year follow-up. Int Urogynecol J (2010) 21:1211-1217
Tommaselli GA, et al. Medium-term and long-term outcomes following placement of midurethral slings for stress urinary incontinence: a systematic review and metaanalysis. Int Urogynecol J (2015) DOI 10.1007/s00192-015-2645-5
Tommaselli, G. Efficacy and Safety of TVT-Secur In the Treatment of Female Stress Urinary Incontinence: A systematic review. ICS,IUGA ABS 867; 2010.
Tommaselli, G. Tension-free vaginal tape-o and -secur for the treatment of stress urinary incontinence: a thirty-six - month follow-up single-blind, double-arm, randomized study. Journal of Minimally Invasive Gynecology 2013; 20: 198-204
Tommaselli, G. Tension-free vaginal tape-obturator and tension-free vaginal tape-Secur for the treatment of stress urinary incontinence: a 5-year follow-up randomized study. European Journal of Obstetrics & Gynecology and Reproductive Biology 2015; 185: 151-155
Tomoe. Improvement of overactive bladder symptoms after tension-free vaginal mesh operation in women with pelvic organ prolapse: Correlation with preoperative urodynamic findings. International Journal of Urology (2015) 22, 577-580.

Medical Literature

Tseng LH, Wang AC, Lin Y-H, Li S-J, Ko Y-J. [Pop 62] Randomized comparison of the suprapubic arc sling procedure vs tension-free vaginal taping for stress incontinent women. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2005;16:230-235.
Turner, L. Comparison of complications and prolapse recurrence between laparoscopic and vaginal uterosacral ligament suspension for the treatment of vaginal prolapse. <i>Int Urogynecol J</i> 2015
Ubertazzi EP. [Pop 62, median 68 mos fu] IUGA Abs OP 122 - Trans vaginal mesh (TVM) five years follow up. A retrospective study from latem. <i>Int Urogynecol J</i> (2015) 26 (Suppl 1): S150-151
UITN Investigators. The Trial Of Mid-Urethral Slings (TOMUS): Design and Methodology. <i>The Journal of Applied Research</i> , Vol. 8, No. 1, 2008
UITN. Design of the Stress Incontinence Surgical Treatment Efficacy Trial (SISTEr) <i>UROLOGY</i> 66: 1213-1217, 2005
Ulmsten A. [Pop 50, 3 yr fu] A three-year follow up of tension free vaginal tape for surgical treatment of female stress urinary incontinence. <i>British Journal of Obstetrics and Gynecology</i> April 1999, Vol 106, pp. 345-350
Ulmsten U. (TVT Treatise) [Pop 75, 2 yr fu] An Ambulatory Surgical Procedure Under Local Anesthesia for Treatment of Female Urinary Incontinence. <i>Int Urogynecol J</i> (1996) 7:81-86
Ulmsten U. [Pop 131, 1 yr fu] A Multicenter Study of Tension-Free Vaginal Tape (TVT) for Surgical Treatment of Stress Urinary Incontinence. <i>Int Urogynecol J</i> , (1998) 9:210-213
Ulmsten U. Creating a gold standard surgical device: scientific discoveries leading to TVT and beyond. Ulf Ulmsten Memorial Lecture 2014. <i>Int Urogynecol</i> 2015; 26(6): 787-9
Ulmsten U. Different biochemical composition of connective tissue incontinent and stress incontinent women. <i>Acta Obstet Gynecol Scand</i> 66:455-457,1987
Ulmsten U. Intravaginal Slingplasty (IVS): An Ambulatory Surgical Procedure for treatment of Female Urinary Incontinence. <i>Scand J Urol Nephrol</i> 1995; 29:75-82
Ulmsten U. The basic understanding and clinical results of tension-free vaginal tape for stress urinary incontinence. (2011)
Ulmsten, U. [Editorial on Nilsson] An Introduction to Tension Free Vaginal Tape (TVT) - A New Surgical Procedure for Treatment of Female Urinary Incontinence. <i>Int Urogynecol J</i> (2001) (Suppl 2):S3-S4
Ulrich, D. The effect of vaginal pelvic organ prolapse surgery on sexual function. <i>Neurourology and Urodynamics</i> 2014
Unger CA, et al. [Pop 267] Indications and risk factors for midurethral sling revision. <i>Int Urogynecol J</i> . 2015; DOI:10.1007/s00192-015-2769-7.
Usher, F.C., et al. Polypropylene Monofilament: A New, Biologically Inert Suture for Closing Contaminated Wounds.
Usher. Use of Marlex Mesh in the repair of incisional hernias. (1958)
Ustun Y, Engin-Ustun Y, Gungor M, Tezcan S. [Pop 46, 18 mo fu] Tension-free vaginal tape compared with laparoscopic Burch urethropexy. <i>J Am Assoc Gynecol Laparosc</i> 2003;10:386-389.
Vaiyapuri G. Retrospective study of transobturator polypropylene mesh kit for the management of pelvic organ prolapse, <i>Singapore Med J</i> . 2012 Oct;53(10):664-70
Val pas A, Kivela A, Penttinen J, Kujansuu E, Haarala M, Nilsson C-G. [Pop 121, 1 yr fu - Ob Gyn] Tension-free vaginal tape and laparoscopic mesh colposuspension for stress urinary incontinence. <i>Obstet Gynecol</i> 2004;104:42-49.
Valpas, Nilsson. [Pop 121, 5 yr fu] TVT versus laparoscopic mesh colposuspension; 5 year follow-up results of a randomized clinical trial; <i>Int Urogynecol J</i> (2014), DOI 10.1007/s00192-014-2454-2

Medical Literature

Van de Geest. [Pop 163, 12 mo fu] IUGA Poster Pres. 05 Vaginal repair of primary pelvic organ prolapse; trocar guided partially absorbable mesh or native tissue. A RCT. Int Urogynecol J (2015) 26 (Suppl 1):S23–S174.
Van der Ploeg, J. Vaginal prolapse repair with or without a midurethral sling in women with genital prolapse and occult stress urinary incontinence: a randomized trial. Int Urogynecol J 2016
van der Weiden. Colposacropexy With Mesh or Collagen Implant and Titanium Bone Anchors Placed in Sacral Segments 3 and 4. Journal of Pelvic Medicine & Surgery, Vol. 9, No. 1, 9-14. 2003
Van Geelen J. Where to for pelvic organ prolapse treatment after the FDA pronouncements? Int Urogynecol J 2013; 24: 707-718.
van Geelen. [Pop 90, 5-7 yr fu] The clinical and urodynamic effects of anterior vaginal repair and Burch colposuspension. Am J Obstet Gynecol 1988;159:137-44.
Velemir, Amblard. Transvaginal mesh repair of anterior and posterior vaginal wall prolapse: a clinical and ultrasonographic study. Ultrasound Obstet Gynecol 2010; 35:474-480
Vervest.[Pop 703, 36 mo fu] The prevalence of voiding difficulty after TVT, its impact on quality of life, and related risk factors. Int Urogynecol J (2007) 18: 173–182
Vilhena, V. Female stress urinary incontinence treatment with three different tapes-a seven-year experience. Int Urogynecol J 2011; 22(Suppl 3): S1816
Vollebregt, A. Primary surgical repair of anterior vaginal prolapse: a randomized trial comparing anatomical and functional outcome between anterior colporrhaphy and trocar-guided transobturator anterior mesh. BJOG 2011; 118: 1518-1527
Wadie BS, Edwan A, Nabeeh AM. [Pop 53, 6 mo fu] Autologous fascial sling vs polypropylene tape at short-term followup: a prospective randomized study. J Urol 2005;174:990-993.
Wadie BS, Mansour A, El-Hefnawy AS, Nabeeh A, Khair AA. Minimum 2-year follow-up of mid-urethral slings, effect on quality of life, incontinence impact and sexual function. Int Urogynecol J 2010;21:1485- 1490.
Wai, Sirs. (UITN TOMUS) Patient Satisfaction After Midurethral Sling Surgery for Stress Urinary Incontinence. Obstet Gynecol 2013;121:1009-16
Wai. Surgical Treatment for Stress and Urge Urinary Incontinence. Obstet Gynecol Clin N Am 36 (2009) 509-519
Walid. Laparoscopic removal of infected mesh colposacropexy. Arch Gyencol Obstet (2009) 280: 103-106.
Walsh C. [Pop 1178, 12 mo fu] TVT-Secur mini-sling for stress urinary incontinence: a review of outcomes at 12 months. BJU International (2011), 108 , 652-657
Walters, Weber. [OBMgmt] Which sling for which SUI patient? OBG Management, Vol 24, No. 5, May 2012
Waltregny, de Leval - [Pop 99, 1 yr fu] Inside Out Transobturator Vaginal tape for the treatment of female stress urinary incontinence: Interim results of a prospective study after a 1-year followup. (2006)
Waltregny, de Leval. New surgical technique for treatment of stress urinary incontinence TVT-ABBREVO from development to clinical experience. Surg Technol Int (2012) 22:149-157
Wang AC, Chen M-C. [Pop 90, median 22 mo fu] Comparison of tension-free vaginal taping versus modified Burch colposuspension on urethral obstruction: a randomized controlled trial. Neurourol Urodyn. 2003;22(3):185-190.
Wang F, Song Y, Huang H. [Pop 140] Prospective randomized trial of TVT and TOT as primary treatment for female stress urinary incontinence with or without pelvic organ prolapse in Southeast China. Arch Gynecol Obstet 2010;281:279-286.

Medical Literature

Wang Feng-Mei, et al. Prospective study of transobturator mesh kit (Prolift™) in pelvic reconstructive surgery with vaginal hysterectomy after 3 years' follow-up Arch Gynecol Obstet (2013) 288:355-359
Wang W, Zhu L, Lang J. [Pop 300, 36 mo fu] Transobturator tape procedure versus tension-free vaginal tape for treatment of stress urinary incontinence. Int J Gynaecol Obstet 2009;104:113-116.
Wang, Y. [Pop 102, 1 yr fu] Comparison of three mid-urethral tension-free tapes (TVT, TVT-O, and TVT-Secur) in the treatment of female stress urinary incontinence: 1-year follow-up. Int Urogynecol J (2011) 22: 369-374
Wang. [Pop 503] Burch colposuspension vs. Stamey bladder neck suspension: A comparison of complications with special emphasis on detrusor instability and voiding dysfunction. J Reprod Med 1996; 41:529-533
Ward K, Hilton P. (BMJ) [IRELAND] Prospective multicentre randomised trial of tension-free vaginal tape and colposuspension as primary treatment for stress incontinence. BMJ 2002; 325:67-70
Ward KL, Hilton P. (Am J OG) [Pop 344, 2 yr. fu IRELAND study] A prospective multicenter randomized trial of tension-free vaginal tape and colposuspension for primary urodynamic stress incontinence: two-year follow-up. Am J Obstet Gynecol. 2004 Feb;190(2):324-31.
Ward, Hilton. [Pop 344, 5 yr fu IRELAND study] Tension-free vaginal tape vs colposuspension for primary urodynamic stress incontinence: 5 year follow up. Bjog 2008; 115:226-233
Weber A. Anterior colporrhaphy: A randomized trial of three surgical techniques. Am J Obstet Gynecol 2001; 185: 1299-1306.
Weber A. Which Slings for which SUI Patient? OBG Management, Vol. 24, No. 5, May 2012
Weber AM, Walters MD, Piedmonte MR, et al. Sexual function and vaginal anatomy in women before and after surgery for pelvic organ prolapse and urinary incontinence. Am J Obstet Gynecol; 2000;182:1610-1615.
Weber AM. Walters, M.D., Schover, L.R., Mitchinson, A. Vaginal Anatomy and Sexual Function, Obstet Gynecol. 1995 Dec;86(6):946-9
Weinberger, Ostergard. Long-Term Clinical and Urodynamic Evaluation of the Polytetrafluoroethylene Suburethral Sling for Treatment of Genuine Stress Incontinence. Obstet Gynecol 1995;86:92-6
Welk B, et al. (Pop 60K) Removal or Revision of Vaginal Mesh used for the Treatment of Stress Urinary Incontinence. JAMA Surg (2015) Doi:10.1001/jamasurg.2015.2590
Whiteside, J. Risk factors for prolapse recurrence after vaginal repair. Am J Obstet Gynecol; 2004;191:1533-1538.
Williams TH, TeLinde RW. The Sling Operation for Urinary Incontinence Using Mersilene Ribbon. Obstet Gynecol 1962; 19(2):241-245.
Wilson. Annual direct cost of urinary incontinence. Obstet Gynecol 2001;98:398-406
Winters Urology Care - A Conversation with Dr. Winters: Question About "Vaginal Mesh" for SUI Repair. (2014)
Withagen M. [ABS 475] Sexual functioning after tension free vaginal mesh procedure (Prolift®) for pelvic organ prolapse.
Withagen M. [Pop 186 (Prolift 83), 1 yr fu] Trocar-Guided Mesh Compared with Conventional Vaginal Repair in Recurrent Prolapse, A Randomized Controlled Trial. Obstet Gynecol 2011;117:242-50
Withagen, M, et al. Does trocar-guided tension-free vaginal mesh (Prolift™) repair provoke prolapse of the unaffected compartments? Int Urogynecol J (2010) 21: 271-278
Withagen, M, et al. Risk Factors for Exposure, Pain, and Dyspareunia after Tension-Free Vaginal Mesh Procedure. Obstet Gynecol (2011) 118: 629-36.

Medical Literature

Withagen. Laparoscopic sacrocolpopexy with bone anchor fixation: short-term anatomic and functional results. <i>Int Urogynecol J</i> (2012) 23: 481-486.
Wong V. Cystocele recurrence after anterior colporrhaphy with and without mesh use. <i>Eur J Obstet Gynecol Reprod Biol</i> 2014; 172: 131-135.
Wood LN and Anger JT. Urinary Incontinence in Women. <i>BMJ</i> :2014;349:g4531
Woods, M. Presentation 452- Durability and feasibility of TVT-Secur placed under local anesthetic in the office setting a 3 year follow up. <i>IUGA ABS NDP01</i> ; 2012
Woods, M. Vaginal Sling for Stress Urinary Incontinence Under Local Anesthetic in the Office Setting. <i>Journal of Pelvic Medicine & Surgery</i> 2008; 14(4): 268
Wu C-J, et al. The surgical trends and time-frame comparison of primary surgery for stress urinary incontinence, 2006-2010 vs 1997-2005: a population-based nation-wide follow-up descriptive study. <i>Int Urogynecol J</i> (2014) 25:1683-1691
Wu JM, et al. [Pop 907] Prevalence and incidence of urinary incontinence in a diverse population of women with noncancerous gynecologic conditions. <i>Female Pelvic Med Reconstr Surg</i> . 2010; 16(5):284-289.
Wu JM, et al. Predicting the number of women who will undergo incontinence and prolapse surgery, 2010 to 2050. <i>Am J Obstet Gynecol</i> 2011 September; 205(3):230.e1-230.e5
Wu JM, et al. Trends in inpatient urinary incontinence surgery in the USA, 1998-2007. <i>Int Urogynecol J</i> (2011) 22:1437-1443.
Wu, C. Concomitant trocar-guided transvaginal mesh surgery with a midurethral sling in treating advanced pelvic organ prolapse associated with stress or occult stress urinary incontinence. <i>Taiwanese J Obstet Gynecol</i> 2013;52:516-522.
Wu, J. Lifetime risk of stress urinary incontinence or pelvic organ prolapse surgery. <i>Obstet Gynecol</i> 2014; 123:1201-1206.
Wu, J. Forecasting the Prevalence of Pelvic Floor Disorders in U.S. women 2010 to 2050. <i>Obstetrics and Gynecology</i> , 114:6, Dec 2009.
Yazdany T. Suture complications in a teaching institution among patients undergoing uterosacral ligament suspension with permanent braided suture. <i>Int Urogynecol J</i> ; 2010; 21:813-818.
Yesil A. Mesh implantation for pelvic organ prolapse improves quality of life. <i>Arch Gynecol Obstet</i> 2014; 289: 817-821.
Yonguc, T. Double-sling procedure for the surgical management of stress urinary incontinence with concomitant anterior vaginal wall prolapse. <i>Int Urol Nephrol</i> 2015
Young, Rosenblatt, et al. The Mersilene mesh suburethral sling: a clinical and urodynamic evaluation. <i>AJOG</i> 1995; 173:1719-1726.
Zhang Y, Jiang M, Tong X-W, Fan B-Z, Li H-F, Chen X-L. The comparison of an inexpensive-modified transobturator vaginal tape versus TVT-O procedure for the surgical treatment of female stress urinary incontinence. <i>Taiwan J Obstet Gynecol</i> 2011;50:318-321.
Zhang. Short-term effects on voiding function after mesh-related surgical repair of advanced pelvic organ prolapse. <i>Menopause: The Journal of North American Menopause Society</i> , Vol. 22, No. 9, pp 993-999.
Zhu L, Lang J, Hai N, Wong F. [Pop 56, mean of 27.6 mo fu] Comparing vaginal tape and transobturator tape for the treatment of mild and moderate stress incontinence. <i>Int J Gynaecol Obstet</i> 2007;99:14-17.
Zoorob D. Management of Mesh Complications and Vaginal Constriction: A urogynecology Perspective. <i>Urol Clin N Am</i> 2012; 39: 413-418.

Gregory Bales Reliance List

Medical Literature

Zullo MA, Plotti F, Calcagno M, et al. Eur Urol One-year follow-up of tension-free vaginal tape (TVT) and Transobturator suburethral tape from inside to outside (TVT-O) for surgical treatment of female stress urinary incontinence: a prospective randomised trial. Eur Urol 2007;51:1376-1382; discussion 1383-1384.

Zyczynski H. [Pop 597, 2 yr fu] Sexual Activity and function in women more than 2 years after midurethral sling placement. Am J Obstet Gynecol 2012;207:421.e1-6

Production Materials

Description [Bates Range]
10/12/1990 Letter from FDA re: N16374, Prolene Polypropylene Nonabsorbable Suture
2000 June TVT Surgeons Resource Monograph
2005-06 Prof Ed Slides
2006 Mar 3 Flatow memo - CPC-2006-0165 Performance evaluation of TVT PROLENE blue Mesh_ Elongation Properties of Mechanical Cut verses Laser Cut
2007 Prolift Professional Education Slide Deck
2007 Prolift Surgeon's Resource Monograph
2007 Prolift Surgical Technique Guide
2008 Prolift Patient Brochure
2011 Native Pelvic Organ Prolapse Patient Counseling Guide
2011 Pelvic Organ Prolapse and Stress Urinary Incontinence Patient Counseling Guide
24 Hour Summary of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee Meeting [02.26.2016].
38-2 - 02.01.2012 Prolift, Prolift +M Postmarket Surveillance Study
5.15.08 Summary of Safety and Effectiveness - Prolift
6.2.2006 Ethicon Expert Meeting Meshes for Pelvic Floor Repair.
A Clinical Assessment of Gynemesh PS for the repair of pelvic organ prolapse by V. Lucente, et al.
A Solution-Gynecare TVT Tension-Free Support for Incontinence.
Application FMEA for TVT Classic Doc# FMEA-0000536 Rev.<1>
Biocompatibility Risk Assessment Report for GYNECARE GYNEMESH PS PROLENE - Appendix 1: Tabular Summaries....
Biocompatibility Risk Assessment Report for GYNECARE GYNEMESH PS PROLENE - Appendix 2: Brief CV's... (2)
Biocompatibility Risk Assessment Report for GYNECARE GYNEMESH PS PROLENE... (1)
Clinical Evaluation Report - Gynecare Prolift signed by P. Hinoul on 04.26.2013
Corporate Product Characterization Plan, TVT-Laser Cut Mesh. Dated 02/06/2006
Correspondence between Morgan Liscinsky of FDA & Bloomberg re: Johnson & Johnson Vaginal Mesh Implant.
D00001256-2005 Prolift Ed Gynecare Prolift Pelvic Floor Repair
D00001260-2007 and 2008 Prolift and M Prof Ed
Defense 1584 - One Year clinical outcomes after prolapse surgery with nonanchored mesh and vaginal support device
Defense 2 - Clinical Assessment of Gynemesh PS for the Repair of Pelvic Organ Prolapse
DEPO.ETH.MESH.00004755 - Guidoin Explant
DX23600-R.1-3 - Prolene Resin Manufacturing Specifications 1.23.03
Email from Seppa re: Performance Evaluation of TVT Secur PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920)
Email from Seppa re: Performance Evaluation of TVT U PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920) Version 2
Email string re - Revised write up of the DeLeval and Waltregny visit
ETH.MESH.00001595-1606 - Reisenauer, C. Anatomical conditions for pelvic floor reconstruction with polypropylene implant and its application for the treatment of vaginal prolapse. European Journal of Obstetrics & Gynecology and Reproductive Biology 2006
ETH.MESH.00012009-089 - Clinical Study Report: Clinical assessment of feasibility, complications and effectiveness at twelve months, three years and five years of the TVM technique for genital prolapse.

Production Materials

ETH.MESH.00016032-039 - Kohli, N. Augmenting pelvic floor repairs. 2006 Supplement to OBG Management
ETH.MESH.00017362-368 - Elmer C, et al. Histological inflammatory response to transvaginal polypropylene mesh for pelvic reconstructive surgery, J Urol (2009), 181 (3), 1189-95.
ETH.MESH.00017553-560 - Tunuguntla, H. Female Sexual Dysfunction Following Vaginal Surgery: A Review. Journal of Urology 2006; 175: 439-446
ETH.MESH.00018382 - Powerpoint GYNECARE GYNEMESH* PS Nonabsorbable PROLENE* Soft Mesh in the Treatment of Pelvic Organ Prolapse
ETH.MESH.00018382 - Powerpoint GYNECARE GYNEMESH* PS Nonabsorbable PROLENE* Soft Mesh in Treatment of POP
ETH.MESH.00020763
ETH.MESH.00020764
ETH.MESH.00034061-069 - Gynecare TVT SECUR* System: Key Technical Points
ETH.MESH.00071794 - Email re: TVT IFUs on tape extrusion, exposure and erosion
ETH.MESH.00093526-44
ETH.MESH.00093991
ETH.MESH.00126755-757 - Email string, top one from M. Yale to J. Paine, et al. re: Draft FDA response on Prolift+M for input
ETH.MESH.00130950 - Karram, M. ABS 004 An Evaluation of the Gynecare TVT Secur* System (Tension-free support for incontinence) for the treatment of stress urinary incontinence.
ETH.MESH.00143177-185 - Lucente, V. ABS 49 TVT Secur Sugical Technique and Learning Tips and Tricks.
ETH.MESH.00147507-509 - Approved September 16, 2008 - Marketing Services
ETH.MESH.00159266-369 - Gynemesh PS, Prolene Soft Mesh in the treatment of POP - Pelvic Floor Surgery and Anatomic Dissection Lab
ETH.MESH.00163952-960 - Gynecare TVT SECUR* System: Key Technical Points
ETH.MESH.00167104-110 - 2006 Apr 19 - Laser Cut Mesh for Gynecare TVT- CER Laser Cut Mesh
ETH.MESH.00220335-36 - 12.2.1999 Memo re: Biocompatibility Risk Assessment for Soft Prolene Mesh.
ETH.MESH.00262015-016 - Dan Smith Email Plaintiffs Exhibit 2067
ETH.MESH.00271215-216 - Email from J. Meek to multiple recipients e: Pre-Reading for Prolift+M: Internal Use Only. Not Copy Reviewed or For Distribution
ETH.MESH.00273967 - Email from Clifford Volpe to Scott Jones re: slides for Pelvic Floor Summit.; Powerpoint: R&D Perspective - The Journey from Prolift to Prolift +M.
ETH.MESH.00274015 - One year prospective follow-up of the TVT-S Procedure for treatment of Stress Urinary Incontinence.
ETH.MESH.00295355
ETH.MESH.00308094 - Gynecare TVT SECUR* System Tension-free Support for Incontinence
ETH.MESH.00318316-317 - Email from Aran Maree to Christiana Bielinski January 10, 2008 RE: FW: TVT Secur Slide Set (Commerical-inconfidence)SEC=UNCLASSIFIED]
ETH.MESH.00327060-063 - Email from David Robinson to Catherine Beath November 12, 2007 RE: Australia update and telephone call with Prof Frazer
ETH.MESH.00329001-002 - Agenda & Minutes; TVT-Secur PQI07-041 Quality Board November 16, 2007
ETH.MESH.00330962-964 - Email from Christiana Bielinski to Aran Maree February 26, 2008 RE: FW: Communication to Surgeons Regarding the Gynecare TVT Secure System No Protective Marking - SEC=UNCLASSIFIED]

Production Materials

ETH.MESH.00349226-237 - May 26, 2000 Ethicon Memo to P. Cecchini RE: Review of Biocompatibility Data on the Tension Free Vaginal Tape (TVT) System for Compliance to FDA G-95/ ISO 10993/ EN 30993
ETH.MESH.00349228 - Cytotoxicity Risk Assessment for the TVT (Ulmsten) Device
ETH.MESH.00365412-414 - June 14, 2007 Memo RE: ADDENDUM: Post - Launch Complaint Review for the PROLIFT* Pelvic Floor Repair System
ETH.MESH.00365960 - Gynecare TVT Secur System Procedural Pearls & Frequently Asked Questions
ETH.MESH.00369995 - Treatment of Stress Urinary Incontinence with the GYNECARE TVT* Family of Products
ETH.MESH.00369999 - Treatment of Stress Urinary Incontinence with GYNECARE TVT SECUR* System
ETH.MESH.00370392 - GYNECARE TVT SECUR* System Early Surgical Experience
ETH.MESH.00372564-68
ETH.MESH.00372664-671 - Letter from B. Lisa to J. Dang re: K071512 S04. (02.21.2008)
ETH.MESH.00373310 - Gynecare TVT Tension-Free Support for Incontinence: General Profession Education Deck.
ETH.MESH.00373310-88 - Gynecare TVT Tension-Free Support for Incontinence: General Profession Education Deck.
ETH.MESH.00394849 - Gynemesh PS Panel - Dr. England
ETH.MESH.00395374-380 - Scientific Advisory Panel on Pelvic Floor Repair Preliminary Minutes Chicago, IL June 22, 2001
ETH.MESH.00397674
ETH.MESH.00403003-017 - Cadaver Protocol/Competition Report
ETH.MESH.00442129
ETH.MESH.00461576 - 10.23.2006 letter to EWHU field sales force
ETH.MESH.00484929
ETH.MESH.00523617-618 - Summary of Gynecare TVT Secur* System Critical Steps
ETH.MESH.00523942 - Waltregny 2005 ICS Presentation
ETH.MESH.00526473-74 - Allison Brown Email re-Laser-cut Mesh
ETH.MESH.00527118-121 - Email from Joy Hovespian to Dharini Amin August 28, 2007 RE: FW: Dr. Sepulveda's notes summary/PLEASE DO NOT DISTRIBUTE. JUST FOR INTERNAL REVIEW
ETH.MESH.00541187-190 - Email from Carolyn Brennan to Joseph Scavona September 11, 2009 RE: TVT Secur Inserter Heads Up
ETH.MESH.00541379-80 - Mesh Fraying for TVT Devices
ETH.MESH.00572598 - TVT Secur: European Feedback Axel Arnaud M.D.
ETH.MESH.00575257 - Abbrevio laser cut vs. mechanically cut - notes from meeting with de leval - inappropriate
ETH.MESH.00575270-273 - Jean de Leval Email Re: DSCN3332.JPG May 30, 2009
ETH.MESH.00576725-726 - MAUDE Review; Overall TVT Powerpoint
ETH.MESH.00584811-13 - Email string re-Ultrasonic Slitting of Prolene Mesh for TVT
ETH.MESH.00584846-847 - (05.10.2004) Email string, top one from Gene Kammerer to Mora Melican, et al. re: Mesh for TVM.
ETH.MESH.00590896-897 - Piet Hinoul Email 3.11.09
ETH.MESH.00596558-560 - Email from Dan Smith to Aaron Kirkemo RE: FW: Scion PA commercial recommendation
ETH.MESH.00637343 - Gynemesh PS - Ethicon Product Development Process
ETH.MESH.00658177-198 - Surgeons Resource Monograph
ETH.MESH.00687819-22 - Email string re-Laser cut mesh

Production Materials

ETH.MESH.00746179-180 - Email from Harel Gadot to Evridiki Kakoliri September 14, 2006 RE: TVT SECUR Launch activities
ETH.MESH.00746181-182 - Hold for Release Until 9/05/06, 8 a.m. EST Ethicon Introduces New Device to Treat Stress Incontinence
ETH.MESH.00747864 - Gynemesh PS DDSA (rev. 2 - Feb. 2005)
ETH.MESH.00823138 - Finnegan, S. Clinical outcome of the first cases of the TVT secur in the UK
ETH.MESH.00823549 - Application FMEA for TVT Secur
ETH.MESH.00839918-19 - Email from David Robinson September 20, 2006 RE: TVTS Complaint up to 20 September 06.ppt
ETH.MESH.00845669-670 - Ethicon Memo December 4, 2007 RE: PQI-07-043 TVT Secur release mechanism
ETH.MESH.00851319-321 - Email string, top one from P. Hinoul to C. Volpe, et al. re: Proxima implant dimensions.
ETH.MESH.00857821 - Top Ten Reason to pursue Gynecare TVT Obturator System
ETH.MESH.00858080-081 - Perry Trial - Plaintiff's Exhibit 2313
ETH.MESH.00858096-97 - Gynecare R&D Monthly Update - May
ETH.MESH.00858175-176 - Mulberry Weekly Meeting MINUTES for 6.3.03
ETH.MESH.00858252-53 - 2004 Memo from London Brown to Dan Smith re Mechanical Cut vs. Laser Cut Mesh Rationale
ETH.MESH.00863391 - T-366 - Dan Smith email - particle loss
ETH.MESH.00870466 - Ethicon Expert Meeting-Meshes for Pelvic floor
ETH.MESH.00870466-476 - (06.02.2006) Ethicon Expert Meeting: Meshes for Pelvic Floor Repair.
ETH.MESH.00872132-136 - Email from Dan Smith to Mark Yale September 15, 2006 RE: Potential quality issue on TVT-S
ETH.MESH.00873965-966 - Email from Mark Yale to Gary Borkes December 18, 2009 RE: FW: TVT-S Compliant Review
ETH.MESH.00874280 - Email from Mark Yale to Laurent Soulier September 21, 2006 RE: Potential quality issue on TVT-S
ETH.MESH.00874445 - TVT-SECUR Quality Board
ETH.MESH.00922443-446 - Email string, top one from P. St. Hilaire to B. Lisa, et al. re: Bidirectional elasticity statement
ETH.MESH.00991195-257
ETH.MESH.00993273 - TVT Obturator Anatomic Considerations Clinical Update: Special Considerations, Complications.
ETH.MESH.01037447-455 - Charlotte D. Owens Clinical Report on TVT-S
ETH.MESH.01059148-152 - Gynecare TVT-Secur 2007 Product Complaints Involving Serious Injury
ETH.MESH.01075187-215
ETH.MESH.01128679-698 - Brochure - Procedural Steps Gynecare TVT SECUR™ System - The Support is Here
ETH.MESH.01130568 - Ethicon, Inc. Worldwide Complaint-Reporting Statement Gynecare TVT Secur™ System
ETH.MESH.01154031-37 - Clinical Expert Report - Gynemesh Prolene Soft
ETH.MESH.01189392-395 - Summary of sheep and human cadaver labs for development of the GYNECARE TVT SECUR* System
ETH.MESH.01189423-439 - Martin Weisberg; Dave Robinson Clinical Report on TVT-S 2.28.06
ETH.MESH.01193925-930; ETH.MESH.0100644-645 - TVT-Secur: "Hammock" position; Minutes regarding events with Dr. Folke Flarn and training

Production Materials

ETH.MESH.01202189 - Stale Kvitle Email regarding Mini Me follow up from our visit May 20, 2009
ETH.MESH.01202190-191 - David Waltregny Email Re: Mini Me follow up from our visit May 21, 2009
ETH.MESH.01203957-97 - The future of surgical meshes-the industry's perspective
ETH.MESH.01219542-48 - Review of Surgeon Responses of VOC Questionnaire
ETH.MESH.01220135-45 - Email string re-New Standards for Urethral Slings
ETH.MESH.01228079-84 - Nilsson Podcast Transcript
ETH.MESH.01238454-56 - Email string re-TVTO length
ETH.MESH.01264260 - Prolift +M Piet Hinoul Pelvic Floor Meeting Nderland Utrecht, May 7, 2009
ETH.MESH.01274741-743 - Use of UltraPro Mesh for Pelvic Organ Prolapse (POP) Repair through a Vaginal Approach.
ETH.MESH.01279975-976 - Harel Gadot Email re Next step in SUI sling
ETH.MESH.01310817-29
ETH.MESH.01317508-613 - TVT Factbook DHF - Revised 05.14.2001
ETH.MESH.01320328-33
ETH.MESH.01320351-67
ETH.MESH.01407852 - Ethicon Sarl, Neuchatel Potential Failure Mode and Effects Analysis Process FMEA
ETH.MESH.01428106-112 - Carvigni, M. The use of synthetics in the treatment of pelvic organ prolapse. Curr Opin Urol 2001; 11: 429-435.
ETH.MESH.01595614-753
ETH.MESH.01612323-33
ETH.MESH.01733531-535 - Kasturi, S. Pelvic magnetic resonance imaging for assessment of the efficacy of the Prolift system for pelvic organ prolapse. Am J Obstet Gynecol 2010; 203: 1.e1-1.e5
ETH.MESH.01736775-791 - Martin Weisberg; Dave Robinson Clinical Report on TVT-S 2.20.06
ETH.MESH.01739544-579 - David Robinson TVT-Secur Clinical Evaluation Report November 1, 2010
ETH.MESH.01752532-35 - Mesh design argumentation issues
ETH.MESH.01760362-363 - Email from Michael Woods to David Robinson December 21, 2007 RE: Trial
ETH.MESH.01782114-115 - (05.03.2006) Email string, top one from David Robinson to Carolyn Brennan re: Suzette email discussing problems with Prolift.
ETH.MESH.01782783-785 - (02.02.2006) Notes from meeting with Dr. V. Lucente and Dr. M. Murphy (Allentown, PA) to discuss Prolift RCT.
ETH.MESH.01784823-28 - Clinical Expert report-Laser Cut Mesh
ETH.MESH.01785259-260 - Email string re: +M relaxation
ETH.MESH.01808311-318 - Trip Report Michael Tracey
ETH.MESH.01809082-83 - Memo re: VOC on new laser cut TVT mesh
ETH.MESH.01813259; ETH.MESH.02180759-61 - Email string with attachment re-Jeans Ideas.
ETH.MESH.01813975-78 - Email string re-FDA Prep-Plaintiff's Exhibit 460
ETH.MESH.01815027-029 - Key Human Cadaver Lab Reports used in the development of TVT SECUR
ETH.MESH.01822361-363 - Dan Smith Email regarding TVT Secur October 18, 2006
ETH.MESH.01822361-62 - Dan Smith Email regarding TVT-Secur leading to less retention
ETH.MESH.01824316-317 - Email from Dan Smith to Eric Gauthier November 6, 2006 RE: FW: TVT-S Complaint review
ETH.MESH.02001398-404 - Gynecare Prolift IFU (English Only)
ETH.MESH.02001398-473
ETH.MESH.02017152-158 - (02.23.2007) Ethicon Expert Meeting: Meshes for Pelvic Floor Repair.
ETH.MESH.02017152-56 - 02.23.2007 Ethicon Expert Meeting: Meshes for Pelvic Floor Repair

Production Materials

ETH.MESH.02026591-95 - MSDS-c4001 Polypropylene Homopolymer
ETH.MESH.02059150-151 - May 24, 2006 Memo RE: First Post - Launch Complaint Review for the PROLIFT* Pelvic Floor Repair System
ETH.MESH.02090196-209 - Plaintiff's Exhibit 4085-04.15.2008
ETH.MESH.02105765-71
ETH.MESH.02151813 - TVT-Secur PQI07-041 Quality Board - Follow Up
ETH.MESH.02211890 - Test Report
ETH.MESH.02211912 - Annex 11: Porosity test on finished product - pelvic floor mesh.
ETH.MESH.02215374-375 - Jacquetin B. Prolene Soft (Gynecare) Mesh for Pelvic Organ Prolapse Surgical Treatment: A Prospective Study of 264 Patients. Abstract 767
ETH.MESH.02215565-567 - Email from Scott Ciarrocca to multiple recipients re: a message from Barbara Schwartz re: Prolift (01.02.2005).
ETH.MESH.02232773-801
ETH.MESH.02232806
ETH.MESH.02232820
ETH.MESH.02232833
ETH.MESH.02232854
ETH.MESH.02232854-874 -Prolift+M - Advanced User Discussion
ETH.MESH.02232854-874 - Prolift+M - Advanced User Discussion
ETH.MESH.02233126-187 - Prolift+M Educational Module
ETH.MESH.02233290
ETH.MESH.02237103-104 - Gynecare TVT™ Family of Products Tension-free Support for Incontinence.
ETH.MESH.02248778 - Mechanical vs Machine Cut (Laser.Ultrasonic) Mesh Particle loss less than 2 percent for both
ETH.MESH.02259836 - Graft or no graft finl 11-21-04
ETH.MESH.02270724 - (07.19.2003) Email string, top one from Michel Cosson to Scott Ciarrocca re: Gynemesh holding force in tissue.
ETH.MESH.02270766-767 - (11.21.2003) Email string, top one from Michel Cosson to Scott Ciarrocca re: D'Art, risk question.
ETH.MESH.02270857-858 - (07.16.2004) Email from Laura Angelini to multiple recipients re: D'Art - Conversation with Prof. Jacquetin.
ETH.MESH.02286052-053 - Email string, top one from S. O'Bryan to S. Ciarrocca re: Prolift IFU
ETH.MESH.02319312 - Memo re-TVT-base & TVT-O Complaint Review for Laser Cut Mesh Risk Analysis
ETH.MESH.02340331-335 - TVT IFU (12.22.03 to 02.11.05)
ETH.MESH.02340471-503
ETH.MESH.02340568-591 - TVT Secur IFU
ETH.MESH.02340568-90 - TVT-S IFU
ETH.MESH.02340829-835 - TVT-O IFU - (01.07.04 to 03.04.05)
ETH.MESH.02341203-13 - TVT Abbrevio IFU
ETH.MESH.02341454-459 - Gynecare Prolift IFU (English Only)
ETH.MESH.02341454-521
ETH.MESH.02341522-527 - Gynecare Prolift IFU (English Only)
ETH.MESH.02341658-664 - Gynecare Prolift IFU (English Only)
ETH.MESH.02341658-733
ETH.MESH.02341734-809

Production Materials

ETH.MESH.02342194-196 - Gynecare Gynemesh PS IFU (English Only)
ETH.MESH.02342218-220 - Gynecare Gynemesh PS IFU (English Only)
ETH.MESH.02342250-252 - Gynecare Gynemesh PS IFU (English Only)
ETH.MESH.02342278-279 - Gynecare Gynemesh PS IFU (English Only)
ETH.MESH.02596085 - Letters to the Editor 2010; 1457
ETH.MESH.02596677-678 - Lammerink, E. Short-term outcome of TVT-Secur
ETH.MESH.02596687 - Fischerlehner, G. TVT-Secur System: One year experience.
ETH.MESH.02596702 - TVT-Secur Workshop Dr. Sepulveda MC Erasmus Rotterdam 27/5
ETH.MESH.02596703-704 - TVT-Secur Workshop Dr. Sepulveda 27/5 Procedural Guidelines for Hammock placement
ETH.MESH.02603812-821 - Dissection Techniques in Transvaginal Pelvic Organ Prolapse Repair with Synthetic Mesh
ETH.MESH.02614610-24
ETH.MESH.02615519-658
ETH.MESH.03259439-40 - 4.24.2009 Gauld email chain re Green Journal
ETH.MESH.03361293 - Mesh Platform Review: Somerville, November, 2010.
ETH.MESH.03388485
ETH.MESH.03388766
ETH.MESH.03388838
ETH.MESH.03427878-883 - TVT IFU - (11.29.10 to 11.26.14)
ETH.MESH.03427878-945
ETH.MESH.03458123-38 - TVT Patient Brochure
ETH.MESH.03459088-104
ETH.MESH.03460813-853 - Prolift Surgeon's Resource Monograph, approved 4.13.2007
ETH.MESH.03463398-407 - Email from Stacy Hoffman to Mary Byerly August 12, 2010 RE: FW: Urogynecological urinary incontinence product contract
ETH.MESH.03649244-249 - Risk Management Report TVT SECUR System
ETH.MESH.03667696 - Company Procedure for US Regulatory Affairs Review of Promotion and Advertising Material for Medical Devices
ETH.MESH.03714002-018 - Martin Weisberg Clinical Report on TVT-S 12.2.05
ETH.MESH.03714599-614 - Martin Weisberg Clinical Report on TVT-S
ETH.MESH.03715787 - Gynemesh PS CER (2002) - Weisberg
ETH.MESH.03715978 - Weisberg email re: TVT question.
ETH.MESH.03736120-127 - Gynemesh PS: A New Mesh for Pelvic Floor Repair Early Clinical Experience
ETH.MESH.03751819
ETH.MESH.03905472-77 - Email string re-TVT recommendation from Dr. Alex Wang
ETH.MESH.03905619-621 - Email from Martin Weisberg to Patirica Hojnoski September 15, 2005 RE: Clinical Expert Report
ETH.MESH.03905968-975 - 2005 Prolift Patient Brochure: POP, Get the facts, be informed, make your best decision
ETH.MESH.03905976-991 - Prolift Patient Brochure: POP, Get the facts, be informed, make your best decision
ETH.MESH.03905992-6000
ETH.MESH.03906001-20
ETH.MESH.03906037-052 - Prolift Patient Brochure: Treatment Options for POP, stop coping, start living

Production Materials

ETH.MESH.03907468-9 - Second Generation TVT - by Axel Arnaud
ETH.MESH.03910175 - Email string re - Soft Prolene
ETH.MESH.03910418-21 - Email string re-Mini TVT - mesh adjustment
ETH.MESH.03911107-08 - Email string re-TVT complications (an Prof. Hausler)
ETH.MESH.03911901-910 - Deprest J, et al. The biology behind fascial defects and the use of implants in pelvic organ prolapse repair. Int Urogynecol J (2006)
ETH.MESH.03913357-359 - Axel Arnaud Email 5.31.07 Re TVT TVT-O
ETH.MESH.03913367 - Debodinance, P. TVT Secur™: More and more minimal invasive. Preminiraly prospective study on 106 cases.
ETH.MESH.03913371 - Marsh, F. An Audit of the Introduction of TVT Secur in Clinical Practice.
ETH.MESH.03916905-13 - Plaintiff's Exhibit 3827
ETH.MESH.03917375-378 - (11.26.2002) Email string, top one from Martin Weisberg to Dr. Richard Juraschek, et al. re: Mini TVT - mesh adjustment.
ETH.MESH.03921355-156 - Miller, D. Prospective Clinical Assessment of the Total Vaginal Mesh (TVM) Technique for Treatment of Pelvic Organ Prolapse - 6 and 12 month results.
ETH.MESH.03921836-838 - Email from Laurent Metz to Sheri Dodd RE: TVT - Secur Registry - Local Activities
ETH.MESH.03922483-484 - Email from Andrew Beveridge to DL-JNJFRIS EWHU Umbrellas April 26, 2007 RE: GYNECARE TVT SECUR* System Wins Medical Design Excellence Award
ETH.MESH.03924557-86 - Meshes in Pelvic Floor Repair-Findings from literature review and conversations-interviews with surgeons, June 6, 2000.
ETH.MESH.03930120-123 - Nilsson C. Seven-Year Follow-up of the Tension-Free Vaginal Tape Procedure for Treatment of Urinary Incontinence. Obstet Gynecol 2004; 104(6): 1259-62
ETH.MESH.03932909-911 - Confidential - History of TVT-O
ETH.MESH.03932912 - The History of TVT
ETH.MESH.03932912-14 - The History of TVT
ETH.MESH.03941623 - DeLeval Email RE: TVT ABBREVO ALERT - French and English Email and English Translation Certification Plaintiff's Exhibit 3619- Perry
ETH.MESH.04048515-520 - Carl Nilsson KOL Interview Project Scion 06.18.08
ETH.MESH.04081189 - Meeting Agenda
ETH.MESH.04081189-190 - Meeting Agenda
ETH.MESH.04082973 - Possible Complications for Surgeries to Correct POP and SUI
ETH.MESH.04092868 - Email re : 10100080654 and TVT IFUs
ETH.MESH.04093125 - Email from Meng Chen to Bryan Lisa January 29, 2009 RE: FW: TVT IFUs on tape extrusion, exposure and erosion
ETH.MESH.04099233-234 - Email from Melissa Day to Luis Blanco September 24. 2008 RE: #1010078150
ETH.MESH.04126903-906 - Email from Jan Law to Aran Maree November 8, 2007 RE: Hi Jan, I didn't' hear back from Malcom at all yesterday. Any chance of this morning? I am at ELT meeting but mobile and e mail are on.
ETH.MESH.04551757-795 - Email from P. Hinoul to J. Hammond, et al. re: benefit risk profile for TVM
ETH.MESH.04558399-409 - Iglesia C. Vaginal Mesh for Prolapse: A Randomized Controlled Trial. Obstet Gynecol 2010;116:293-303
ETH.MESH.04938298-299 - Piet Hinoul Email Re: Prof. de Leval - TVT Abbrevio
ETH.MESH.04939001
ETH.MESH.04941016 - Lightweight Mesh Developments (Powerpoint)
ETH.MESH.04945231-239 - Email string re-Ultrapro vs Prolene Soft Mesh

Production Materials

ETH.MESH.04945496 - Bernd Klosterhalfen Email Re: Ultrapro vs. Prolene Soft Mesh April 18, 2005
ETH.MESH.05222673-705
ETH.MESH.052235354-85
ETH.MESH.05225380-384 - TVT IFU - (09.08.00 to 11.26.03)
ETH.MESH.05320905
ETH.MESH.05337217-220 - Email string, top one from D. Miller to J. Paradise, et al
ETH.MESH.05347751-762 - Email string re Investigator-initiated studied policy
ETH.MESH.05404976 - Commerical-in-confidence Update to the TGA on TVT Secur™ 1 May 2008
ETH.MESH.05479411 - The (clinical) argument of lightweight mesh in abdominal surgery
ETH.MESH.05479535
ETH.MESH.05534022 - Revision History for TVT Secur application FMEA
ETH.MESH.05560563-564 - Email from Patricia Hojnoski to Martin Weisberg September 13, 2005 RE: Clinical Expert Report; ETH.MESH.05560579-80 - Email from Patricia Hojnoski to Martin Weisberg September 15, 2005 RE: Clinical Expert Report
ETH.MESH.05588123-126 - Stephen Wohler Email - AW: How inert is polypropylene? July 9, 2007
ETH.MESH.05644163-171 - Pelvic Floor Repair-Surgeon's Feed-back on Mesh Concept
ETH.MESH.05795421-508
ETH.MESH.05795537-99
ETH.MESH.05799233-39 - TVT Exact IFU
ETH.MESH.05918776 - Email re: Marlex Experience
ETH.MESH.05958248 - Surgeons Resource Monograph
ETH.MESH.05998835-836 - Piet Hinoul Email Re: ALERTE TVT ABBREVO
ETH.MESH.06050509 - Email from Aran Maree to Darryl Harkness November 20, 2007 RE: TVT Secur discussions Somerville Tues 20 Nov
ETH.MESH.06050795-796 - Memo to TVT Secure DHF #0000120 from Gary Borkes RE: TVT Secur 12 month post launch review August 17, 2007
ETH.MESH.06087471-72
ETH.MESH.06087513-14
ETH.MESH.06382976-987 - Jia, X. Efficacy and safety of using mesh or grafts in surgery for anterior and/or posterior vaginal wall prolapse: systematic review and meta-analysis. BJOG 2008; 115: 1350-1361
ETH.MESH.06400722 - GYNECARE GYNEMESH PS CE Mark Technical File
ETH.MESH.06401574 - GYNECARE Prolift + M Pelvic Floor Repair System Technical File
ETH.MESH.06401876 - GYNECARE PROLIFT + M Pelvic Floor Repair System Biocompatibility Risk Assessment
ETH.MESH.06592243 - 09.14.2012 Email from Carl Nilsson to Laura Angelini
ETH.MESH.06695438 - Justification for Utilizing the Elasticity Test as the Elongation Requirements on TVT LCM
ETH.MESH.06887138-40 - Waltregny email written on behalf of Professor de Leval.
ETH.MESH.06887244 - 07.16.04 David Waltregny email to Dan Smith re: TVT-O.
ETH.MESH.06917699-704 - Form For Customer Requirements Specification (CRS) For Project TVT-O PA
ETH.MESH.06923868-71 - TVTO-PA Clinical Strategy - 8.21.13 Exhibit A.M. Mitchell T-2177
ETH.MESH.07192929 - Investigating Mesh Erosion in Pelvic Floor Repair Powerpoint
ETH.MESH.07201006 - Prolift Professional Education Slide Deck (2007)
ETH.MESH.07226579-590 - 2000 - TVT CER
ETH.MESH.07246690-719

Production Materials

ETH.MESH.07351297
ETH.MESH.07383730-31 - Email string re-Ultrapro mesh information-identical mesh to Prolift +M
ETH.MESH.07396541-546 - Procedural Pearls & Frequently Asked Questions
ETH.MESH.08003181-96 - TVT Patient Brochure
ETH.MESH.08003231-46
ETH.MESH.08003231-46 - TVT Patient Brochure
ETH.MESH.08003247-62
ETH.MESH.08003263-278 - TVT Secur IFU
ETH.MESH.08003279-294 - TVT Secur IFU
ETH.MESH.08003279-94 - TVT Patient Brochure
ETH.MESH.08003279-94 - TVT Secur IFU
ETH.MESH.08003295-302 - TVT Patient Brochure
ETH.MESH.08107354
ETH.MESH.08117473
ETH.MESH.08117625-26
ETH.MESH.08156958
ETH.MESH.08299913-917 - Nilsson C. Seventeen years' follow-up of the tension-free vaginal tape procedure for female stress urinary incontinence. Int Urogynecol J 2013; 24(8): 1265-9 [9.11.13 Exhibit T-1271]
ETH.MESH.08315779 - Clinical Expert report-09.25.2012
ETH.MESH.08334244-45 - Email string re-Photographs of LCM vs MCM with powerpoint attachment
ETH.MESH.09100506 - Prolift Professional Education Slide Deck (2005)
ETH.MESH.09100506 - Prolift Professional Education Slide Deck (2005)
ETH.MESH.09238537-541 - Memo to TVT Secure DHF #0000120 from Gary Borkes RE: TVT Secur 12 month post launch review August 17, 2007
ETH.MESH.09264945-46 - Prolene Mesh Re-Design Project
ETH.MESH.09630649 - 4.26.1973 FDA Letter RE: NDA 16-374
ETH.MESH.09656792
ETH.MESH.09656795
ETH.MESH.09744840-45
ETH.MESH.09744848-55
ETH.MESH.09744858-63 - TVT Patient Brochure
ETH.MESH.09746948-998 - License and Supply Agreement [Rosenzweig Exhibit 21 - 12.22.15]
ETH.MESH.09747038-097 - Medscand Agreement
ETH.MESH.09747337-369 - Asset Purchase Agreement
ETH.MESH.09888187-223 - Seven Year Data for Ten Year Prolene Study - Plaintiff's Exhibit 4102
ETH.MESH.09922570-578 - R&D Memorandum of PA Mesh Assessments for TVTO-PA Revision 1
ETH.MESH.10038844 - The Use of Graft Material in Prolapse Repair - Dr. Sepulveda
ETH.MESH.10179518 - Gynemesh PS CER signed by Piet Hinoul April 26, 2013...
ETH.MESH.10179518-636 - Clinical Evaluation Report - Gynemesh PS signed by P. Hinoul on 04.26.2013
ETH.MESH.10220659
ETH.MESH.10281860-874 - Tension-Free Midurethral Sling: Market Update.
ETH.MESH.10686760 - Gynemesh PS aFMEA 2013_23916894_1.nrl
ETH.MESH.10686833 - Risk Management Report (RMR) for Gynemesh PS 2013_23....nrl
ETH.MESH.10977-983
ETH.MESH.11336474-87 - Ten Year In Vivo Suture Study Scanning Electron Microscopy-5 Year Report

Production Materials

ETH.MESH.11543641 - Powerpoint GYNECARE GYNEMESH* PS Nonabsorbable PROLENE* Soft Mesh Awareness Module
ETH.MESH.11543719 - Robinson Gynemesh PS Presentation 4.7.04
ETH.MESH.1210987-95 - Email from Hinoul re: South Africa, TVTO sheaths getting stuck upon removal
ETH.MESH.1222075-79 - Letter to Weisberg/Robinson re: Elongation Characteristics of Laster Cut PROLENE Mesh for TVT, from Kammerer
ETH.MESH.12831391-92 - P4128 - IR Microscopy of Explanted Prolene received from Prof. R. Guidoin.
ETH.MESH.161953-54 - Gynecare TVT Obturator System Sales Materials
ETH.MESH.16262740 (2004)
ETH.MESH.1751069-94 - 09/07/2009 Safety review: TVT and TVT-O procedures
ETH.MESH.1784779-82 - Memo re: TVT-Base & TVT-O Complaint Review for Laser Cut Mesh (LCM) Risk Analysis
ETH.MESH.1784823-28 - Clinical Expert Report
ETH.MESH.1809056-58 - Email re: Important Laser cut mesh update
ETH.MESH.1809080-81 - Memo re: Comparison of Laser-cut and machine-cut TVT Mesh to Meshes from Competitive Devices (BE02004-1641)
ETH.MESH.1815660-64 - Project Mulberry, Preliminary Clinical Diligence Report
ETH.MESH.222852-63 - 12/15/2003, Gynecare Final Report # 03*0740, TVT Obturator System
ETH.MESH.222899-909 - Clinical Expert Report
ETH.MESH.2236604-09 - TVT Obturator Brochure; "Results, Precision & Proven Mesh"
ETH.MESH.223779-84 -Risk Management Report, TVT Laser Cut Mesh (LCM). Document Number RMR0000017, Rev. 3
ETH.MESH.2293715-6 - Email from Dan Smith re: NG TVT-O NDP - Outcomes from Kickoff Meeting with Pr. De Leval & Dr. Waltregny
ETH.MESH.2340504-33 - TVT IFU
ETH.MESH.2340902-08 - TVT O IFU
ETH.MESH.262089-123 - Manuscript Draft: (de Leval) Novel surgical technique for the treatment of female stress urinary incontinence: Transobturator Vaginal Tape Inside-Out
ETH.MESH.3364663-66 - Email from O'Bryan re: ifu
ETH.MESH.3365250-1 - Email from Weisberg re: IFU update
ETH.MESH.341006-11 - 11/11/10 Letter from John Young re: Global Regulatory Strategy for TVT IFU (RMCP15506/E) Update (Part II, RA0001-2010, Rev. 1)
ETH.MESH.3427878-83 - TVT IFU
ETH.MESH.371496-594 - 01/28/98 Letter from FDA re: K974098 TVT System
ETH.MESH.3922926-28 - Email re: OR Agenda Tunn
ETH.MESH.3932909-11 - History of TVT-O
ETH.MESH.3934952-67 - Tension-Free Vaginal Obturator Tape (TVOT) - April 30, 2003 - Meeting Report
ETH.MESH.4048515-20 - KOL Interview
ETH.MESH.4384126-65 - Clinical Evaluation Report, Gynecare TVT Tension-free Vaginal Tape / Tension-free Vaginal Tape Accessory Abdominal Guide
ETH.MESH.442825-26 - Email re: TVT Laser Mesh info
ETH.MESH.524746-48 - Email re: TVT Meeting with Agency
ETH.MESH.525573 - Email re: TVT Laser Cut Mesh
ETH.MESH.5315252-65 - Final Report, PSE Accession No. 97-0197, Project No. 16672

Production Materials

ETH.MESH.658177-98 - Surgeon's Resource Monograph, A Report of the June 2000 Summit Meeting
ETH.MESH.6696411-19 - Email re: Performance Evaluation of TVT Prolene Blue Mesh
ETH.MESH.6859834-35 - Email re: Laser Cut TVT
ETH.MESH.6878438-39 - Memo re: VOC on new Laser Cut TVT Mesh
ETH.MESH.6882641-2 - Email from O'Bryan re: GYNECARE TVT Obturator System - FDA
ETH.MESH.6886410-11 - Email from Weisberg re: Mulberry
ETH.MESH.7393700 - 05/13/2003 Memo to Gynecare Continence Health Sales Team re: Gynecare TVT Physician Training Policy
ETH.MESH.7692905-7 - Email re: Mesh Fraying Dr. EBERHARD letter
ETH.MESH.8003295-301 - Patient Brochure: "Stop coping, start living."
ETH.MESH.8003303-17 - Patient Brochure: "Stop coping, start living."
ETH.MESH.823793-806 - Transobturator Vaginal Tape Inside-Out (TVT-O): From Development to Clinical Experience
ETH.MESH.865069-72 - Email from Dan Smith re: Draft report translated by "Babel fish" http://babelfish.altavista.com/tr
ETH.MESH.PM.000067 - TVT- Secur DVD CR 7.12.06
ETH.MESH.PM.000001 - Prolift Professional Education Videos
ETH.MESH.PM.000006 - Anatomy Videos
ETH.MESH.PM.000007 - Prolift Professional Education Videos
ETH.MESH.PM.000009 - Anatomy Videos
ETH.MESH.PM.000014 - Prolift Professional Education Videos
ETH.MESH.PM.000015 - Prolift Professional Education Videos
ETH.MESH.PM.000019 - Prolift Professional Education Videos
ETH.MESH.PM.000027 - Prolift Professional Education Videos
ETH.MESH.PM.000032 - Prolift Professional Education Videos
ETH.MESH.PM.000033 - Prolift Professional Education Videos
ETH.MESH.PM.000034 - Prolift +M Professional Education Videos
ETH.MESH.PM.000037 - Prolift Professional Education Videos
ETH.MESH.PM.000038 - Prolift Professional Education Videos
ETH.MESH.PM.000039 - Prolift Professional Education Videos
ETH.MESH.PM.000048 - Prolift +M Professional Education Videos
ETH.MESH.PM.000057 - Anatomy Videos
ETH.MESH.PM.000058 - Prolift Professional Education Videos
ETH.MESH.PM.000065 - Prolift Professional Education Videos
ETH.MESH.PM.000068 - Anatomy Videos
ETH.MESH.PM.000075 - Prolift Professional Education Videos
ETH.MESH.PM.000076 - Prolift Professional Education Videos
ETH.MESH.PM.000078 - Prolift Professional Education Videos
ETH.MESH.PM.000088 - Anatomy Videos
ETH.MESH.PM.000089 - Anatomy Videos
ETH.MESH.PM.000090 - Anatomy Videos
ETH.MESH.PM.000092 - Prolift +M Professional Education Videos
ETH.MESH.PM.000134 - Anatomy Videos
ETH.MESH.PM.000145 - Prolift +M Professional Education Videos
ETH.MESH.PM.000151 - Anatomy Videos
ETH.MESH.PM.000154 - Anatomy Videos
ETH.MESH.PM.000179 - TVT Secur IFU V5e 2005 to disc (Original from Prof Ed DVD)

Production Materials

ETH.MESH.PM.000179 - TVT-Secur Key Tech Points 5.24.2007 (Color Original from Prof Ed DVD)
ETH.MESH.PM.000190 - Prolift Professional Education Videos
ETH.MESH.PM.000192 - Prolift Professional Education Videos
ETH.MESH-08476311 - Cytotoxicity assessment of Ulstem sling
ETH-00254-261
ETH-00295-300
ETH-02386 - Cosson, M. Prospective Clinical Assessment of the Total Vaginal Mesh (TVM) Technique for Treatment of Pelvic Organ Prolapse - 6 and 12 month results
ETH-02387 - Lucente, V. Prospective clinical assessment of the total vaginal mesh (TVM) Technique for treatment of pelvic organ prolapse - 6 and 12 month results.
ETH-02388 - Amblard, J. From the TVM to the Prolift® (Gynecare): evolution of a technique for prosthetic support to treat prolapse via the vaginal route, concerning a retrospective multicentric series of 794 patients (684 TVM/110 Prolift)
ETH-02653 - Fatton, B. Preliminary results of the "Prolift™" Technique in the treatment of pelvic organ prolapse by vaginal approach: a multicentric retrospective series of 110 patients. IUGA 2006 Athens Non-discussed Abstract 275
ETH-02750-755 - Hinoul P. A Prospective Study to Evaluate the Anatomic and Functional Outcome of a Transobturator Mesh Kit (Prolift Anterior) for Symptomatic Cystocele Repair. Journal of Minimally Invasive Gynecology (2008) 15, 615-620
ETH-03220-221 - Cosson, M. Preservation of uterus when treating prolapse by Prolift TM does not significantly reduce risk of early post-surgical complications and failures. ABS 89
ETH-03223 - Dedet, B. Transvaginal repair of genital prolapse by the Prolift technique: outcome one year after surgery.
ETH-03568-578 - (03.01.2005) Summary Memo for Revision B of the Gynecare Prolift Design Failure Modes Effects Analysis (dFMEA).
ETH-07153-158 - Gynecare Prolift Clinical Expert Report signed by Charlotte Owens on 01.14.05.
ETH-07247-303 - (03.02.2005) Approvals and Summary Memo for Version A of the Gynecare Prolift Application Failure Modes Effects Analysis (aFMEA).
ETH-37788-793 - Gynecare Prolift Clinical Expert report
ETH-60188-195 - Hiltunen R. Low-Weight Polypropylene Mesh for Anterior Vaginal Wall Prolapse - A Randomized Controlled Trial. Obstet Gynecol 2007;110-455-62
Ethicon Final Report, PSE Accession No. 00-0035
FDA Response to Bloomberg re Prolift 510(k) - Good Faith
Get the facts, be informed, make your best decision
Gynecare Gynemesh PS IFU (English Only) LAB-0012266 Rev: 3, released 02.03.15.
Gynecare Prolene PS and Prolift+M 510k Summary 9.5.08 [FDA]
Gynecare Prolift - Product Devise Design Safety Assessment (DDSA)
Gynecare TVT Secur No Bigger than your Palm. No Less than a revolution brochure.
GYNECARE TVT SECUR* Preceptors Meeting Paris - 13/11/2006 Menahem Neuman, MS Israel
Gynecare TVT SECUR* System Procedural Steps Guideline
Gynecare TVT Tension-free Support for Incontinence: Advanced Users Forum for the Experienced Clinician
Gynecare TVT Tension-free Support for Incontinence: Professional Education Slides
Gynecare TVT™ Family of Products Chart
Gynecology Solutions

Production Materials

Gynemesh PS Approval File (FDA) Requested August 15, 2007 Folder: K013718 - 131 pages; Summary: Product: GYNEMESH PROLENE SOFT (POLYPROPYLENE) NON ABSORBABLE SYNTHETIC SURGICAL
Gynemesh PS Approval File [FDA]
Gynemesh PS Early Clinical Experience White Paper
Gynemesh PS Presentation [CID.ETHMESH.00035303]
Gynemesh PS use in PFR (EWHU, Hatangadi)
HMESH.ETH.11642462 – Franchise Regulatory Labeling Guidance
IFU for Gynemesh PS (Gynemesh).nrl
Incontinence Platform WW Marketing Team Update August 19 th Harel Gadot
JEB Engineering Design Limited - FMEA Potential Failure, Mode and effects analysis (Process FMEA)
Johnson & Johnson - Our Credo [8.9.13 A.M. Mitchell Exhibit T-3134]
June, 2009 Klosterhalfen intermediate report on explanted mesh (highlighted)
Key Gynemesh PS Study - Jacuqetin, et al. Prolene Soft Mesh for POP Surgical treatment
Klinge Presentation PVDF: a new alternative? Meeting o Hernia Experts Exhibit P-1944
Letter from Dr. Joerg L. Holste, re: Biocompatibility Risk Assessment for Laser-cut Implant of Gynecare TVT
Librojo updated TVT Declaration (10-23-15) [12 pages]
Lucente - Prospective Clinical Assessment of the TVM technique
May 15, 2008 510(K) Summary of Safety and Effectiveness
McCabe email re - Sheath Sales Tool - 464
Memo from Kammerer/ Silimkhan re: Ultrasonic Slitting of PROLENE Mesh for TVT
Memo to S. Ciarrocca re: Regulatory Strategy - Project D'Art; Rev 3
MSDS-Marlex Polypropylenes
P4122 - SEM Figure 183: Sample J7959 13409 (Photographs)
Patient Brochure - Pelvic Organ Prolapse Get the Facts, Be Informed, Make YOUR Best Decision
Payments to Medscand [9.16.13 Exhibit T-3192]
Payments to Medscand by J&J [9.16.13 Exhibit T-3183]
Payments to Ulmsten as Consultant [9.16.13 Exhibit T-3204]
PFR (GyneMesh PS) & UI (2004)000028
Powerpoint - GYNECARE GYNEMESH* PS Nonabsorbable PROLENE* Soft Mesh Awareness Module
Powerpoint - Prospective Clinical Assessment of TVM - 1 Year Results
PowerPoint Mechanical vs. "Machine"-cut Mesh, January 19, 2005 Prepared by: Allison London Brown & Gene Kammerer
Published clinical data and RCTs - Ethicon.com - 4204-C
Seven Year Dog Study - T-2263
TVT Abbrevio IFU - 01.2015
TVT Exact IFU - 01.2015
TVT IFU - 01.2015
TVT Patient Brochure - 2015
TVT SECUR Key Tech Points 5.24.2007
TVT Secur_IFU_V5e_2005 to disc_Original from Prof Ed DVD
TVT-O la bandelette trans-obturatrice (Photograph)
TVT-Obturator IFU - 01.2015
TVT-SECUR Australian Experience Discussion with TGA Canberra, 9 January 2008
Use of Gynemesh PS in Prolapse Surgery 000001_4275674_d

Production Materials

Vaginal Dissection Technique Guide (Prolift+M)
--

Company Witness Depositions

Deponent
Beath, Catherine
Ciracco, Scott
Hinoul, Piet
Hinoul, Piet - 04.05.2012 Deposition Testimony
Hinoul, Piet - 09.18.2012 Deposition Testimony
Kammerer, Gene
Mahmoud, Ramy - 07.16.2013 Deposition Testimony
Maree, Aran - 07.23.2013 Deposition Testimony
Nager, Charles - 06.10.2014 Deposition Testimony
Owens, Charlotte
Smith, Dan
Weisberg, Martin - 05.24.2012 Deposition Testimony
Weisberg, Martin - 11.12.2015 Deposition Testimony
Weisberg, Martin - 11.13.2015 Deposition Testimony
Weisberg, Martin - 8.9.2013 Deposition Testimony
Yale - 08.08.2013 Deposition Testimony

Other Materials

Publically Available
02.25.2016 Brief Summary of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee
07.13.2011 - FDA Public Health Notification
07.25.2011 SGS - Executive Committee Statement Regarding the FDA Communication: Surgical placement of mesh to repair pelvic organ prolapse imposes risks.
10.20.2008 - FDA Public Health Notification
2007 No. 79 ACOG Practice Bulletin POP
2007 No. 85 ACOG Practice Bulletin POP
2008 FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of Pelvic Organ Prolapse and Stress Urinary Incontinence.
2009 AUA Guideline for the Surgical Management of Female Stress Urinary Incontinence
2010 AUA Update of Guideline on the Surgical Management of Female Stress Urinary Incontinence
2010 ICS Abstract 571 - Clinical Outcomes Of An Observational Registry Utilizing A Trocar-Guided Mesh Repair Of Vaginal Prolapse Using Partially Absorbable Mesh
2011 ACOG Committee Opinion Number 513. Vaginal placement of synthetic mesh for pelvic organ prolapse. American College of Obstetricians and Gynecologists. Obstet Gynecol 2011;188-:1459-1464.
2011 ACOG Committee Opinion: Vaginal placement of synthetic mesh for pelvic organ prolapse.
2011 ACOG Frequently Asked Questions. American College of Obstetricians and Gynecologists. ACOG FAQ2.
2011 AUA Foundation - Stress Urinary Incontinence Monograph
2011 AUA Position Statement on the use of vaginal mesh for the repair of pelvic organ prolapse.
2011 ICS Abstract 560 - A trocar-free procedure for vaginal prolapse repair using mesh and a vaginal support device - an observational registry
2011 ICS Fact Sheet on Stress Urinary Incontinence
2011 IUGA Pelvic Organ Prolapse A guide for women.
2011-Nov. AUA Position Statement on the Use of Vaginal Mesh for the Surgical Treatment of Stress Urinary Incontinence
2012 ABOG - Guide to Learning in Female Pelvic Medicine and Reconstructive Surgery
2012 Update of AUA SUI Guidelines- Appendices A11 and A16 (re Complications)
2013 ACOG Frequently Asked Questions. American College of Obstetricians and Gynecologists. ACOG FAQ183.
2013 AUA Position Statement on the Use of Vaginal mesh for the Surgical Treatment of Stress Urinary Incontinence
2013 AUA SUI Patient Guide: 1 in 3 women experience Stress Urinary Incontinence
2013 AUGS Position Statement on restriction of surgical options for pelvic floor disorders. Advancing Female Pelvic Medicine and Reconstructive Surgery. 2013;March:1-6.
2013 FDA Condsierations about surgical mesh for SUI
2013 ICS Factsheets - SUI - p13 Midurethral sling the choice
2013 March - AUGS Position Statement on Restrictions of Surgical Options for PFD FINAL
2013 Oct. AUA Position Statement on the Use of Vaginal mesh for the Surgical Treatment of SUI
2013 RANZCOG - UGSA Position Statement on Vaginal Mesh (Rewrite Executive March 2013) C-Gyn 20 Polypropylene Vaginal Mesh Implants for Vaginal Prolapse
2013 Revised AUA Position Statement on the Use of Vaginal mesh for the Surgical Treatment of Stress Urinary Incontinence.

Other Materials

2013 Sept. NICE 171 Guideline - Urinary Incontinence: The management of urinary incontinence in women. Issued September 2013.
2014 ACOG/AUGS Committee Opinion No 603 - Evaluation of uncomplicated SUI in women before surgical treatment. 2014
2014 AUGS FAQ by Providers MUS
2014 AUGS-SUFU MUS Position Statement APPROVED
2014 Cho Nationwide Database of Surgical Treatment
2014 IUGA Position Statement regarding MUS for SUI
2014 Jan - AUGS-SUFU MUS Position Statement APPROVED 1 3 2014
2014 July - IUGA Position Statement on Mid-Urethral Slings for Stress Urinary Incontinence
2014 June - Joint ACOG-AUGS Position Statement on uncomplicated Stress Urinary Incontinence - CO 603
2014 Maldonado PA, et al. Patient satisfaction following midurethral sling surgeries. Curr Opin Obstet Gynecol 2014, 26:404-408.
2014 Mar 12 - AUGS SUFU Provider FAQs MUS for SUI
2015 ACOG Practice Bulletin Summary of 155 - Urinary Incontinence in Women (replaces 63 from June 2005)
2015 ACOG, AUGS Practice Bulletin Summary of 155 - Urinary Incontinence in Women (replaces 63 from June 2005)
ACGME Program Requirements for Graduate medical Education in Female Pelvic Medicine and Reconstructive Surgery. 2012
ACGME Program Requirements.
ACOG, AUGS Practice Bulletin Summary of 155 (replaces 63 from 2005) Urinary Incontinence in Women. November 2015.
AUA (2011) - Position Statement on the Use of Vaginal Mesh for SUI
AUA Guideline for the Surgical Management of Female Stress Urinary Incontinence Update (2009)
AUA National Medical Student Curriculum Urinary Incontinence
AUA Position statement on the use of vaginal mesh for the repair of pelvic organ prolapse
AUA Position Statement POP (2011) - Position Statement on the Use of Vaginal Mesh for the Repair of POP
AUA-SUI Pocket Guide for Physicians
AUGS Position Statement - March 2013 - Position Statement on Restrictions of Surgical Options for Pelvic Floor Disorders
AUGS Position Statement on Restrictions of Surgical Options for Pelvic Floor Disorders
AUGS Resident Learning Objectives
AUGS SUFU Frequently Asked Questions by Patients MUS for SUI
AUGS SUFU Frequently Asked Questions by Providers MUS for SUI
AUGS SUFU Position Statement on MUS for SUI
AUGS: Blogs Organizations Lend their Support to Mid-urethral Slings
AUGS: Position statement on the restriction of surgical options for pelvic floor disorders
AUGS-SUFU MUS Position Statement updated June 2016
Bruce Rosenzweig Expert Report from Kathryn McGee Case - January 15, 2016
Defense Cross of Weber Slide 12.08.15 Retracted Statement Regarding Nature of POP Surgery
Deposition Subject Matter-Design and Development of Mesh Products
Device Labeling Guidance
Device Labeling. 21 CFR 801.109(c)
EAU – Guidelines on Urinary Incontinence (Partial Update March 2015)

Other Materials

Excerpts from Budke trial transcript (Day 4, 01.08.2015).
FDA - Device Labeling Guidance #G91-1 March 1991
FDA 2013 Mar - Considerations about Surgical Mesh for SUI
FDA Considerations about Surgical Mesh for SUI [03.27.2013].
FDA Executive Summary: Surgical mesh for treatment of women with POP and SUI [09.08.2011]
FDA News Release: Surgical Placement of mesh to repair pelvic organ prolapse poses risk [07.13.2011].
FDA Public Health Notification - 2008 Oct. 20
FDA Public Health Notification - 2011 July 11
FDA Public Health Notification - Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of Pelvic Organ Prolapse and Stress Urinary Incontinence (2008)
FDA Public Health Notification. 2008. http://www.fda.gov/MedicalDevices/Safety/AlertsandNotices/PublicHealthNotifications/
FDA Public Health Notification. 2011. http://www.fda.gov/MedicalDevices/Safety/AlertsandNotices/ucm262435 .
FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of POP and SUI. Issued: 10.20.2008.
FDA Questions: Reclassification of the Urogynecologic Surgical Mesh Instrumentation.
FDA Safety Communication 7.13.11 - Update on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse
FDA Safety Communication: Update on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse
Gynemesh PS white paper
http://www.voicesforpfd - AUGS Patient Information: Mesh Information for Patients with Pelvic Floor Disorders
ICS Fact Sheet 2015
International Urogynecological Association: The Usage of Grafts in Pelvic Reconstructive Surgery Symposium 2005 July 8-10, 2005, Lago Mar Resort, Fort Lauderdale, FL, USA. Int Urogynecol J 2006; 17: S1-55
IUGA Anterior Vaginal Repair (Bladder Repair)
IUGA Brochure: Vaginal repair with mesh.
IUGA Mid-urethral sling (MUS) procedures for stress incontinence (2011)
IUGA Position Statement on MUS for SUI (2014)
IUGA Posterior Vaginal Wall and Perineal Body Repair
IUGA Sacrocolpopexy: A guide for women
Lucente, V. Pelvic Organ Prolapse Poster. AUGS 2004.
Lucente, V., et al. Medium-Term Clinical Outcomes Following Trocar-Guided Mesh Repair of Vaginal Prolapse Using Partially Absorbable Mesh. AUGS Abstract. Submitted 4/5/2012)
Oxford Levels of Evidence Pyramid for Practitioners from Oxford Website http://www.cebi.ox.ac.uk/for-practitioners/what-is-good-evidence.html
Oxford Levels of Evidence; www.cebi.ox.ac.uk/fileadmin/_processed_/csm_Evidence_pyramid_bluef5c85529a0.jpg
Presidents Letter: President's Perspective: Organizations lend their support to mid-urethral slings.
RANZOG and UGSA 2014 Position Statement
SGS (2011) Executive Committee Statement Regarding the FDA Communication: Surgical placement of mesh to repair pelvic organ prolapse imposes risks

Gregory Bales Materials List

Other Materials

The FDA and Mesh, What You Should Know as a Reconstructive Pelvic Surgeon by Lucente, V.; Cassidenti, A.; Culligan, P. White Paper Dated February 9, 2016

The King's Health Questionnaire. Linda Cardozo and Con Kelleher, 1997

Update AUA (2012) -SUI Guideline for the Surgical Management of Female Stress Urinary Incontinence: 2009 Update - Appendices A11 and A16 (re Complications)

MDL Wave Cases

Depositions
Gonzalez, Ricardo R., M.D. (Essman Plaintiff Expert) - 03.05.2016
Mays, Jimmy W., Ph.D. (General Plaintiff Expert) - 03.02.2016
Reeves, Keith (Essman Plaintiff Expert) - 03.16.2016
Rosenzweig, Bruce (Wroble Plaintiff Expert) - 03.19.2016
Rosenzweig, Bruce A., M.D. (Wiltgen Plaintiff Expert) - 03.12.2016
Rosenzweig, Bruce, M.D.(Williams Plaintiff Expert) - 03.10.2016
Shull, Robert, M.D (General Plaintiff Expert) - 03.15.2016
Veronikis, Dionysios (TVT General) - 4.30.16
Zipper, M.D. Ralph (General Plaintiff Expert)
Expert Reports
Blaivas, Jerry (Prolift General) - 02.01.2016
Blaivas, Jerry (TVT General) - 02.01.2016
Dunn, Russell (Prolift +M, Prosima General) - 01.23.2016
Elliott, Daniel (Prolift General) - Received 05.05.2016
Elliott, Daniel (TVT General) - 02.01.2016
Elliott, Daniel (TVT-O General) - 02.01.2016
Elliott, Daniel (TVT-S General) - 01.25.2016
Guelcher, Scott (General) - Received 05.05.2016
Iakovlev, Vladimir (General) - 01.29.2016
Klinge, Uwe (POP General) - 11.17.2015
Klinge, Uwe (TVT General) - 11.16.2015
Mays, Jimmy (General) - 04.29.2016
Michaels, Paul (General) - 07.01.2016
Ostergard, Donald (Prolift, Gynemesh, Prolene General) - 01.31.2016
Pence, Peggy (Notice of Adoption of Prior Reports) - 02.01.2016
Pence, Peggy (Prolift General) - 07.17.2014
Pence, Peggy (Supplemental Prolift General) - 03.03.2016
Pence, Peggy (Supplemental TVT & TVT-O General) - 03.02.2016
Pence, Peggy (Supplemental TVT-O General) - 04.24.2015
Pence, Peggy (TVT General) - 10.14.2014
Pence, Peggy (TVT-O General) - 07.17.2014
Plaintiff expert reports and materials cited in Wave general reports of Rosenzweig, Blaivas, Ostergard, Elliott, Weber and Veronikis.
Plaintiffs' Wave general expert reports and materials cited
Rosenzweig, Bruce (General) - 06.09.2014
Rosenzweig, Bruce (Huskey/Edwards) - 02.21.2014
Rosenzweig, Bruce (Lewis/Brown) - 10.14.2013
Rosenzweig, Bruce (MDL Design Defect) - 08.24.2015
Rosenzweig, Bruce (Ramirez) - 04.24.2015
Rosenzweig, Bruce (TVT, TVT-O Notice of Adoption of Prior Reports) - 12.15.2015
Rosenzweig, Bruce (TVT-S General) - 01.22.2016
Veronikis, Dionysios (TVT General) - 01.25.2016
Weber, Anne (Prolift General) - 02.01.2016
Wilson, Anne (TVT General) - Received 05.05.2016